INDEX TO KEW BULLETIN
Volume 42

Principal references are indicated † and illustrations *

A.C. Hoyle: an appreciation, F. White 655
Acacia seyal Del. 714
—— *sieberiana* DC. 714
—— sp. 714
Acalypha L. 357, †360, 361
—— *marissima* M. Gilbert †360, 361, *362
—— *paniculata* Miq. 361
—— *racemosa* Wall. ex Baill. 361
—— *volkensii* Pax 361
Acanthophoenix H. Wendl. 48, †51, 56, 57, 60
—— *crinita* 56
—— *rubra* 51, 55, 56
Aceratium DC. 777, 781
Achariaceae 114
Acidosasa 207
Acostia gracilis Swallen 749
Acritochaete 745
Acritochaete volkensii Pilg. 745
Acroceras 401, 402
—— *amplectens* Stapf 745
—— *paucispicatum* (Morong) Henr. 401
—— *pilgerianum* Schweick. 402
Actephila mearsii C.T. White 810
Actinocladum verticillatum (Nees) Soderstrom 207
Adams, L.G., Bridson, D.M. & Robbrecht, E.: The identity of Lasianthus graciliflorus Bailey (Rubiaceae) 209
Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Adenochlaena 368
Aecicium vangueriae Cooke 163
Aerangis: Notes on the orchids of southern tropical Africa III: Aerangis, Joyce Stewart & Isobyl F. la Croix 215
Aerangis Reichb.f. 215, 217, 218, 219, †732
—— *alcicornis* (Reichb. f.) Garay 218, 219
—— *arachnopus* (Reichb.f.) Schltr. †736
—— *biloba* (Lindl.) Schltr. †732
—— *brachycarpa* (A. Rich.) Dur. & Schinz 215, 217, †219
—— *calantha* (Schltr.) Schltr. †732
—— *carnea* J. Stewart 217, 218
—— *collum-cygni* Summerh. †733, 736
—— *distincta* J. Stewart & I.F. la Croix *216, †217, 218, 219
—— *friesiorum* Schltr. †736
—— *kotschyana* (Reichb.f.) Schltr. 215, 217, †733
—— *luteo-alba* (Kraenzl.) Schltr. †733
—— —— var. *rhodosticta* (Kraenzl.) J. Stewart †733
—— *megaphylla* Summerh. 217, †733
—— *splendida* J. Stewart & I.F. la Croix †215, *216, 217, 219
—— *stelligera* Summerh. 217, †733
—— *thomsonii* (Rolfe) Schltr. 736
—— *verdickii* 215
Aethalus 502
Africa: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Africa: A reconsideration of Pittosporum in Africa and Arabia, I. Friis 319
Africa: Two new species of Bulbophyllum (Orchidaceae) in Africa, J.J. Vermeulen 263
Africa, East: New and little-known species of Maytenus (Celastraceae) in East Africa, Norman K.B. Robson & Sebsebe Demissew 423
Africa, East: New species and taxonomic changes amongst the succulent trees and shrubs of Euphorbia subgen. Euphorbia from East Africa, Susan Carter 673
Africa, East: New taxa and observations in Monadenium (Euphorbiaceae) in East Africa, Susan Carter 903
Africa, East: Notes on Aristea (Iridaceae) in East Africa, W. Marais 932
Africa, East: Notes on Peucedanum (Umbelliferae) and allied genera in Central and East Africa, C.C. Townsend 587
Africa, East: Taxonomic changes in Synadenium (Euphorbiaceae) from East Africa, Susan Carter 667
Africa, eastern tropical: New taxa in Euphorbia subgen. Euphorbia from eastern tropical Africa, Susan Carter 371
Africa, northeast tropical: Notes on Eragrostis (Gramineae) from northeast tropical Africa, S.M. Phillips 929
Africa, South: A new species of Drosera from South Africa, M.R. Cheek 738
Africa, southern tropical: Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 384
Africa, southern tropical: New species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 208
Africa, southern tropical: Notes on the orchids of southern tropical Africa III: Aerangis, Joyce Stewart & Isobyl F. la Croix 215
Africa, Tropical East: Three corrections to the Flora of Tropical East Africa, B. Verdcourt 657
African, East: Two new species of East African Craterostigma (Scrophulariaceae), F.N. Hepper 945
African: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395
African: Notes on African Rubiaceae-Vanguerieae, B. Verdcourt 123
African: The recognition and recircumscription of the African genus Multidentia (Rubiaceae-Vanguerieae), Diane M. Bridson 641

African

African: Two new geophytic species of Euphorbia with comments on the subgeneric grouping of its African members, M.G. Gilbert 231
African, tropical: Taxonomic notes on tropical African species of Protea, S.M. Chisumpa & R.K. Brummitt 815
Afroparacoffea 453, 456
Agaricales: A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis, D.N. Pegler 501
Agaricales: A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill, D.N. Pegler 855
Agaricus sect. *Arvenses* Konr. & Maubl. 504
—— sect. *Calyptrospora* Smith & Singer 524
—— sect. *Lentodiellum* 526
—— sect. *Majales* 857, 859
—— sect. *Minores* Fr. 856
—— sect. *Naucoriopsis* Kuehner 524, 525
—— sect. *Ovisporae* (J. Lange) Kuehner 517
—— sect. *Spadiceae* (Morgan) Kits van Wav. 515
—— subgen. *Flavoagaricus* Wasser 856, 857
—— subgen. *Pleurotus* 506
—— subsect. *Flavescentes* 856
—— subsect. *Sanguinolenti* (J. Schaeffer & Moeller) Wasser 856
—— subsect. *Stipitarinae* Singer 507
—— subsect. *Xanthodermatae* (Singer) Wasser 857
—— *acicula* Fr. †502
—— *aethalus* Berk. & Curtis †502
—— *algidus* 531
—— *alveolus* sensu Berk. & Curtis †502
—— —— Lasch. 502
—— *anthiceps* Berk. & Curtis †503, 514
—— *applicatus* sensu Berk. & Curtis †503
—— —— Batsch: Fr. 503
—— *atrocaeruleus* Fr.: Fr. †503
—— *aureobrunneus* Berk. & Curtis †504
—— *babingtonii* Bloxh. †504
—— *bambusigenus* Berk. & Curtis †504, *555
—— *barbatulus* Berk. & Curtis †504
—— *bombycinus* Schaeff.: Fr. †505
—— *boryanus* Berk. & Mont. †505
—— *bullaceus* 530
—— *cacaophyllus* Berk. & Curtis †505
—— *caespitosus* (Berk.) Berk. & Curtis †506
—— *campanella* sensu Berk. & Curtis †506
—— —— Batsch: Fr. 506
—— *campanulatus* sensu Berk. & Curtis †506
—— —— L. 506
—— *carecomoeis* Berk. & Curtis †507
—— *caveatus* Berk. & Curtis †507
—— *centenarius* Berk. & Curtis †507
—— *cheimonoceps* Berk. & Curtis †508, *555
—— *cheimonophyllus* Berk. & Curtis †508
—— *chondripes* Berk. & Curtis †508
—— *chrysopellus* Berk. & Curtis †508
—— *chrysotrichus* Berk. & Curtis †509
—— *citricolor* Berk. & Curtis †509
—— *clypeolarius* sensu Berk. & Curtis †511
—— —— Bull. 511
—— —— Bull.: Fr. 511
—— *commiscibilis* Berk. & Curtis †511, 526
—— *confluens* 519
—— *copriniceps* Berk. & Curtis †511, 512
—— *cubensis* Berk. & Curtis †512
—— *dichromus* Berk. & Curtis †512

Agaricus

—— *earlei* Murr. 504, †855, 856, *858
—— *elatinus* Berk. & Curtis *513
—— —— Pers. *513, 514
—— —— 867
—— *euspeireus* Berk. & Curtis †514
—— *euthugrammus* Berk. & Curtis †514, *563
—— *excavatus* Berk. & Curtis *510, †515
—— —— Leysser 515
—— *fibula* sensu Berk. & Curtis †515
—— —— Bull.: Fr. 515
—— *flammans* 531
—— *flavellus* Berk. & Curtis †515, 516
—— *flavolanatus* Berk. & Curtis †516
—— *floralis* sensu Berk. & Curtis †516
—— —— Berk. & Rav. 516
—— *furfuraceus* 525
—— *fuscifrons* Berk. & Curtis †518
—— *gyroflexus* sensu Berk. & Curtis †518
—— *haedinus* Berk. & Curtis *510, †518
—— *helvoliceps* Berk. & Curtis †518
—— *hemileucus* Berk. & Curtis †519
—— *hemiphlebius* Berk. & Curtis †519
—— *hemisclerus* Berk. & Curtis †519
—— *herradurensis* Murr. †856, *858
—— *hiemalis* Osb. 535
—— *holoporphyrus* Berk. & Curtis †520
—— *hornei* Murr. †856, 857, *858
—— *hypoporphyrus* Berk. & Curtis †520
—— *johnstonii* Murr. 856
—— *kermesinus* Berk. & Curtis †521, 880
—— —— O. Mueller 521
—— —— *510
—— *laccatus* sensu Berk. & Curtis †521
—— —— Scop.: Fr. 521
—— *laetifrons* Berk. & Curtis †521
—— *martianus* Berk. & Curtis †522
—— *melleorubens* Berk. & Curtis †522
—— *merulius* Bertero ex Mont. 559, 561
—— *mucidus* 508, *563
—— *musaecola* Berk. & Curtis †523, *563
—— *nigritus* Berk. & Curtis †523
—— *ochraceodiscus* Murr. †857, *858
—— *oinodes* Berk. & Curtis †524
—— *palmigena* Berk. & Curtis †524
—— *parasilvaticus* Heinem. 856
—— *pectinatus* Berk. & Curtis †525
—— —— Schwein. 525
—— *penetrans* sensu Berk. & Curtis †525
—— —— Fr. 525
—— *plumiger* Berk. & Curtis †525
—— *plutonius* Berk. & Curtis †526
—— *praemagnus* Murr. †857, *858
—— *purpurellus* (F.H. Moeller) F.H. Moeller 856
—— *putredinus* Berk. & Curtis †526
—— *pyrrhus* Berk. & Curtis †526
—— —— var. *leiospora* Berk. & Curtis †527
—— *rheicolor* Berk. †527
—— *rhoadsii* Murr. 504
—— *rhodocylix* sensu Berk. & Curtis †527
—— —— Lasch 527
—— *roridulus* Berk. & Curtis †527
—— *rubrotinctus* Berk. & Curtis †528
—— *sanguineus* Berk. & Curtis †528, 880
—— —— Wulfen 528
—— *sapineus* Berk. & Curtis †530
—— —— Fr. †530
—— *scatigena* Berk. & Curtis †530
—— *scobifer* Berk. & Curtis †530, 531
—— *scyphoides* 529

Agaricus
—— *semiorbicularis* sensu Berk. & Curtis †531
—— —— Bull.: Fr. 531
—— *semitectus* Berk. & Curtis †531, *543
—— *shaferi* Murr. *858, †859
—— *sideroides* Berk. & Curtis †532
—— —— Bull. 532
—— *sordescens* Berk. & Curtis †532
—— *stipitarius* sensu Berk. & Curtis †532, 533
—— —— Fr. 532
—— *stupparius* Berk. & Curtis †533
—— *subbarbatus* Berk. & Curtis 503, †533, *543
—— *subclypeolarius* Berk. & Curtis 511, †533, 534
—— *subpellucidus* Berk. & Curtis 514, †534
—— *subviridis* Berk. & Curtis †534
—— *tenerrimus* sensu Berk. & Curtis †535
—— —— Berk. 535, 572
—— *tephrostictus* Berk. & Curtis †535
—— *tricolor* 521
—— *trinitatensis* Baker & Dale 857
Agrocybe Fayod *860, 872, 882
—— sect. *Agrocybe* 873, 879
—— *broadwayi* (Murr.) Dennis 531
—— *cubensis* (Murr.) Singer *860, 872, 873
—— *longistriata* Peck 874
—— *musae* (Earle) Pegler *860, †882
—— *sacchari* (Murr.) Dennis 873, 880
—— *underwoodii* (Murr.) Singer *860, 879
Airy Shaw: H.K. Airy Shaw, (1902-1985) (Obituary), A. Radcliffe-Smith, R.M. Harley (Bibliog.) A. Radcliffe-Smith & C.M. Wilmot-Dear 3
Albertieae 124
Albizia gummifera (J. Gmelin) C.A. Smith 712
—— *zygia* (DC.) J.F. Macbr. 712
Alboleptonia 882
—— *earlei* (Murr.) Larg. & Bened. *866, 882
Allophylus africanus P. Beauv. 712
Alloteropsis 739, †756, 758, 766
—— *cimicina* (L.) Stapf 756, *757
—— *gwebiensis* Stent & Rattray 756
—— *paniculata* (Benth.) Stapf 756, 757
—— *semialata* (R. Br.) Hitchc. *755, 756, 758
—— —— subsp. *ecklonianа* (Nees) Gibbs Russell *755, 756
—— —— subsp. *semialata* *755, 756
Aloe jucunda 98
Amanitopsis cubensis (Berk. & Curtis) Sacc. 512
Amaryllidaceae: The chromosomes of species, hybrids and cultivars of Narcissus L. (Amaryllidaceae), P.E. Brandham & P.R. Kirton 65
Amaryllidaceae 324
Amblygonocarpus andongensis (Oliver) Harms 713
Amphibromus 921
—— *quadridentulus* (Doell) Swallen 921
Amphicarpum 743
—— *purshii* Kunth 745
Anacardiaceae 367
Anarthria 299, 300, 301, 302
Anarthriaceae 298, 299, 304, 307, 309, 311, 312
Anatomy: A survey of leaf-blade anatomy in grasses X. Bambuseae, S.A. Renvoize 201
Anatomy: A survey of leaf-blade anatomy in grasses XI. Paniceae, S.A. Renvoize 739
Ancistrachne uncinulata (R. Br.) S.T. Blake 745
Ancistrochilus Rolfe †725
Ancistrochilus
—— *thomsonianus* (Reichb.f.) Rolfe †725, †942
Ancistrorhynchus Finet †735
—— *capitatus* (Lindl.) Summerh. †735
—— *metteniae* (Kraenzl.) Summerh. †735
—— *ovatus* Summerh. †735
—— sp. 713
Ancylanthos bainesii Hiern 131
—— *cinerascens* Hiern 144
—— *fulgidus* Hiern 131
—— *rubiginosa* Desf. 128, 131, 653
Ancylanthus Desf. 123, 124, 127, 131, 141, 143
—— *rogersii* (Wernh.) Robyns 131
—— *rufescens* E.A. Bruce 143
Andrachne L. †351, 353
—— *aspera* Spreng. 351, 353
—— —— var. *aspera* *352
—— —— var. *glandulosa* *352
—— *ephemera* M. Gilbert †351, *352, 353, 363
—— *telephioides* L. 353
Andrews, Susyn *reviewer*: Conifers, by D.M.van Gelderen & J.R.P. van Hoey Smith 950
Angelica 589
Angraecum Bory †730
—— *alcicorne* 218, 219
—— *claessenii* De Wild. †730
—— *distichum* Lindl. †730
—— *infundibulare* Lindl. †730
Annona senegalensis Pers. 712
Anogeissus leiocarpus (DC.) Guill. & Perr. 713
Ansellia Lindl. †723
—— *africana* Lindl. †723
—— *gigantea* Reichb.f. var. *nilotica* (Bak.) Summerh. 723
Anthaenantiopsis racemosa Renv. †924
—— *trachystachya* (Nees) Mez ex Pilger 749, 924
Anthenantia 748
—— *villosa* (P. Beauv.) Michx. 750
Anthephora 748
—— *elongata* de Wild. 750
Anthocleista vogelii Planchon 713
Anthracophyllum Ces. 576
—— *lateritium* (Berk. & Curtis) Singer 576
—— *nigritum* (Lév.) Kalchbr. *513, 576
Antirhea hexasperma (Roxb.) Merr. 621
Apaturia 937
Apis sp. 411
Apoclada 204
—— *cannavieira* (A. de Silveira) McClure 207
Arabia: Jasminum in Arabia - a correction, P.S. Green 944
Arabia: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Arabia: New records of Orchidaceae for Arabia, P.J. Cribb 461
Arabia: A reconsideration of Pittosporum in Africa and Arabia, I. Friis 319
Arabia: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
Araliaceae 367
Arecaceae 297
Areceae: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Areceae), N.M. Mendis, I.K. Ferguson & J. Dransfield 47

Arecoideae

Arecoideae: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Areceae), N.M. Mendis, I.K. Ferguson & J. Dransfield 47
Arenga borneensis (Becc.) J. Dransf. 56
Argocoffeopsis Lebrun 457
—— *eketensis* (Wernh.) Robbrecht 457
Aristea: Notes on Aristea (Iridaceae) in East Africa, W. Marais 932
Aristea abyssinica Pax 932
—— *alata* Baker 932
—— —— subsp. *abyssinica* (Pax) Weim. 932
—— —— subsp. *bequaertii* (De Wild.) Weim. 932
—— *angolensis* Bak. 932
—— —— var. *angolensis* 932
—— —— var. *robusta* Marais †932
—— *bequaertii* De Wild. 932
—— *cognata* sensu Weimarck 932
—— —— N.E. Br. ex Weim. 932
—— —— subsp. *abyssinica* (Pax) Marais †932
—— *djalonis* A. Chev. ex Hutch. 932
—— *hockii* De Wild. 932
—— *homblei* De Wild. 932
—— *lukwangulensis* Marais †932
—— *nyikensis* Baker 932
Aristotelia L'Hérit. 777, 781, 785
Armillaria (Fr.: Fr.) Staude 523
—— *cheimonophylla* (Berk. & Curtis) Sacc. 508
—— *melleorubens* (Berk. & Curtis) Sacc. *510, 522, 523
—— *melleus* (Vahl: Fr.) Kummer *510, 523
—— *puiggarii* Speg. 523
—— *tabescens* (Scop.: Fr.) Emel 506
Armillariella (Karst.) Karst. 523
Artemisia: On the status of Artemisia dubia Wall. ex Bess. and A. myriantha Wall. ex Bess. (Compositae), Yeou-ruenn Ling 443
Artemisia sect. *Abrotanum* Bess. 443, 445
—— sect. *Artemisia* 443, 445
—— subgen. *Artemisia* 443
—— subgen. *Dracunculus* 443
—— *austro-yunnanensis* Ling & Y.R. Ling †448
—— *burmanica* Pamp. 446
—— *cannabina* Jacq. ex Bess. 445
—— *desertorum* sensu Hook.f. 445
—— *dolichocephala* Pamp. f. *yunnanensis* Pamp. 446
—— *dracunculus* L. f. *chinensis* Pamp. 445
—— —— f. *chinensis* Pamp. 445
—— —— f. *falciloba* Pamp. 445
—— —— f. *pinnata* Pamp. 445
—— —— f. *thomsonii* Pamp. 445
—— —— subf. *oblonga* Pamp. 445
—— —— var. *inodora* sensu Pamp. 445
—— —— var. *subdigitata* Pamp. 445
—— *dubia* sensu Kitam. 447
—— —— sensu Pamp. 446, 447
—— —— Wall. ex Bess. †443, *444, 446
—— —— f. *acuta* Pamp. 448
—— —— f. *communis* Pamp. 446, 447
—— —— f. *congesta* Pamp. 447
—— —— f. *genuina* Pamp. 446
—— —— f. *grata* Pamp. 448
—— —— f. *leptostachya* (DC.) Pamp. 447
—— —— f. *meridionalis* Pamp. 447
—— —— f. *ovata* Pamp. 448
—— —— f. *simlensis* Pamp. 448

Artemisia

—— —— f. *tonkingensis* Pamp. 448
—— —— subf. *intermedia* Pamp. 446, 447
—— —— subf. *pauciflora* Pamp. 447
—— —— subf. *puberula* Pamp. 447
—— —— var. *acuminata* Pamp. 446
—— —— var. *compacta* Pamp. 447
—— —— var. *dubia* †443
—— —— var. *gracilis* Pamp. 448
—— —— var. *grata* (Wall.ex Bess.) Pamp. 447
—— —— var. *jacquemontiana* (Bess.) Pamp. 445
—— —— var. *legitima* Pamp. 446
—— —— var. *longeracemulosa* Pamp. 446
—— —— var. *multiflora* Pamp. 447, 448
—— —— var. *myriantha* (Wall. ex Bess.) Pamp. 446
—— —— var. *orientalis* Pamp. 447
—— —— var. *septentrionalis* Pamp. 447
—— —— var. *subdigitata* (Mattf.) Y.R. Ling †445
—— *glauca* sensu Hook.f. 445
—— *grata* Wall. ex Bess. 447
—— *indica* Willd. 443, †447
—— *jacquemontiana* Bess. 445
—— *lavandulifolia* DC. †448
—— *leptostachya* DC. 447
—— *myriantha* Wall. ex Bess. 443, *444, 445, 446
—— —— var. *myriantha* †446
—— —— var. *pleiocephala* (Pamp.) Y.R. Ling †446
—— *pleiocephala* Pamp. 446
—— —— f. *discolor* Pamp. 447
—— —— f. *latiloba* Pamp. 447
—— —— f. *yunnanensis* Pamp. 446
—— *roxburghiana* Wall. ex Bess. †448
—— *royleana* DC. 445
—— *subdigitata* sensu Mattf. 443
—— —— Mattf. 445
—— —— var. *falciloba* Mattf. 445
—— —— var. *intermedia* Kitag. 445
—— —— var. *thomsonii* (Pamp.)S.Y. Hu 445
—— *thomsonii* C.B. Clarke 445
—— *verlotiorum* Lamotte †447
—— *vulgaris* sensu Hook.f. 443, 446, 447
—— —— L. 443, 446
—— —— var. *myriantha* (Wall. ex Bess.) Clarke 446
—— *wulingschanensis* Bar. & Skv. 445
—— *yunnanensis* Lévl. 446
Arthragrostis deschampsioides (Domin) Lazarides 753
Arthropogon 748, 764
—— *piptostachyus* (Griseb.) Pilg. 750, 764
—— *villosus* Nees 750, 764
Arthrostylidium 204
—— *pubescens* Rupr. 207
Arundinaria jaunsarensis Gamble 206
—— *simonii* 204
Arundineae 739
Arundinoideae 308
Asclepiadaceae: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: I., Jorge Fontella Pereira & Nilda Marquete Ferreira da Silva 663
Asclepiadaceae 103, 663
Ascolepis sp. 712
Aspalanthus 700

Asplenium

Asplenium septentrionale (L.) Hoffm. 121
Athroandra atrovirens (Pax) Pax & K. Hoffm. var. *flaccida* (Pax) Pax & K. Hoffm. 395
Athroostachys 204
—— *capitata* (Hook.) Benth. 207
Atractantha falcata McClure 207
Atylospora coprinicepsi (Berk. & Curtis) Murr. 511
—— *cubensis* Murr. †859
—— *euthugramma* (Berk. & Curtis) Murr. 514
—— *musae* (Earle) Murr. 870
—— *plumigera* (Berk. & Curtis) Murr. 525
—— *roystoniae* (Earle) Murr. 870
Aubrevillea kerstingii (Harms) Pellegrin 713
Aulonemia 204
—— *ulei* (Hack.) McClure 206
Auricularia 541
—— *delicata* (Fr.) P. Henn. 544
Auxopus Schltr. †721
—— *kamerunensis* Schltr. †721
Avena quadridentula Doell 921
Aveneae 707
Axonopus 761, 766
—— *compressus* (Swartz) P. Beauv. 750

Baas, Pieter & Miller, Regis B.: Functional and Ecological Wood Anatomy (Rev.) 267
Bactris Martius 411
Bahia: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1, Jorge Fontella Pereira & Nilda Marquete Ferreira da Silva 663
Bahia: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897
Bailey, A.G. *reviewer*: Indigenous Agricultural Revolution. Ecology and Food Production in West Africa, by Paul Richards 275
Balanites aegyptiaca (L.) Del. 714
Bambusa burmanica Gamble 207
Bambuseae: A survey of leaf-blade anatomy in grasses X. Bambuseae, S.A. Renvoize 201
Bambusoideae 299, 307
Baptorhachis Clayton 401
—— *foliacea* (Clayton) Clayton †401, 750
Baracoffea 456
Barjonia: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1, Jorge Fontella Pereira & Nilda Marquete Ferreira da Silva 663
Barjonia 663
—— *harleyi* J. Fontella & N. Marquete †663, *664
Barleria polyneura S. Moore 692
Beckeropsis uniseta (Nees) K. Schum. 712
Beiselia Forman †262
—— *mexicana* Forman †262
Belonophora hypoglauca (Hiern) A. Chev. 713
Bembea Verdc. †141
Bentinckia 60
Bergia 657
—— *ammannioides* Roxb. †657
—— —— Roth 657
—— *verticillata* Willd. 657
Berkeley: A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis, D.N. Pegler 501

Berlinia

Berlinia 713
—— *grandiflora* (Vahl) Hutch. & Dalz. 712, 713
Bhidea fischeri: Bhidea fischeri, a new species of Gramineae from India, P.V. Sreekumar & B.V. Shetty 683
Bhidea burnsiana Bor 683, 685
—— *fischeri* P.V. Sreekumar & B.V. Shetty †683, *684, 685
Bhutan: A new species of Trikeraia (Gramineae) from Tibet and Bhutan, T.A. Cope 350
Bismarckia Hildebr. & H.A. Wendl. 406, 408, †410, 411
—— *nobilis* Hildebr. & H.A. Wendl. 408, 411
Bletia Ruiz & Pav. 937
Bolbitiaceae 882
Bolbitius coprophilus *860
Boletellus Murr. sect. *Boletellus* 535
—— *cubensis* (Berk. & Curtis) Singer 535, 536, *567
Boletus cubensis Berk. & Curtis †535
—— *guadelupensis* Pat. 536
—— *lignatilis* Berk. & Curtis †536
Bolivia: Validation of names of three Solanum taxa from Bolivia, J.G. Hawkes & J.P. Hjerting 436
Bolusiella Schltr. †732
—— *iridifolia* (Rolfe) Schltr. 713, †732

Book Reviews & Notices: -
Arizona Soils, by David M. Hendricks 951
Australian Agricultural Botany, by D.L. Jackson & S.W.L. Jacobs 483
Biomineralization in Lower Plants and Animals, by Barry S.C. Leadbeater & Robert Riding (Eds.) 961
A Biosystematic Study of the African and Madagascan Rubiaceae-Anthospermeae, by Christian Puff 960
The Botanists. A history of the Botanical Society of the British Isles through 150 years, by David Elliston Allen 948
The Botany of Mangroves, by P.B. Tomlinson 956
The British Ascomycotina. An Annotated Checklist, by P.F. Cannon, D.L. Hawksworth & M.A. Sherwood-Pike 268
Carpathian Ustilaginales, Symbolae Botanicae Upsalienses XXIV: 2, by Kálmán Vánky 277
Conifers, by D.M. van Gelderen & J.R.P. van Hoey Smith 950
The Correspondence of Charles Darwin. Vol. 1, 1821-36, by S.S. Burkhardt & S. Smith (Eds.) 479
Die Abenteuer des Sir Joseph Banks, by Eva Lack 952
The Families of the Monocotyledons. Structure, Evolution and Taxonomy, by R.M.T. Dahlgren, H.T. Clifford & P.F. Yeo, in cooperation with R.B. Faden, N. Jacobsen, K. Jacobsen, S.R. Jensen, B.J. Nielsen & F.N. Rasmussen 269
Flora Fanerogámica del Valle de Mexico. Volume 2 (Euphorbiaceae-Compositae), by J. Rzedowski & G.C. de Rzedowski 954

Book Reviews

Flora of Australia Vol. 25, Melianthaceae to Simaroubaceae, by H.J. Hewson, S.T. Reynolds, J.G. West & L.W. Jessup. A.S. George (Exec. Ed.) 281
Flora of Australia. Volume 46. Iridaceae to Dioscoreaceae, by A.S. George (Exec. Ed.) 950
Flora of Turkey, Vol. 9, by P.H. Davis (Ed.) 947
Flora Palaestina, Part 4, by Naomi Feinbrun-Dothan 949
Fruits of the Guianan Flora, by M.G.M. van Roosmalen 485
Functional and Ecological Wood Anatomy, by Pieter Baas & Regis B. Miller 267
Fungi of the Hebrides, by R.W.G. Dennis 770
A Garden of Eden. Plant Life in South-East Asia, by W. Veevers-Carter 961
The genus Trifolium, by Michael Zohary & David Heller 280
A Guide to the Vegetation of Britain and Europe, by Oleg Polunin & Martin Walters 953
Hardy Geraniums, by Peter F. Yeo 958
The Heavy Metal-Tolerant Flora of Southcentral Africa, by R.R. Brooks & F. Malaisse, (also) A. Empain 479
Hong Kong Bamboos, by Paul Pui-Hay But, Chia Liang-chi, Fung Hok-lam & Hu Shiu-Ying 268
Horticultural Science. Fourth Edition, by Jules Janick 774
An Illustrated Guide to the Flowers of Saudi Arabia, by Sheila Collenette 481
Index of Collectors in the Welsh National Herbarium, by S.G. Harrison 773
Indigenous Agricultural Revolution. Ecology and Food Production in West Africa, by Paul Richards 275
Introduction to the palynology of pre-quaternary deposits, by M. Kedves 774
Isthmian Ethnobotanical Dictionary, Ed. 3, by James A. Duke 947
John Hope, 1725-1786 Scottish Botanist, by A.G. Morton, FRSE 771
The Juncus triformis Complex. Memoirs of the New York Botanical Garden, Vol. 39, by Barbara Ertter 959
Le genre Inga (Légumineuses, Mimosoideae) en Guyane Française, by Odile Poncy 283
Literature on the history of botany and botanic gardens 1730-1840. Huntia 6(1), by Dale E. Johnson 283
Manual of Cultivated Broad-Leaved Trees and Shrubs, Volume II E-PRO, by Gerd Krüssmann 774
Medicinal plants in tropical West Africa, by Bep Oliver-Bever 483
Medicinal Plants of China. Volumes 1 & 2, by James A. Duke & Edward S. Ayensu 271
Monograph of the Hawaiian Madiinae (Asteraceae): Argyroxiphium, Dubautia and Wilkesia, by Gerald D. Carr 769
Nitrogen fixation. Vol. 4. Molecular biology, by W.J. Broughton & A. Pühler (Eds.) 961
Nothofagus cunninghamii (Southern Beech) Vegetation in Southeastern Australia. Australian Flora and Fauna series No. 1, by John R. Busby 282

Book Reviews

Nouvelles recherches sur les coccoïdes precambiens des Richât de Mauritanie, by Edouard Bourcau (Ed.), Edouard Boureau, Marcel Locquin & Philippe Taugourdeau 282
Oil palms and other Oilseeds of the Amazon, by C. Pesce 484
Pest control in tropical onions, by Unknown 773
Phytogeography of Eucalyptus in Australia. Australian Flora and Fauna Series No. 3, by A.M. Gill, L. Belbin & G.M. Chippendale 283
Plant Life of South West Asia, by I.C. Hedge (Ed.) 959
Plant Phenology in the Humid Tropics. Research Pamphlet No. 96, by F.S.P. Ng 273
Plants for Arid Lands. Proceedings of the Kew International Conference on Economic Plants for Arid Lands, July 1984, by G.E. Wickens, J.R. Goodin & D.V. Field (Eds.) 277
Plants for Human Consumption, by G. Kunkel 273
A Revised Handbook to the Flora of Ceylon Vol. V, by M.D. Dassanayake & F.R. Fosberg (Eds.) 282
Rhododendron hybrids. A Guide to their Origins, by Homer E. Salley & Harold E. Greer 955
Saprophytes pro parte. Flora Neotropica Monographs 40-42, by P.J.M. Maas & Collaborators 774
Scala Millettiearum. A survey of the genera of the Millettieae (Legum.-Pap.) with methodological considerations, by Robert Geesink 283
Southern Australian Liverworts. Australian Flora and Fauna series No.2, by George A.M. Scott 284
Sulcorebutia and Weingartia. A Collector's Guide, by John Pilbeam 274
Taxonomic revision of the genus Haplophyllum (Rutaceae), by C.C. Townsend 957
Towards a Check-List of the Vascular Plants of Botswana, by I. Grignon & P. Johnsen 272
Translationes Operum Sinensium de Gesneriaceis - 1, by Lawrence E. Skog & Hayden M. Wetzel 960
Tree Flora of Indonesia. Check list for Sumatra, by K. Sidiyasa & V. Sutisna &c. (Compilers), T.C. Whitmore, & I.G.M. Tantra (Eds.) 960
Tropical Rainforests of North Queensland: Their Conservation Significance, by Rainforest Conservation Soc. (1986) 772
The vegetation and phytogeography of Sable Island, Nova Scotia, by P.M. Catling, B. Freedman & Z. Lucas 282

Borasseae: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae), I.K. Ferguson, A.J. Havard & J. Dransfield 405
Borassodendron Becc. 406, †407, 408, 410, 411
—— *borneense* J. Dransf. 407, 408, 411

Borassodendron

—— *machadonis* (Ridley) Becc. 407, 408, 410
Borassus L. †407, 408, 410, 411
—— *aethiopum* Mart. 407, 408
—— *flabellifer* L. 407, 408
Boswellia: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
Boswellia 368, 487, 494, 497
—— *bhau-dajiana* Birdwood 487, 489, 491
—— —— var. *serrulata* Engl. 489
—— *bricchettii* (Chiov.) Chiov. 497
—— *carteri* Birdwood 487, 488, 489, 491
—— —— var. *subintegra* Engl. 488, 489
—— —— var. *undulato-crenata* (Engl.) Engl. 489
—— *frereana* Birdwood 487, 491, 492, 493, †494, 495, 496, 497, 498
—— *papyrifera* (Del.) Hochst. 487, 491, 492
—— —— (Del.) A. Rich. 714
—— *pirottae* Chiov. 367
—— *sacra* Flückiger †487, 491, 492, 493, 495, 496, 497, 498
—— *serrata* Roxb. ex Coleb. 490, 497, 498
—— *thurifera* Coleb. 490
—— *undulato-crenata* 489
Bougainvillea 99
Boulos, L. & Cope, T.A.: A new species of Coelachyrum (Gramineae) from Egypt 919
Boureau, Édouard (Ed.), Boureau, Édouard, Locquin, Marcel & Taugourdeau, Philippe: Nouvelles recherches sur les coccoïdes precambiens des Richât de Mauritanie (Notice) 282
Brachiaria 401, 758, 761
—— *bovonei* (Chiov.) Robyns 753
—— *deflexa* 758
—— *mutica* (Forssk.) Stapf *751, 753
—— *paucispicata* (Morong) Clayton †401, 753, 754
Brachycorythis Lindl. 712, 713, †715
—— *buchananii* (Schltr.) Rolfe †715
—— *macrantha* (Lindl.) Summerh. †715
—— *ovata* Lindl. †715
—— —— subsp. *schweinfurthii* (Reichb.f.) Summerh. †715
—— *pubescens* Harv. †715
—— *sceptrum* Schltr. †716
—— *tenuior* Reichb.f. †716
Brachystegia 607, 655, 824
Brandham, P.E. & Kirton, P.R.: The chromosomes of species, hybrids and cultivars of Narcissus L. (Amaryllidaceae) 65
Brazil: New descriptions and a new species of Rhynchospora from northeastern Brazil. Notes on Brazilian Cyperaceae I, D.A. Simpson 889
Brazil: New grasses from Paraná, Brazil, S.A. Renvoize 921
Brazil: A new Isachne (Gramineae) from Brazil, S.A. Renvoize 927
Brazil: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1, Jorge Fontella Pereira & Nilda Marquete Ferreira da Silva 663
Brazil: New species of Kielmeyera (Guttiferae) from Brazil, N. Saddi 221
Brazilian: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897

Brenan

Brenan, John Patrick Micklethwait (1917-1985) (Obituary), B. Verdcourt 287
Bridelia scleroneura Muell. Arg. 367
Bridson, D.M., Adams, L.G. & Robbrecht, E.: The identity of Lasianthus graciliflorus Bailey (Rubiaceae) 209
Bridson, Diane M.: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania 251
Bridson, Diane M.: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae) 453
Bridson, Diane M.: The recognition and recircumscription of the African genus Multidentia (Rubiaceae-Vanguerieae) 641
Bridson, Diane M.: Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia 611
Brooks, R.R., & Malaisse, F.: Heavy Metal-Tolerant Flora of Southcentral Africa (Rev.) 479
Broughton, W.J. & Pühler, A. (Eds.) : Nitrogen fixation. Vol. 4. Molecular biology (Notice) 961
Brummitt, R.K. *reviewer*: Towards a Check-List of the Vascular Plants of Botswana, by I. Grignon & P. Johnsen 272
Brummitt, R.K. & Chisumpa, S.M.: Taxonomic notes on tropical African species of Protea 815
Brummitt, R.K. & Seyani, J.H.: A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi 687
Buchnera: Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 384
Buchnera: New species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 208
Buchnera chimanimaniensis Philcox †208
—— *chisumpae* Philcox †384
—— *ciliolata* Engl. 384
—— *crassifolia* Engl. 208
—— *ebracteolata* Philcox †384
—— *geminiflora* Philcox †384
—— *henriquesii* Engl. 208
—— *laxiflora* Philcox †208
—— *longespicata* Schinz 208, 384
—— *nervosa* Philcox †384
—— *palustris* (Aubl.) Spreng. 384
—— *rungwensis* Engl. 208
—— *subglabra* Philcox †208
—— *welwitschii* Engl. 208
—— *wildii* Philcox †208
Bulbophyllum: Two new species of Bulbophyllum (Orchidaceae) in Africa, J.J. Vermeulen 263
Bulbophyllum Thou. 712, †724
—— *barbigerum* Lindl. †725
—— *bavonis* J.J. Vermeulen 266
—— *buntingii* Rendle 726
—— *cochleatum* 266
—— *colubrinum* (Reichb.f.) Reichb.f. 263, 264
—— *congolanum* Schltr. 726
—— *curvimentatum* J.J. Vermeulen 263, 264
—— *distans* Lindl. †725

Bulbophyllum
—— *dolabriforme* J.J. Vermeulen †263, *264, 265
—— *falcatum* (Lindl.) Reichb.f. †725
—— *fuscum* Lindl. †725
—— *imbricatum* Lindl. †725
—— *inornatum* *265, †266
—— *magnibracteatum* Summerh. †725
—— *maximum* (Lindl.) Reichb.f. †725
—— *oreonastes* Reichb.f. †726
—— *oxychilum* Schltr. †726
—— *prorepens* Summerh. 266
—— *scaberulum* (Rolfe) Bolus †726
—— *schimperianum* Kraenzl. †726
—— *stolzii* Schltr. 266
—— sp. 713
Bullockia: Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
Burkea africana Hook. 712, 713
Burkhardt, S.S. & Smith, S. (Eds.) : Correspondence of Charles Darwin. Vol. 1, 1821-36 (Rev.) 479
Burma: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
Burseraceae: Commiphora sessiliflora Vollesen (Burseraceae) - a synonym of C. guidottii Chiov., Kaj Vollesen 686
Burseraceae: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
Burseraceae: A new genus of Burseraceae from Mexico, L.L. Forman 262
Burseraceae 262, 367, 368, 487, 498
Burttdavya nyasica Hoyle 655
Busby, John R.: Nothofagus cunninghamii (Southern Beech) Vegetation in South-eastern Australia. Australian Flora and Fauna series No. 1 (Notice) 282
But, Paul Pui-Hay,Chia Liang-chi, Fung Hok-lam & Hu Shiu-Ying: Hong Kong Bamboos (Rev.) 268
Butyrospermum paradoxum (Gaertner) Hepper 713

Cadaba farinosa Forssk. 714
Calamus: A new species of Calamus (Palmae) from India, C. Renuka 433
Calamus dransfieldii Renuka †433, *434
—— *gamblei* Becc. 433
—— *huegelianus* Mart. 433
Calanthe 937
Caloncoba gilgiana (Sprague) Gilg 713
Calyptochloa gracillima Hubbard 745
Calyptrochilum Kraenzl. †730
—— *christyanum* (Reichb.f.) Summerh. 713, †730
—— *emarginatum* Schltr. †730
Campanella P. Henn. *510, 559, 561
—— *alba* (Berk. & Curtis) Singer *510, 539
—— *caerulescens* (Berk. & Curtis) Singer *510, 540, 542, 544
—— *castaneipes* Singer *510, 559, 561
—— *merulina* (Berk. & Curtis) Singer 561
—— —— (Pers.) Singer 561
—— *purpurea* (Berk. & Curtis) Lloyd 544
—— *purpureobrunnea* Petch 540

Canarium
Canarium schweinfurthii Engl. 712
Canavalia 658
—— *africana* Dunn †658
—— *cathartica* Thouars 658, †659
—— *ensiformis* (L.) DC. var. *turgida* Graham ex Bak. 659
—— *microcarpa* (DC.) Piper 659
—— *polystachya* Schweinf. 658, 659
—— —— (Forssk.) Schweinf. 659
—— *turgida* Graham ex Asa Gray 659
—— —— Grah. ex Miq. 659
—— *virosa* sensu Sauer 658
—— —— (Roxb.) Wight & Arn. 658, 659
Canna 99
Cannomois 302
Cannon, P.F., Hawksworth, D.L. & Sherwood-Pike, M.A.: British Ascomycotina. An Annotated Checklist (Rev.) 268
Canthium: Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
Canthium Lam. 123-4, 127, 131, 134-5, 145, 158, 170, 188, 605, 611, 616-8, 623, 628, 630, 641, 644, 652
—— sensu stricto 605, 612, 621
—— sensu lato 605, 611, 612, 617, 619-21, 630, 641, 643
—— sect. *Granditubum* Tennant 641, 645
—— sect. *Psydracium* Baill. 622, 623
—— subgen. *Bullockia* Bridson 612, 613, 617, 619, 621, †630, 641
Canthium-Pyrostria 614, 622
Canthium affine (Robyns) Hepper †628
—— *afzelianum* 651
—— *amplum* S. Moore 653
—— *arboreum* Vidal 621
—— *barbatum* (Forst.) Seem. 616
—— *bibracteatum* sensu F. White 627
—— —— (Bak.) Hiern 611, 625
—— *bicolor* (De Wild.) Evrard 647
—— *bogosense* (Martelli) Penzig 141, 629
—— *brevipes* Merr. & Perry 616, 621
—— *brunnescens* Craib 614
—— *brunneum* Merr. 614
—— *buxifolium* (Bak.) Cavaco 617
—— *carinatum* Summerh. 617
—— *caudatum* (Val.) S. Moore 616
—— *celastroides* Baill. 171
—— *cochinchinensis* Pierre ex Pitard 616
—— *confertum* Korth. 616
—— *coprosmoides* F. Muell. 616
—— *coromandelicum* (Burm.f.) Alston 123, 129
—— *coronatum* Lam. 123
?—— *costatum* C.T. White 616
—— *crassum* sensu A.E. Gonçalves 649
—— —— Hiern 129, 131, 641, 646, 652
—— *dictyophlebum* S. Moore 652
—— *didymocarpum* Peters 628
—— *diplodiscus* (K. Schum.) Bullock 631, †637
—— *discolor* Benth. 193
—— *dyscriton* 631, 632
—— *ellipticum* Merr. 616
—— *euonymoides* (Hiern) Baill. 155
—— *fadenii* 631, †*632
—— *fanshawei* Tennant 641, 645, 647
—— *glaucescens* 9
—— *greenwayi* Bullock 631, 632
—— *gynochthodes* Baill. 616

Canthium
—— *impressinervium* Bridson 631, †633, *634
—— *indutum* Bullock 169
—— *inerme* (L.f.) Kuntze 135
—— *inopinatum* Bullock 631
—— *lactescens* group †137, †138
—— *lagoensis* Baill. 152
—— *lanciflorum* Hiern 187
—— *longiflorum* (Val.) Merr. & Perry 616
—— *lycoides* A. Rich. 455
—— *major* (A. Rich. ex DC.) Cavaco 623
—— *microdon* sensu Bullock 630, 635
—— *moluccanum* Roxb. 616
—— *mombazense* 613, †631, 632
—— *neglectum* Hiern 158
—— *oblongifolium* Quis. & Merr. 616
—— *oligocarpum* group †137, †138
—— *oligophlebium* Merr. 616
—— *opimum* S. Moore 652
—— *orbiculare* (K. Schum.) R. Good 156
—— *orthacanthum* sensu Ake Assi 194
—— —— (Mildbr.) Robyns 198
—— *pallidum* (K. Schum.) Bullock 631
—— *pervilleanum* 617
—— *phyllanthoideum* Baill. 141, 629
—— *platyphyllum* Hiern 187, 652, 653
—— *pobeguinii* Hutch. & Dalz. 642, 646
—— *polycarpum* Hiern 623
—— *pseudosetiflorum* Bridson 631, †635, *636
—— *ramosii* Merr. 616
—— *randii* 652
—— *rectinervum* A.C. Smith 616
—— *rhamnoides* Hiern 197
—— *sapini* (De Wild.) Robyns 196
—— *sarogliae* Chiov. 165, 166
—— *sclerocarpum* (K. Schum.) Bullock 649, 650
—— *sessilifolium* A. Gray 616, 618
—— *setiflorum* sensu Vollesen 635
—— —— Hiern †138, 613, 630, 631, 633, †634, 635
—— —— subsp. *setiflorum* †634
—— —— subsp. *telidosma* (K. Schum.) Bridson †634
—— *seychellensis* 617
—— *socotranum* Radcliffe-Smith 625
—— *stuhlmannii* Bullock 651, 652
—— *subcapitatum* Merr. 616
—— *subcordatum* DC. 623
—— *subsessilifolium* Merr. 616, 621
—— *subulatum* Baill. 621
—— *telidosma* (K. Schum.) S. Moore 630, 635
—— *thonningii* Benth. 194
—— *umbellatum* Wight 619
—— *umbelligerum* Miq. 616
—— *urophyllam* Chiov. (sic) 184
—— *valetonianum* S. Moore 616
—— *vanguerioides* Hiern 193
—— *vatkeanum* Hiern 158
—— *venosissimum* Hutch. & Dalz. 193
—— *villarii* Vidal 616
—— *zanzibaricum* Klotzsch 131
—— sp. 621
Canthopsis Miq. 124
Caperonia 399
Caricaceae 114
Carpopogon atropurpureum Roxb. 36
—— *bracteatum* Roxb. 39
—— *capitatum* Roxb. 45
—— *giganteum* (Willd.) Roxb. 39
—— *monospermum* Roxb. 28
Carpopogon
—— *niveum* Roxb. 45
—— *pruriens* (L.) Roxb. 40
Carr, Gerald D.: Monograph of the Hawaiian Madiinae (Asteraceae): Argyroxiphium, Dubautia and Wilkesia (Rev.) 769
Carter, Susan: A new Euphorbia species and a new variety from East Africa 369
Carter, Susan: New species and taxonomic changes amongst the succulent trees and shrubs of Euphorbia subgen. Euphorbia from East Africa 673
Carter, Susan: New taxa and observations in Monadenium (Euphorbiaceae) in East Africa 903
Carter, Susan: New taxa in Euphorbia subgen. Euphorbia from eastern tropical Africa 371
Carter, Susan: Taxonomic changes in Synadenium (Euphorbiaceae) from East Africa 667
Carter, Susan & Gilbert, M.G.: Euphorbia heterochroma, E. stapfii and related taxa 385
Caryophyllaceae: Two new species of Polycarpaea (Caryophyllaceae) from Somalia, M.G. Gilbert 701
Caryophyllaceae 701
Caryota L. 56
—— *mitis* Lour. 56
Cassia sieberiana DC. 713
Cassipourea sp. 713
Catling, P.M., Freedman, B. & Lucas, Z.: vegetation and phytogeography of Sable Island, Nova Scotia (Notice) 282
Catunaregam 124
—— *parviflorum* 123
—— *spinosa* (L.f.) Tirvengadum 123
Caulanthium 240
Cayratia pedata (Lam.) Gagnep. 933, †935
Ceiba pentandra (L.) Gaertner 712
Celastraceae: New and little-known species of Maytenus (Celastraceae) in East Africa, Norman K.B. Robson & Sebsebe Demissew 423
Celluloderma Fayod 502
Cenchrus echinatus L. 750
Centothecoideae 307
Central African Republic: Orchids of the Central African Republic - a provisional checklist, P.J. Cribb & J.M. Fay 711
Centrochloa singularis Swallen 750
Centrolepidaceae 298, 302, 304, 312
Centrostylis 368
Cephalangraecum capitatum (Kraenzl.) Schltr. 735
Cephalocroton Hochst. †365, 367, 368
—— *cordofanus* *366
—— *incanus* M. Gilbert †365, *366, 367, 368
—— *leucocephalus* (Baill.) Muell. Arg. 367
—— *mollis* Klotzsch 365, 367
—— *socotranus* Balf.f. 367
—— *zeylanicus* (Baill.) Muell. Arg. 367
Cephalocrotonopsis 368
Ceratocaryum 302
Chaetium 739, 758, †762, 767
—— *bromoides* (Presl) Benth. ex Hemsl. 763
—— *cubanum* (Wright) Hitchc. *757, 763
—— *festucoides* Nees 763
Chaetocalathus Singer 562
—— *liliputianus* (Mont.) Singer *543, 562

Chaetopoa
Chaetopoa 748
—— *taylori* Hubbard 750
Chamaeangis Schltr. †732
—— *odoratissima* (Reichb.f.) Schltr. †732
Chamaeraphis hordacea R. Br. 750
Chamaesyce 235
Chazaliella abrupta (Hiern) Petit & Verdcourt †64
Cheek, M.R.: A new species of Drosera from South Africa 738
Cheimonophyllum candidissimum (Berk. & Curtis) Singer *510, 518, 867
Chenopodiaceae: Two new species of Chenopodiaceae from the Western Himalaya, C. Grey-Wilson & B.M. Wadhwa 471
Chenopodiaceae 471
Chidlowia 655
Chimonobambusa marmorea (Mitf.) Makino 207
China: Euthryptochloa: a new genus of Gramineae from China, T.A. Cope 707
Chiovenda: The identity of Chiovenda's species of Olea (Oleaceae), Ib Friis 586
Chisocheton 324
—— *lasiocarpus* (Miq.) Valeton 324
Chisumpa, S.M. & Brummitt, R.K.: Taxonomic notes on tropical African species of Protea 815
Chloachne Stapf 403
—— *oplismenoides* (Hack.) Robyns 403
—— *secunda* Stapf 403
Chloridoideae 308
Chloris 477
—— *ferruginea* Renvoize 477, 478
—— *gayana* Kunth 477
—— *mossambicensis* K. Schum. 477
Chlorocalymma cryptacanthum Clayton 750
Chomelia leucodermis K. Krause 194
Chondropetalum 302
—— *hookerianum* 299
Chromosome numbers in Piper, Rosabelle Samuel 465
The chromosomes of species, hybrids and cultivars of Narcissus L. (Amaryllidaceae), P.E. Brandham & P.R. Kirton 65
Chrysanthemum 99
Chusquea discolor Hack. 924
—— *effusa* Renv. †924
—— *elegans* Renv. †924
—— *meyeriana* Rupr. 924
—— *scandens* Kunth 206
Cienfugosia anomala (Wawra & Peyr.) Gürke 339
—— *bricchettii* Ulbrich 349
—— *ellenbeckii* Gürke 347
—— *incana* Schwartz 347
—— *pentaphylla* K. Schum. 339
—— *somalensis* Gürke 347
—— *triphylla* (Harv.) K. Schum. 338
Cinchonoideae: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Cinna L. 707
Cissus sect. *Cayratia* 933
—— *pedata* Lam. 935
Citta nigricans Lour. 31
Claoxylon flaccidum Pax 395
Claudopus (W.G. Smith) Gillet 503, 552
—— *arachnoideus* (Berk. & Curtis) Pegler †552, *555
Claudopus
—— *cyaneus* Murr. 503
—— *depluens* (Fr.) Gillet 552
Clayton, W.D.: Miscellaneous notes on Panicoid grasses 401
Cleistochloa C.E. Hubbard 402
—— *rigida* (S.T. Blake) Clayton †401, 745
Clitocybe holoporphyra (Berk. & Curtis) Sacc. 520
—— *rubrotincta* (Berk. & Curtis) Sacc. 528, 557
Clitopilus earlei (Murr.) Murr. 882
Clitoria racemosa G. Don 220
Clusiophyllea 617, 618
—— *pervilleanum* 617
Cnidoscolus 116
Coccinea Fayod 521
Cocculus 706
—— *kunstleri* King 705
—— *prainianus* (Diels) Pramanik & Thoth. †706
Coelachyrum: A new species of Coelachyrum (Gramineae) from Egypt, T.A. Cope & L. Boulos 919
Coelachyrum 919
—— *annuum* Cope & Boulos †919, *920
—— *yemenicum* (Schweinf.) S. Phillips 919
Cofeanthus A. Chev. 453
Coffea: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Coffea 456, 458
—— sect. *Baracoffea* 454
—— sect. *Coffea* 454
—— sect. *Paracoffea* Miq. 453, 454, 455, 456
—— subgen. *Afrocoffea* Moens 453, 454, 456
—— subgen. *Baracoffea* (Leroy) Leroy 454, 456, 457, 458
—— subgen. *Coffea* 454, 457, 458
—— subgen. *Paracoffea* Miquel 453, 454
—— subgen. *Psilanthopsis* (Chev.) Leroy 458
—— *capuronii* Leroy 456, 457
—— *decaryana* Leroy 456, 457
—— *dongnaiensis* Pierre 455
—— *ebracteolata* (Hiern) Brenan 454
—— *floreifoliosa* Chev. 455
—— *grevei* Drake ex Chev. 456, 457
—— *horsfieldiana* Miq. 453, 455
—— *humbertii* Leroy 456, 457
—— *lamtoensis* Port. 455, 456
—— *lebruniana* Germain & Kesler 453, 456
—— *malayana* Ridl. 457
—— *melanocarpa* sensu Good 628
—— *merguensis* Ridl. var. *orientalis* Craib 455
—— *morondavensis* Leroy 456, 457
—— *paolii* Bridson 457
—— *rhamnifolia* (Chiov.) Bridson 457, 458
Coffeaceae 124
Coffeae: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Cola cordifolia (Cav.) R. Br. 712
—— *gigantea* A. Chev. 713
Cola sp. 712
Colanthelia cingulata (McClure & Sm.) McClure 206
Collenette, Sheila: Illustrated Guide to the Flowers of Saudi Arabia (Rev.) 481
Collenucia paradoxa Chiov. 114

Collybia
Collybia *529, 556, *876, 879
—— sect. *Iocephalae* Singer ex Halling 570
—— sect. *Levipedes* (Fr.) Quél. 553, 879
—— sect. *Vestipedes* (Fr.) Quél. 519, 553, 556, 558
—— *atroviridis* *529, †553
—— *carecomoeis* (Berk. & Curtis) Sacc. 507
—— *chrysopepla* (Berk. & Curtis) Pearson 545
—— *coracicolor* (Berk. & Curtis) Dennis *529, 553, 556
—— *cubensis* (Berk. & Curtis) Dennis 556
—— *cylindrospora* Kauffm. 879
—— *dealbata* (Berk. & Curtis) Dennis 557
—— *fibrosipes* (Berk. & Curtis) Dennis *529, 558
—— *hemileuca* (Berk. & Curtis) Sacc. 519, *529
—— *merulius* Bertero 561
—— *nigrita* (Berk. & Curtis) Sacc. 523
—— *purpurea* (Berk. & Curtis) Dennis 566
—— *semiusta* (Berk. & Curtis) Dennis 569
—— *sericipes* (Berk. & Curtis) Dennis 570
—— *stupparia* (Berk. & Curtis) Sacc. 533
—— *subcoracina* (Berk. & Curtis) Singer 571
—— *sulcatipes* (Murr.) Pegler *876, †879
—— *underwoodii* (Murr.) Pegler *876, †879
—— *viridis* Rick 553
Combretodendron africanum (Benth. & Hook.f.) Exell 712
Combretum collinum Fresen 714
—— *molle* G. Don 713
Commiphora sessiliflora Vollesen (Burseraceae) - a synonym of C. guidottii Chiov., Kaj Vollesen 686
Commiphora 368
—— *guidottii* Chiov. †686
—— *pedunculata* (Kotschy & Peyr.) Engl. 714
—— *sessiliflora* Vollesen 686
Compositae: A new combination in Kleinia (Compositae), P. Halliday 442
Compositae: A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV, C.C. Townsend 439
Compositae: Notes on Compositae-Inuleae for the 'Flore des Mascareignes', A.J. Scott 854
Compositae: The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta, P.S. Kaushal & C. Jeffrey 429
Compositae: On the status of Artemisia dubia Wall. ex Bess. and A. myriantha Wall. ex Bess. (Compositae), Yeou-ruenn Ling 443
Compositae: A second species of Cylindrocline (Compositae-Inuleae), A.J. Scott 476
Conocybe 522
—— subgen. *Ochromarasmius* Singer 522
—— *grisea* Moser 865
—— *jurensis* (P. Henn.) Singer 522
—— *lactea* (J. Lange) Metrod 865
—— *martiana* (Berk. & Curtis) Singer 522, *563
—— *tenera* (Schaeffer: Fr.) Fayod 865
Convolvulaceae 657
Convolvulus marginatus Desr. 658
—— *maximus* L.f. 658
Coode, M.J.E.: Crinodendron, Dubouzetia and Peripentadenia, closely related in Elaeocarpaceae 777
Coode, M.J.E.
Coode, M.J.E. & Friis, Ib: Rolf Dahlgren, 1932-1987, (Obituary) 700
Cope, T.A.: Euthryptochloa: a new genus of Gramineae from China 707
Cope, T.A.: A new species of Trikeraia (Gramineae) from Tibet and Bhutan 350
Cope, T.A. *reviewer*: Flora Palaestina, Part 4, by Naomi Feinbrun-Dothan 949
Cope, T.A. *reviewer*: Flora of Turkey, Vol. 9, by P.H.Davis (Ed.) 947
Cope, T.A. & Boulos, L.: A new species of Coelachyrum (Gramineae) from Egypt 919
Copelandia cyanescens (Berk. & Br.) Singer 506
Coprinus sect. *Coprinus* 536
—— *cubensis* Berk. & Curtis †536, *563
—— *micaceus* 536
—— *mirabilis* Mont. *862, 884
—— *plicatilis* (Curtis: Fr.) Fr. 538
—— *spraguei* sensu Berk. & Curtis †536, 538
—— —— Berk. & Curtis 536
Corispermum 473
—— *hyssopifolium* L. 473
—— *ladakhianum* Grey-Wilson & Wadhwa †471, *472
—— *lehmannianum* Bunge 471, 473
—— —— f. *pilosum* Iljin 473
Cortinariaceae 527
Corymborchis welwitschii (Reichb.f.) O. Kuntze 722
Corymborkis Thou. 712, †722
—— *corymbis* Thou. †722
—— *corymbosa* (Ridl.) O. Kuntze 722
Coryphoideae: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae), I.K. Ferguson, A.J. Havard & J. Dransfield 405
Crataeva religiosa Forssk. 714
Craterispermum Benth. 124, 127
—— *orientale* K. Schum. 652
Craterostigma: Two new species of East African Craterostigma (Scrophulariaceae), F.N. Hepper 945
Craterostigma 945
—— *alatum* Hepper †945
—— *hirsutum* 945
—— *lanceolatum* 945
—— *longicarpum* Hepper †945
—— *plantagineum* 945
Crepidopus caveatus (Berk. & Curtis) Murr. 507
Crepidotus (Fr.) Kummer 514, 867
—— subsect. *Defibulatini* Singer 861
—— *cacaophyllus* (Berk. & Curtis) Sacc. 505
—— *commiscibilis* (Berk. & Curtis) Murr. 511
—— *eugeniae* (Earle) Murr. 867
—— *hemiphlebius* (Berk. & Curtis) Murr. 519
—— *lentinoides* Earle †859
—— *martinii* Singer 514, 867
—— *musaecola* (Berk. & Curtis) Sacc. 502, 523
—— *pyrrhus* (Berk. & Curtis) Sacc. 526
—— —— var. *leiospora* (Berk. & Curtis) Sacc. 527
—— *subelatinus* (Murr.) Pegler *864, †867
—— *substipitatus* Murr. †861, *866
—— *sulcatus* Murr. †861
—— *uber* (Berk.& Curtis) Sacc. 861
Crepis capillaris: The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta, P.S. Kaushal & C. Jeffrey 429
Crepis 429

Crepis
—— *capillaris* (L.) Wallr. †429, *430
—— *sancta* (L.) Babc. †429
—— —— subsp. *bifida* (Vis.) Babc. 429
—— —— subsp. *sancta* †429
—— *virens* L. 431
Cribb, P.J.: New records of Orchidaceae for Arabia 461
Cribb, P.J. & Fay, J.M.: Orchids of the Central African Republic - a provisional checklist 711
Crinipellis Pat. 507, *543
—— subsect. *Stipitarinae* 533
—— *carecomoeis* (Berk. & Curtis) Singer 507, *543
—— *chrysochaetes* (Berk. & Curtis) Singer 554
—— *nidulus* (Berk. & Curtis) Pat. 562
—— *nitidulus* 562
—— *septotricha* Singer 532
—— *stipitaria* (Fr.) Pat. 532
—— *stupparia* (Berk. & Curtis) Pat. 532, 533, *543
Crinodendron, Dubouzetia and Peripentadenia, closely related in Elaeocarpaceae, M.J.E. Coode 777
Crinodendron Molina 777, 779, 781, 782, †783, 785, 791, 796, 798, 813
—— Hooker 785
—— *bolivianum* Villa Carenzo 785, 787, †790, *791, 792
—— *brasiliense* Reitz & L.B. Smith 783, 787, *788, †792, *793
—— *dependens* (Ruiz & Pav.) Kuntze 787
—— *eriocladum* Gandoger 794
—— *hookerianum* Gay 781, 784, 785, 787, †794, *795, 796, *808, 813
—— *patagua* sensu Hooker & Arnott 794
—— —— Hook. 794
—— —— Molina †784, 785, †787, *788, 790, *791, 792, 796
—— *tucumanum* Lillo 785, 787, *791, †792
Crocus 100
Crossopteryx febrifuga (G. Don) Benth. 712
Croton armstrongii and C. habrophyllus (Euphorbiaceae): a confusion, C.M. Wilmot-Dear 661
Croton: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395
Croton 395
—— *armstrongii* sensu Airy Shaw 661
—— —— Moore 661, †662
—— *habrophyllus* Airy Shaw †661
—— *kilwae* A. Radcliffe-Smith †395
—— *lobatus* sensu Forssk. 108
—— *spinosus* sensu Forssk. 118
—— *villosus* Forssk. 110
—— *zambesicus* Muell. Arg. 367
Cryptosepalum pseudotaxus 151
Ctenomeria 396
Cuba: A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis, D.N. Pegler 501
Cuba: A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill, D.N. Pegler 855
Curculigo seychellensis Boj. 60
Curtis: A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis, D.N. Pegler 501
Cussonia ostinii Chiov. 367
Cuviera
Cuviera DC. 123, 124, 127, †137, †138, †188, †189
—— DC. subgen. *Globulostylis* (Wernham) Verdc. †189
—— *acutiflora* DC. 188, 189, 198
—— *minor* (Wernham) Verdc. †189
—— *subuliflora* Benth. 129
—— *talbotii* (Wernham) Verdc. †189
Cyathopus Stapf 707
Cyclophyllum 611, 614, 616, 618, 619, 620, 621
—— group 618
—— *deplanchei* Hook.f. 618
—— *gynochthodes* 620
—— *henriettae* (Baill.) Guill. 619
—— *sagittatum* (Baill.) Guill. 618, 619
Cylindrocline: A second species of Cylindrocline (Compositae-Inuleae), A.J. Scott 476
Cylindrocline 476
—— *commersonii* Cass. 476
—— *lorencei* A.J. Scott †476
Cynipinae: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R.Colin Welch 449
Cynips divisa Hart. 449, 450
Cyperaceae: Mariscus microbolbos (Cyperaceae): a new combination, P. Vorster 200
Cyperaceae: New descriptions and a new species of Rhynchospora from northeastern Brazil. Notes on Brazilian Cyperaceae I, D.A. Simpson 889
Cyperaceae: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897
Cyperaceae 297, 298, 300, 302, 889, 893, 897
Cyperales 299, 300, 302
Cyperus: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897
Cyperus L. 200
—— sect. *Tunicatae* (C.B. Cl.) C.B. Cl. 200
—— *consors* C.B. Cl. 897
—— *microbolbos* C.B. Cl. 200
—— *subcastaneus* D.A. Simpson †897, *898
—— sp. 712
Cyphochlaena madagascariensis Hack. 745
Cypholepis 919
Cyphosperma 60
Cyptotrama chrysopepla (Berk. & Curtis) Singer 545
Cyrtococcum 745, 758
—— *accrescens* (Trin.) Stapf 745
—— *multinode* 758
Cyrtorchis Schltr. †734
—— *arcuata* (Lindl.) Schltr. 713, †734
—— —— subsp. *variabilis* Summerh. †734
—— *brownii* (Rolfe) Schltr. †734
—— *chailluana* (Reichb.f.) Schltr. †734
—— *monteiroae* (Reichb.f.) Schltr. †734
—— *seretii* (De Wild.) Schltr. †734
Cyrtostachys phanerolepis Burret 411
Cystolepiota Singer 520
—— *acutesquamosa* (Weinm.) Bon 520
—— *granulosa* (Berk. & Br.) Pegler 511
—— *hemisclera* (Berk. & Curtis) Pegler 519, *555
—— *ompnera* (Berk. & Br.) Pegler 520

Dactylanthes 238

Daemonorops

Daemonorops 60
Dahlgren, R.M.T., Clifford, H.T. & Yeo, P.F.: Families of the Monocotyledons. Structure, Evolution and Taxonomy (Rev.) 269
Dahlgren, Rolf (1932-1987) (Obituary), Ib Friis & M.J.E. Coode 700
Dahlia 99
Daniellia oliveri (Rolfe) Hutch. & Dalz. 712
Dassanayake, M.D. & Fosberg, F.R. (Eds.): Revised Handbook to the Flora of Ceylon Vol. V (Notice) 282
Davis, P.H. (Ed.) : Flora of Turkey, Vol. 9 (Rev.) 947
Davis, Stephen *reviewer*: Tropical Rainforests of North Queensland: Their Conservation Significance, by Rainforest Conservation Soc. (1986) 772
Decandria 784
Decaryochloa diadelpha A. Camus 207
Deckenia 48, 56, 60
—— *nobilis* 48, 55, 60
Deconica (W.G. Smith) Karst. 524
—— *palmigena* (Berk. & Curtis) Singer 524
—— *scatigena* (Berk. & Curtis) Sacc. 530
Dendrocalamus membranaceus Munro 207
Dennis, R.W.G.: Fungi of the Hebrides (Rev.) 770
Desmond, R. *reviewer*: John Hope, 1725-1786 Scottish Botanist, by A.G.Morton, FRSE 771
Detarium senegalense J. Gmelin 713
Diacanthium 236, 237, 238
—— sensu Denis 236
—— sens. lat. 236
Diaphananthe Schltr. †731
—— *bidens* (Sw.) Schltr. †731
—— *fragrantissima* (Reichb.f.) Schltr. †731
—— *pellucida* (Lindl.) Schltr. †732
—— *rutila* (Reichb.f.) Summerh. †732
Dicrostachys cinerea (L.) Wight & Arn. 323
Dictyocaryum H.A. Wendl. 56
Dictyopanus pusillus (Pers.) Singer 575
—— *subpulverulentus* (Berk. & Curtis) Pat. 575
Dictyoploca holoporphyra (Berk. & Curtis) Dennis 520
—— *rhyssophylla* (Mont.) Baker & Dale 568
Dictyosperma 60
Digitaria 401, 748
—— *ammophila* Hughes 750
—— *dusenii* Chase ex Renv. †923
—— *enodis* (Hack.) Parodi 923
Dimorphochloa S.T. Blake 402
—— *rigida* S.T. Blake 401
Dinocanthium Bremek. 611, 618, 622, 623
—— sect. *Hypocrateriformes* Robyns 622, 623
—— sect. *Rotatae* Robyns 623
—— *affine* Robyns 129, 620, 622, 623, 628
—— *bequaertii* Robyns 622, 623, 628
—— *hystrix* Bremek. 622, 623, 629
Dinochloa trichogona Dransfield 207
Diospyros hoyleana F. White 656
Diplacorchis engleriana Schltr. 716
Diploclisia 705
—— *glaucescens* (Bl.) Diels †705
—— —— var. *kunstleri* (King) Pramanik & Thoth. †705
—— *kunstleri* (King) Diels 705
Disa Berg. †719
—— *equestris* Reichb.f. †719

Disa

—— *subaequalis* Summerh. 719
—— *welwitschii* sensu Summerh. 719
—— —— Reichb.f. †719
—— —— subsp. *occultans* (Schltr.) Linder †719
Disperis Sw. †719
—— *reichenbachiana* Reichb.f. †719
Dissochondrus biflorus (Hillebr.) Kuntze 750
Dissotis decumbens (P. Beauv.) Triana 367
Dolichos giganteus Willd. 39
—— *polystachyos* Forssk. non L. 659
—— *pruriens* L. 40
—— *virosus* Roxb. 658, 659
Doricera Verdc. 213
Dransfield, John *reviewer*: Families of the Monocotyledons. Structure, Evolution and Taxonomy, by R.M.T. Dahlgren, H.T. Clifford & P.F. Yeo, in cooperation with R.B. Faden, N. Jacobsen, K. Jacobsen, S.R. Jensen, B.J. Nielsen & F.N. Rasmussen 269
Dransfield, John *reviewer*: Oil palms and other Oilseeds of the Amazon, by C. Pesce 484
Dransfield, John *reviewer*: Plant Phenology in the Humid Tropics. Research Pamphlet No. 96, by F.S.P. Ng 273
Dransfield, J., Ferguson, I.K. & Havard, A.J.: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae) 405
Dransfield, J., Mendis, N.M. & Ferguson, I.K.: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae) 47
Dransfield, Soejatmi *reviewer*: Hong Kong Bamboos, by Paul Pui-Hay But, Chia Liang-chi, Fung Hok-lam & Hu Shiu-Ying 268
Drepanostachyum falcata (Nees) Keng f. 206
Drimys 324
—— *piperita* Hook.f. 324
Drosera: A new species of Drosera from South Africa, M.R. Cheek 738
Drosera alicia Hamet 738
—— *cuneifolia* L.f. 738
—— *regia* Stevens 738
—— *slackii* M.R. Cheek †738
Drosophila atricastanea Murr. †861
—— *brevipes*. Murr. †861
—— *caespitosa* (Earle) Murr. 869
—— *campestris* (Earle) Murr. 869
—— *flocculosa* (Earle) Murr. 869
—— *pallidispora* Murr. †863
—— *tenuis* Murr. †863
Dubouzetia: Crinodendron, Dubouzetia and Peripentadenia, closely related in Elaeocarpaceae, M.J.E. Coode 777
Dubouzetia Pancher ex Brongn. & Gris. 777, 779, 781, 782, 783, 785, †796, 798, 799, 805, 808
—— sect. *Dubouzetia* 797, †799, 803, 809
—— sect. *Oligovula* Coode 799, †803, 808
—— sect. *Spongosperma* Coode 797, 798, †809
—— *acuminata* Sprague 797, 802, †803, *804
—— *australiensis* Coode *788, 797, 798, 803, *804, †805, *808
—— *campanulata* Brongn. & Gris. 798, 799, †802, *804
—— *caudiculata* Sprague 797, 799, †802
—— *confusa* Guillaumin & Virot *788, 797, 802, †803, *804

Dubouzetia
—— *dentata* A.C. Sm. 798, 803, †805
—— *elegans* Brongn. & Gris 798, 799, 803, †805, 808
—— —— var. *elegans* 803, †805, *806
—— —— var. *novoguineensis* (A.C. Sm.) Tirel 803, *804, †805, *806
—— *galorei* Coode 782, 797, 798, 803, †809, *810
—— *glabra* 802
—— *guillauminii* Virot 802, †803
—— *kairoi* 798, 803, †805
—— *leionema* Sprague 802
—— *novoguineensis* A.C. Sm. 803, 805
—— *parviflora* Brongn. & Gris 805
—— *tomentosa* 802
Duke, James A.: Isthmian Ethnobotanical Dictionary, Ed. 3 (Rev.) 947
Duke, James A. & Ayensu, Edward S.: Medicinal Plants of China. Volumes 1 & 2 (Rev.) 271
Dunlop, C.R. *reviewer*: Australian Agricultural Botany, by D.L. Jackson & S.W.L. Jacobs 483
Dyschoriste mutica (S. Moore) C.B. Cl. 692

Earle: A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill, D.N. Pegler 855
East Africa: A new Euphorbia species and a new variety from East Africa, Susan Carter 369
Eastern tropical Africa: New taxa in Euphorbia subgen. Euphorbia from eastern tropical Africa, Susan Carter 371
Eccilia (Fr.) Kummer 527, 865
—— *brunneostriata* Dennis 865
—— *cubensis* Murr. †863, *866
—— *earlei* Murr. †865, *866
Eccoptocarpha 753, 764
—— *obconiciventris* Launert 754
Ecdeiocolea 299, 300, 302, 303, 312
Ecdeiocoleaceae 298, 299, 307
Echinochloa colona (L.) Link 749
Echinolaena inflexa (Poir.) Chase 745
Edwards, Peter J. *reviewer*: Botany of Mangroves, by P.B.Tomlinson 956
Egypt: A new species of Coelachyrum (Gramineae) from Egypt, T.A. Cope & L. Boulos 919
Elaeis guineensis Jacq. 712
Elaeocarpaceae: Crinodendron, Dubouzetia and Peripentadenia, closely related in Elaeocarpaceae, M.J.E. Coode 777
Elaeocarpaceae 777, 779, 785
Elaeocarpeae 781
Elaeocarpus L. 777, 781
—— *dolichopodus* Baker f. 805
Elaeophorbia 235
Elatinaceae 657
Elegia 302
—— *racemosa* 299
Eleocharis: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897
Eleocharis complanata C.B. Cl. 900, 901
—— *rugosa* D.A. Simpson *899, †900, 901
Elliston Allen, David: Botanists. A history of the Botanical Society of the British Isles through 150 years (Rev.) 948

Elytrostachys
Elytrostachys clavigera McClure 207
Encheiridion leptostele Summerh. 731
—— *macrorrhynchium* (Schltr.) Summerh. 731
Entandrophragma angolense (Welw.) C. DC. 712
—— *candollei* Harms 712
—— *cylindricum* (Sprague) Sprague 712
—— *utile* (Dawe & Sprague) Sprague 712
Entolasia 743
—— *imbricata* Stapf 745
Entoloma (Fr.) Kummer 503, 865
—— *cubensis* (Murr.) Dennis 863
—— *earlei* (Murr.) Hesler 865, 875, 877
—— —— Murr. 875
—— *hypoporphyrum* (Berk. & Curtis) Hesler 520
—— *luteifolium* Hesler 865
—— *murrillii* Hesler 882
—— *subfurfuraceum* Hesler 875, 877
—— *underwoodii* Dennis 865
Epipogium R. Br. †721
—— *roseum* (Don) Lindl. †721
Eragrostideae 767
Eragrostis: Notes on Eragrostis (Gramineae) from northeast tropical Africa, S.M. Phillips 929
Eragrostis 930
—— *cilianensis* (All.) Lut. 929, 930
—— *gloeophylla* S.M. Phillips †929, 930
—— *kiwuensis* Jedw. 930, 931
—— *schweinfurthii* Chiov. †930, 931
—— —— var. *kiwuensis* (Jedw.) S.M. Phillips †930
—— —— var. *schweinfurthii* †930
—— *walteri* 739
Eremophyton 236
Eriochloa punctata (L.) Desv. ex Hamilt. 754
Ertter, Barbara: Juncus triformis Complex. Memoirs of the New York Botanical Garden, Vol. 39 (Notice) 959
Erythrococca: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395
Erythrococca Benth. †363, 395
—— *atrovirens* (Pax) Prain †395
—— —— var. *flaccida* (Pax) A. Radcliffe-Smith †395
—— *integrifolia* A. Radcliffe-Smith 363
—— *uniflora* M. Gilbert †363, *364
Erythrophleum africanum (Benth.) Harms 713
—— *suaveolens* (Guill. & Perr.) Brenan 713
Erythroselinum 590, 591
—— *atropurpureum* (Hochst. ex A. Rich.) Chiov. †590, 591
Esula sens. lat. 236, 238
—— 242
?—— sens 'at. 240
—— *goetzei* Pax 238
Ethiopia: New and interesting species of Euphorbiaceae from Ethiopia, M.G. Gilbert 351
Eulophia R.Br. ex Lindl. †462, 463, 712, †727, 941
—— *angolensis* (Reichb.f.) Summerh. †727
—— *barteri* Summerh. †727
—— *brevipetala* Rolfe †727
—— *calantha* Schltr. †727
—— *caricifolia* (Reichb.f.) Summerh. †727
—— *clavicornis* Lindl. 463
—— —— var. *nutans* (Sond.) Hall †462, 463

Eulophia
—— *cristata* (Sw.) Steud. †727, 729
—— *cucullata* (Sw.) Steud. †728
—— *dilecta* (Reichb.f.) Schltr. 728
—— *flavopurpurea* (Reichb.f.) Rolfe †728, 736
—— *guineensis* Lindl. †728
—— —— var. *purpurata* Reichb.f. ex Kotschy †463, †728
—— *hirsuta* Joseph & Vajravelu 941, 942
—— *horsfallii* (Batem.) Summerh. †728
—— *latilabris* Summerh. †729
—— *leonensis* Rolfe †729
—— *livingstoniana* (Reichb.f.) Summerh. †729
—— *lutea* Lindl. 729
—— *milnei* Reichb.f. †729
—— *monile* Reichb.f. †729
—— *orthoplectra* (Reichb.f.) Summerh. †729
—— *petersii* (Reichb.f.) Reichb.f. †463
—— *porphyroglossa* (Reichb.f.) Bolus 728
—— *quartiniana* A. Rich. 728
—— *speciosa* (Lindl.) Bolus 463
—— *streptopetala* 463
—— —— Lindl. var. *rueppelii* (Reichb.f.) Cribb †463
—— *warneckiana* Kraenzl. 729
Eulophidium ledienii (Stein ex N.E. Br.) de Wild. 726
—— *maculatum* (Lindl.) Pfitzer 726
—— *saundersianum* (Reichb.f.) Summerh. 726
Eulophiopsis lurida (Sw.) Schltr. 730
Euphorbia heterochroma, E. stapfii and related taxa, Susan Carter & M.G. Gilbert 385
Euphorbia: A new Euphorbia species and a new variety from East Africa, Susan Carter 369
Euphorbia: New species and taxonomic changes amongst the succulent trees and shrubs of Euphorbia subgen. Euphorbia from East Africa, Susan Carter 673
Euphorbia: New taxa in Euphorbia subgen. Euphorbia from eastern tropical Africa, Susan Carter 371
Euphorbia: Two new geophytic species of Euphorbia with comments on the subgeneric grouping of its African members, M.G. Gilbert 231
Euphorbia 103, 234, 235, 236, 238, 242, 369, 371, 378, 385, 673
—— sens. str. 236, 237, 238
?—— sens. str. 240
—— group *Agaloma* 236
—— group *Chamaesyce* 236
—— group *Poinsettia* 236
—— sect. *Caulanthium* Boiss. 239, 240
—— sect. *Diacanthium* 236, 237, 238
—— sect. *Eremophyton* sens. lat. 240
—— sect. —— 239, 240
—— sect. *Galarrhea* 235
—— sect. *Pseudacacia* 240
—— sect. *Rhizanthium* 237, 239, 241
—— sect. *Tirucalli* 235, 236, 238
—— sect. *Trichadenia* 238, 242
—— subgen. *Agaloma* 235
—— subgen. *Chamaesyce* Raf. †238, 242, †369
—— subgen. *Esula* 236, 238, †239, 240, 242
—— subgen. *Euphorbia* 235, 236, 237, †239, 242, 243
—— subgen. *Lacanthis* (Rafinesque) M. Gilbert 237, †238, †239, 242
—— subgen. *Rhizanthium* 234, 235, 236, 239, 240
—— subgen. *Tithymalus* sensu Wheeler 238
—— subgen. —— Pers. 235, 236
—— subsect. *Anthacantha* 238
—— subsect. *Dactylanthes* 238
—— subsect. *Medusae* 238
—— subsect. *Treisa* 238
—— subsect. *Trichadenia* 238
—— *acalyphoides* Boiss. 240
—— *acaulis* Roxb. 240
—— *agowensis* Boiss. 239
—— *alta* (L.) Fawcett & Rendle †727
—— *ankarensis* Boiteau 237
—— *antiquorum* L. 236
—— *atroflora* S. Carter 387, †393, 394
—— *baga* Chev. 233, 234, 239, 240, 241, 242, 243
—— —— group 240, 241, 242
—— *biharamulensis* S. Carter *674, †675
—— *bilocularis* N.E. Br. 681
—— *borenensis* M. Gilbert 386, 389, †391
—— *breviarticulata* Pax †676
—— —— var. *trunciformis* S. Carter †676
—— *brevis-imitata-decidua* 242
—— *brunellii* Chiov. 231, 233, 238, 240
—— *bupleuriifolia* Jacq. 241
—— *bussei* Pax 673, †677, 678
—— —— var. *bussei* †678
—— —— var. *kibwezensis* (N.E. Br.) S. Carter †678, 680
—— *bwambensis* S. Carter *674, †681, 682
—— *candelabrum* Kotschy 673, †680, 681
—— —— var. *bilocularis* (N.E. Br.) S. Carter †681
—— —— var. *candelabrum* †680
—— *caput-medusae* L. 238, 375
—— *cataractarum* S. Carter *374, †379
—— *chamaecormos* Chiov. 375
—— *confertiflora* Volk. 387
—— *corniculata* Dyer 238
—— *crispa* (Haw.) Sweet 240
—— *cryptocaulis* M. Gilbert †231, *232, 233, 238, 240
—— —— sensu stricto 233
—— *cuprispina* S. Carter †378
—— *dalettiensis* M. Gilbert 386, †391
—— *dauana* S. Carter *372, †376, 377
—— *dawei* N.E. Br. 237, 682
—— *decaryi* 237
—— *decidua* Bally & Leach 243
—— *didierioides* Denis ex Leandri 237
—— *discrepans* S. Carter *374, †380, 381
—— *ecklonii* (Klotzsch & Garcke) Hässler 240
—— *elliptica* Thunb. non Lam. 240
—— *etuberculosa* Carter 240
—— *exilispina* S. Carter †382, 383
—— *fissispina* Bally & S. Carter *372, †375, 376, 377
—— *fusiformis* Ham. 240, 241, 243
—— —— group 240, 241, 242
—— *glochidiata* Pax 375, 376, 377
—— *gossypina* Pax 235
—— *graciliramea* sensu Agnew 373
—— —— sensu Jex-Blake 371
—— —— Pax 371, 373, 375
—— *grandicornis* sensu Brenan 676
—— —— Goeb. ex N.E. Brown 676
—— *greenwayi* sensu Bally 381

Euphorbia
—— —— Bally & S. Carter subsp. *breviaculeata* S. Carter †381
—— *hadramautica* Bak. 239, 240
—— *heterochroma* Pax †385, †387, 389, 390, 391
—— —— subsp. *heterochroma* 386, †387, 391
—— —— subsp. *tsavoënsis* S. Carter 386, †387, 389, 394
—— —— var. *mitis* (Pax) N.E. Brown 387
—— *heterospina* S. Carter †389, 390, 392, 391
—— —— subsp. *baringoënsis* S. Carter 386, †390, 391
—— —— subsp. *heterospina* 386, 389, †390, 391
—— *horrida* Boiss. 238, 241
—— *inaequilatera* Sond. var. *spanothrix* S. Carter †370
—— *ingens* E. Mey. 681
—— *intercedens* Pax 673
—— *isacantha* Pax 382
—— *kamerunica* Pax 681
—— *kerrii* Craib. 240, 243
—— *kibwezensis* N.E. Brown 678
—— *lacei* Craib 243
—— *laikipiensis* S. Carter *372, †373, 375
—— *longetuberculosa* Boiss. 239, 240
—— *lophogona* Lam. 236, 237
—— *magnicapsula* S. Carter *674, †678, 680
—— —— var. *lacertosa* S. Carter †679, 680
—— —— var. *magnicapsula* †679, 680
—— *mbaluensis* sensu Chiov. 677
—— —— Pax 673, 677, 678
—— *meloformis* Ait. 241
—— *milii* Miller 236, 238
—— *mitis* Pax 387
—— *monadenioides* M. Gilbert *232, †233, 240, 242, 243
—— *monteiri* Hook.f. 238
—— *moratii* Rauh 240, 241
—— *mossambicensis* Kl. & Gke. 369
—— *namibensis* Marl. 375
—— *nana* Royle 240
—— *napoides* Pax 239, 240
—— *neohumbertii* Boiteau 237
—— *neovolkensii* Pax 677
—— *nubica* N.E. Br. 235
—— *nyassae* Pax *374, 379, 380, 383
—— —— subsp. *mentiens* S. Carter *374, †379
—— *nyikae* Pax †677, 678
—— —— sens. str. 677
—— —— var. *neovolkensii* (Pax) S. Carter †677, 680
—— —— var. *nyikae* †677
—— *obovalifolia* A. Rich. 237
—— *odontophora* S. Carter 376
—— *oligoclada* Leach 243
—— *petraea* S. Carter 385, 386
—— *pirottae* Chiov. 239, 240
—— *piscidermis* M. Gilbert 237
—— *pistiifolia* Boiss. 240
—— *platyrrhiza* Leach 243
—— *poissonii* Pax 242
—— *primulifolia* Baker 237, 239, 240, 241, 242
—— —— group 240, 241, 242
—— *pseudoburuana* Bally & S. Carter 676
—— *quarziticola* Leandri 240, 241
—— *quinquecostata* Volk. †673, 675
—— *reinhardtii* Volk. 387, 680
—— *rivae* Pax 369, 370
—— *rubella* Pax 231, 233, 239, 242
—— —— group 240, 241, 242
—— *samburuensis* Bally & S. Carter 379
—— *scarlatina* S. Carter 386, †392, 394
—— *schimperi* Presl 235
—— *schizacantha* Pax †375
—— *schoenlandii* Pax 238
—— *selousiana* S. Carter †369
—— *septentrionalis* Bally & S. Carter 378, 379
—— *sessiliflora* Roxb. 239, 240, 243
—— *sileniifolia* (Haw.) Sweet 240
—— *similiramea* S. Carter †371, *372, 373, 375
—— *splendens* Bojer 236
—— *stapfii* Berger 385, 386, †389, 390, 391, 392
—— *sudanica* A. Chev. 242
—— *synadenium* Ridley 240, 243
—— *taitensis* 382
—— *taruensis* S. Carter *372, †377, 378
—— *teke* Schweinf. ex Pax 237, 681, 682
—— *tenuispinosa* sensu Gilli 382
—— —— Gilli 377, 378
—— —— Gilli var. *robusta* Bally & S. Carter *372, †377, 378
—— —— var. *tenuispinosa* 378
—— *tescorum* S. Carter 385, 386, 392, 393
—— *tetracanthoides* Pax 380, 381
—— *tuberosa* L. 239, 240
—— —— group 240, 241
—— *turbiniformis* 237
—— *venenifica* Kotschy 237, 242
—— *volkensii* Werth 677
—— *vulcanorum* S. Carter 385, 386
—— *williamsonii* Leach 675
—— *zambesiana* Benth. 369
Euphorbiaceae: Croton armstrongii and C. habrophyllus (Euphorbiaceae): a confusion, C.M. Wilmot-Dear 661
Euphorbiaceae: New and interesting species of Euphorbiaceae from Ethiopia, M.G. Gilbert 351
Euphorbiaceae: New taxa and observations in Monadenium (Euphorbiaceae) in East Africa, Susan Carter 903
Euphorbiaceae: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395
Euphorbiaceae: A revision of the Somali species of Jatropha (Euphorbiaceae), C.F. Hemming & A. Radcliffe-Smith 103
Euphorbiaceae: Taxonomic changes in Synadenium (Euphorbiaceae) from East Africa, Susan Carter 667
Euphorbiaceae 6, 367, 368, 781, 798
—— tribe *Euphorbieae* 234
—— sect. *Eremophyton* 240
Eurychone Schltr. †735
—— *galeandrae* (Reichb.f.) Schltr. †735
Euthryptochloa: a new genus of Gramineae from China, T.A. Cope 707
Euthryptochloa Cope †707
—— *longiligula* Cope †707, *708
The evolutionary history of the Poales, Restionales - a hypothesis, H.P. Linder 297
Evosmia 123

Fadogia

Fadogia Schweinf. 124, 127, 131, †136, 145, 155, 156, 157, 172, 185, 607
—— *cienkowskii* Schweinf. 128
—— *verdickii* De Wild. & Th. Dur. 128
Fadogiella †136
Fagaceae: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R.Colin Welch 449
Fagara leprieurii (Guill. & Perr.) Engl. 712
—— *macrophylla* Engl. 712, 713
Favolaschia 542, *550
—— subsect. *Auriscalpium* Singer 540
—— subsect. *Intermediae* Singer 541
—— *auriscalpium* (Mont.) P. Henn. 539, 540
—— *cinnabarina* (Berk. & Curtis) Pat. 540, 542, *550
—— *intermedia* (Berk. & Curtis) Singer
—— —— subsp. *intermedia* 541, *550
—— *pezizoidea* (Berk. & Curtis) Pat. ex Singer 542, *550
—— *sabalensis* (Charles) Singer 540
Fay, J.M.: A new combination in Icacina 464
Fay, J.M. & Cribb, P.J.: Orchids of the Central African Republic - a provisional checklist 711
Feinbrun-Dothan, Naomi: Flora Palaestina, Part 4 (Rev.) 949
Ferguson, I.K.: Thanikaimoni, Dr.G. (Obituary) 22
Ferguson, I.K., Havard, A.J. & Dransfield, J.: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae) 405
Ferguson, I.K., Mendis, N.M. & Dransfield, J.: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae) 47
Ficus sp. 712
Flagellaria 300, 301, 302, 306, 311
—— *indica* 299
Flagellariaceae 298, 299, 300, 304, 306, 309, 311, 312
Flammula areolata (Murr.) Murr. 870
—— *aureobrunneus* (Berk. & Curtis) Sacc. 504
—— *chrysopella* (Berk. & Curtis) Sacc. 508
—— *chrysotrichoides* (Murr.) Murr. 871
—— *chrysotrichus* (Berk. & Curtis) Sacc. 509
—— *helvoliceps* (Berk. & Curtis) Sacc. 518
—— *hispidella* (Murr.) Murr. 871
—— *palmicola* (Murr.) Murr. 871
—— *pholiotoides* (Murr.) Murr. 872
—— *sapineus* Fr. 530
—— *subpenetrans* (Murr.) Murr. 872
Flammulaster limulata (Fr. ex Weinm.) Watl. 531
—— *muricata* (Fr.: Fr.) Watl. 531
—— *scobifer* (Berk. & Curtis) Pegler †531, *567
Flora of Iraq: A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV, C.C. Townsend 439
Flora of Tropical East Africa: Three corrections to the Flora of Tropical East Africa, B. Verdcourt 657
Flore des Mascareignes: Notes on Compositae-Inuleae for the Flore des Mascareignes, A.J. Scott 854
Fontella Pereira, Jorge & Marquete Ferreira da Silva, Nilda: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1. 663
Forman, L.L.: A new genus of Burseraceae from Mexico 262
Frankincense: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
Friesia 785
Friis, Ib: The identity of Chiovenda's species of Olea (Oleaceae) 586
Friis, Ib: A new name in Pouzolzia (Urticaceae) 666
Friis, Ib: A reconsideration of Pittosporum in Africa and Arabia 319
Friis, Ib & Coode, M.J.E.: Rolf Dahlgren, 1932-1987 (Obituary) 700
Fugosia areysiana (Defl.) Defl. 345
—— *triphylla* Harv. 338
Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 384

Galera cubensis Earle †865
—— *grisea* Earle †865
—— *martiana* (Berk. & Curtis) Sacc. 522
—— *simulans* Earle †865
Galerina Earle 518, 522, 524, 525, *567
—— sect. *Mycenopsis* A.H. Smith & Singer 532
—— sect. *Naucoriopsis* Kuehner 524, 525
—— *helvoliceps* (Berk. & Curtis) Singer 518, 532, *567
—— *hepaticicola* (Murr.) A.H. Smith 525
—— *martiana* (Berk. & Curtis) Murr. 522
—— *oinodes* (Berk. & Curtis) Singer 524
—— *sideroides* (Bull.) Kuehner 532
—— *subpectinata* (Murr.) A.H. Smith & Singer 525, *567
Galls: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R.Colin Welch 449
Gardenia 245
Gardenieae: A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania, B. Verdcourt 245
Garnotia Brongn. 707, 764
Gasson, Peter *reviewer*: Functional and Ecological Wood Anatomy, by Pieter Baas & Regis B. Miller 267
Geesink, Robert: Scala Millettiearum. A survey of the genera of the Millettieae (Legum.-Pap.) with methodological considerations (Notice) 283
Gelderen, D.M. van & Hoey Smith, J.R.P. van: Conifers (Rev.) 950
Geopetalum album Earle †865
—— *brunnescens* Earle †867
—— *eugeniae* Earle †867
—— *flavolanatum* (Berk. & Curtis) Murr. 516
—— *haedinum* (Berk. & Curtis) Murr. 518
—— *semitectum* (Berk. & Curtis) Murr. 531
—— *subelatinum* Murr. †867

Geophytic

Geophytic: Two new geophytic species of Euphorbia with comments on the subgeneric grouping of its African members, M.G. Gilbert 231
George, A.S. (Exec. Ed.) : Flora of Australia. Volume 46. Iridaceae to Dioscoreaceae (Rev.) 950
Gerronema Singer 508, *510
—— sect. *Romagnesia* Singer 530
—— sect. *Xanthophylla* Singer 515
—— *coccinea* *510
—— *cyathiforme* (Berk. & Curtis) Singer *510, 528, 557
—— *icterinum* (Singer) Singer 515
—— *infundibuliforme* Singer 530
—— *sanguinea* (Sacc.) Pegler †530, 880
Gigantochloa scortechinii Gamble 207
Gilbert, M.G.: New and interesting species of Euphorbiaceae from Ethiopia 351
Gilbert, M.G.: Two new geophytic species of Euphorbia with comments on the subgeneric grouping of its African members 231
Gilbert, M.G.: Two new species of Polycarpaea (Caryophyllaceae) from Somalia 701
Gilbert, M.G. & Carter, Susan: Euphorbia heterochroma, E. stapfii and related taxa 385
Gilbertiodendron dewevrei (De Wild.) Léonard 712
Gill, A.M., Belbin, L. & Chippendale, G.M.: Phytogeography of Eucalyptus in Australia. Australian Flora and Fauna Series No. 3 (Notice) 283
Gillett, J.B. *reviewer*: genus Trifolium, by Michael Zohary & David Heller 280
Givotia 368
Glaziophyton 204
—— *mirabile* Franch. 206
Globulostylis Wernham 189
—— *minor* Wernham 189
—— *talbotii* Wernham 189
Gnetum africanum Welw. 712
Goniostema 236
—— sens. str. 236
Gonostegia 666
Gossypianum areysianum 347
Gossypium: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Gossypium †337
—— *africanum* (Watt) Watt 343
—— —— var. *bracteatum* Watt 343
—— *anomalum* Wawra ex Wawra & Peyr. 338, †339, 341, 342, 345
—— —— subsp. *anomalum* †339, 342
—— —— subsp. *areysianum* (Defl.) Roberty 345
—— —— subsp. *senarense* (Wawra & Peyr.) Vollesen †339, 342, 349
—— —— subsp. *triphyllum* (Harv.) Roberty 338
—— —— var. *steudneri* Roberty 339
—— *arboreum* L. 337
—— *areysianum* Defl. 338, †345, 346
—— *barbadense* L. 337
—— *barbosanum* Phillips & Clement 339, 342
—— *benadirense* Mattei 338, †349
—— *benadirense-bricchettii* 349
—— *bricchettii* (Ulbrich) Vollesen 338, †349
—— *capitis-viridis* Mauer 339, 342

Gossypium

—— *ellenbeckii* (Gürke) Mauer 347
—— *herbaceum* L. 337, 338, †343, 345
—— —— subsp. *africanum* (Watt) Vollesen †343, 345
—— —— subsp. *herbaceum* †343, 345
—— —— var. *africanum* (Watt) Hutch. & Ghose 344
—— —— var. *steudneri* Schweinf. ex Gürke 339
—— *hirsutum* L. 337
—— *incanum* (Schwartz) Hillcoat 338, 346, †347
—— *longicalyx* J.B. Hutchinson & Lee 338, †347
—— *microcarpum* Welw. ex Gürke 339
—— *obtusifolium* Roxb. ex G. Don var. *africanum* Watt 343
—— *paolii* Mattei 348
—— *senarense* Fenzl ex Wawra & Peyr. 339
—— *somalense* (Gürke) J.B. Hutchinson 337, 338, 342, 343, 346, †347, 349
—— *stocksii* Mast. 338, †342, 345, 346
—— *transvaalense* Watt 343
—— *trifurcatum* Vollesen 338, †342
—— *triphyllum* (Harv.) Hochr. 337, †338, 339
—— sp. *A* 338, 347
Gramineae: Bhidea fischeri, a new species of Gramineae from India, P.V. Sreekumar & B.V. Shetty 683
Gramineae: Euthryptochloa: a new genus of Gramineae from China, T.A. Cope 707
Gramineae: A new combination in Tetrapogon (Gramineae), S.M. Phillips 477
Gramineae: A new Isachne (Gramineae) from Brazil, S.A. Renvoize 927
Gramineae: A new species of Coelachyrum (Gramineae) from Egypt, T.A. Cope & L. Boulos 919
Gramineae: A new species of Trikeraia (Gramineae) from Tibet and Bhutan, T.A. Cope 350
Gramineae: Notes on Eragrostis (Gramineae) from northeast tropical Africa, S.M. Phillips 929
Gramineae subfam. *Arundinoideae* 205, 765, 766
—— subfam. *Bambusoideae* 205, 206, 765, 767
—— subfam. *Centostecoideae* 765, 767
—— subfam. *Panicoideae* 766
—— subfam. *Pooideae* 707
—— tribe *Andropogoneae* 766, 767
—— tribe *Aristideae* 739
—— tribe *Arundineae* 205, 767
—— tribe *Arundinelleae* 739, 764, 766
—— tribe *Bambuseae* 201, 204, 205, 767
—— tribe *Cynodonteae* 766, 767
—— tribe *Eragrostideae* 205, 739, 766
—— tribe *Isachneae* 767
—— tribe *Paniceae* 205, 206, 402, 739, 740, 745, 749, 750, 753, 754, 758, 760, 761, 762, 764, 765, 766, 767
—— tribe *Pooideae* 206
Graminidites 303, 304, 305
—— sp. 305
Graphorkis Thou. †730
—— *lurida* (Sw.) O. Kuntze 713, †730
Grasses: Miscellaneous notes on Panicoid grasses, W.D. Clayton 401
Grasses: A survey of leaf-blade anatomy in grasses X. Bambuseae, S.A. Renvoize 201

Grasses

Grasses: A survey of leaf-blade anatomy in grasses XI. Paniceae, S.A. Renvoize 739
Green, P.S.: Jasminum in Arabia - a correction 944
Green, P.S.: A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI 437
Greslania rivularis Balansa 207
Grey-Wilson, C. *reviewer*: Guide to the Vegetation of Britain and Europe, by Oleg Polunin & Martin Walters 953
Grey-Wilson, C. *reviewer*: Hardy Geraniums, by Peter F. Yeo 958
Grey-Wilson, C. & Wadhwa, B.M.: Two new species of Chenopodiaceae from the Western Himalaya 471
Grignon, I.: Towards a Check-List of the Vascular Plants of Botswana (Rev.) 272
Guaduella 204
—— *oblonga* Hutch. ex Clayton 206
Guettardaceae 123, 124
Guibourtia demeusei (Harms) Léonard 712
Guttiferae: New species of Kielmeyera (Guttiferae) from Brazil, N. Saddi 221
Gymnochilus caespitosus Earle †869
—— *campestris* Earle †869
—— *flocculosus* Earle †869
—— *musae* Earle †870
—— *roystonae* Earle †870
Gymnopilus P. Karst. 506, 527, *567, 871
—— sect. *Annulati* 872
—— subgen. *Annulati* (Romagn.) Hesler 871
—— *aculeatus* (Bres. & Roumeg.) Singer 871
—— *areolatus* Murr. *866, †870
—— *aureobrunneus* (Berk. & Curtis) Murr. 504, 509, 530, *567, *866, 871
—— *chrysopellus* (Berk. & Curtis) Murr. 508, 509, *567, 871
—— *chrysotrichoides* Murr. *866, †871, 872
—— *chrysotrichus* (Berk. & Curtis) Murr. 509
—— *geminellus* (Peck) Murr. 872
—— *helvoliceps* (Berk. & Curtis) Murr. 518
—— *hispidellus* Murr. *866, †871
—— *lateritius* (Pat.) Murr. 525, 530, 871
—— *palmicola* Murr. *866, †871
—— *pholiotoides* Murr. †872
—— *subpenetrans* Murr. †872
Gymnopus (Pers.) Roussel 872
—— *chrysopeplus* (Berk. & Curtis) Murr. 545
—— *musicola* Murr. †872
—— *nigritus* (Berk. & Curtis) Murr. 523
Gymnosporia serrata var. *keniensis* Loes. 423
Gynerium 205

Habenaria Willd. †461, 712, 716
—— *anaphysema* Reichb.f. †716
—— *cirrhata* (Lindl.) Reichb.f. †716
—— *cornutella* Summerh. †716
—— *genuflexa* Rendle †716
—— *holubii* Rolfe †717
—— *huillensis* Reichb.f. †716
—— *ichneumonea* (Sw.) Lindl. †717
—— *keayi* Summerh. †461, 462
—— *laurentii* De Wild. †717
—— *lelyi* Summerh. †717
—— —— var. *macroceras* Summerh. †717
—— *macrandra* Lindl. †717
—— *macrura* Kraenzl. 714, †717
—— *malaccophylla* Reichb.f. †462

Habenaria

—— *myodes* Summerh. †462
—— —— subsp. *latipetala* Summerh. 462
—— —— subsp. *myodes* 462
—— *njamnjamica* Kraenzl. †717
—— *paludosa* Lindl. 718
—— *parva* (Summerh.) Summerh. †718
—— *procera* (Sw.) Lindl. †718
—— *soyauxii* Kraenzl. 716
—— *stenochila* Lindl. †718
—— *zambesiana* Reichb.f. †718
Haemanthus multiflorus 324
Halliday, P.: A new combination in Kleinia (Compositae) 442
Halliday, P. *reviewer*: Rhododendron hybrids. A Guide to their Origins, by Homer E. Salley & Harold E. Greer 955
Halogeton falconeri Clarke 473
—— *glomeratus* C.A. Meyer 471, 473, 475
—— *kashmirianus* Grey-Wilson & Wadhwa 471, †473, *474, 475
—— sp. 473
Hamelia 123
Harley, R.M. *reviewer*: Fruits of the Guianan Flora, by M.G.M. van Roosmalen 485
Harley, R.M., Radcliffe-Smith, A., (Bibliog.) Radcliffe-Smith, A. & Wilmot-Dear, C.M.: H.K. Airy Shaw, 1902-1985 (Obituary) 3
Harrison, S.G.: Index of Collectors in the Welsh National Herbarium (Notice) 773
Havard, A. & Verdcourt, B.: A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae) 605
Havard, A.J., Ferguson, I.K. & Dransfield, J.: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae) 405
Hawkes, J.G. & Hjerting, J.P.: Validation of names of three Solanum taxa from Bolivia 436
Haworthia 73
Hebeloma cubense Murr. †872
Hedge, I.C. (Ed.) : Plant Life of South West Asia (Notice) 959
Helichrysum Mill. †854
—— *caespitosum* (Lam.) DC. 854
—— *mauritianum* A.J. Scott †854
—— *proteoides* (Lam.) Baker 854
Helictotrichon 921
—— *quadridentulum* (Doell) Renv. 921
Helinus 368
Heliotropium supinum: On the typification of Heliotropium supinum L. (Boraginaceae), B. Verdcourt 710
Heliotropium maius 710
—— *minus supinum* 710
—— *supinum* L. 710
Hemimycena Singer 516
Hemming, C.F. & Radcliffe-Smith, A.: A revision of the Somali species of Jatropha (Euphorbiaceae) 103
Hendricks, David M.: Arizona Soils (Rev.) 951
Hepper, F.N.: Two new species of East African Craterostigma (Scrophulariaceae) 945
Hepper, F. Nigel *reviewer*: Botanists. A history of the Botanical Society of the British Isles through 150 years, by David Elliston Allen 948

Hepper, F. Nigel

Hepper, F. Nigel *reviewer*: Correspondence of Charles Darwin. Vol. 1, 1821-36, by S.S.Burkhardt & S. Smith (Eds.) 479
Heracleum 591
Hetaeria Blume †722
—— *stammleri* (Schltr.) Summerh. †722
Hewson, H.J., Reynolds, S.T., West, J.G., Jessop, L.W. & George, A.S. (Exec. Ed.): Flora of Australia Vol. 25, Melianthaceae to Simaroubaceae (Notice) 281
Hexalobus crispiflorus A. Rich. 713
Hiatula caespitosa Berk. & Curtis 514, †538
—— *purpurascens* Berk. & Curtis †538
Hibiscus anomalus (Wawra & Peyr.) O. Ktze. 339
Hickelia 207
Hieracium sanctum L. 429
Himalaya, Western: Two new species of Chenopodiaceae from the Western Himalaya, C. Grey-Wilson & B.M. Wadhwa 471
Hirtella olivaeformis 464
Hitchcockella baronii A. Camus 206
Hitoa Nadeaud 212, 213
Hjerting, J.P. & Hawkes, J.G.: Validation of names of three Solanum taxa from Bolivia 436
Hohenbuehelia *543, 867
—— *atrocaerulea* (Fr.: Fr.) Singer 503
—— *barbatula* (Berk. & Curtis) Dennis 505, *543, 867, *876, 885
—— *cubensis* (Murr.) Singer 884
—— *nigra* (Schwein.) Singer 503, 533, *543
—— *petaloides* (Bull.: Fr.) Schulzer 531, *543
—— *subbarbata* (Berk.& Curtis) Singer 533
Holcolemma Stapf & Hubbard 402
—— *canaliculatum* (Steud.) Stapf & Hubb. 750
—— *dispar* Clayton †402
—— *inaequale* Clayton 402
Holothrix 461
—— *aphylla* (Forsk.) Reichb.f. †461
—— *arachnoidea* 461
Homolepis 205, 206, 402, 743
—— *isocalycia* *741, *742, 745
Homopholis 745
—— *belsonii* Hubbard *744, 745
Hopkinsia 312
Hunt, D.R. *reviewer*: Flora Fanerogámica del Valle de Mexico. Volume 2 (Euphorbiaceae-Compositae), by J. Rzedowski & G.C. de Rzedowski 954
Hunt, D.R. *reviewer*: Sulcorebutia and Weingartia. A Collector's Guide, by John Pilbeam 274
Hutchinsonia 127
—— *barbata* 127
—— *bugoyensis* (K. Krause) Bullock 184
—— *cymigera* Brem. 175
—— *xanthotricha* (K. Schum.) Bullock 183
Hyacinthus 100
Hydrocybe earlei Murr. †873
Hydropus (Kuehner) Singer 524, *550
—— Kuehner ex Singer 568
—— *cavipes* (Pat. & Gaill.) Dennis 568
—— *nigritus* (Berk. & Curtis) Singer 523, 524, *550
—— *putredinus* (Berk. & Curtis) Pegler *550, †568
Hydrothauma 743, 745
—— *manicatum* Hubbard *744, 745

Hygrochloa

Hygrochloa 749
—— *aquatica* Lazarides *749, 750
Hygrocybe (Fr.) Kummer *510, 521, 873, 880
—— sect. *Coccineae* Fayod 873
—— sect. *Firmae* Heinem. 521
—— *earlei* (Murr.) Pegler *866, †873
—— *trinitensis* (Dennis) Pegler 521
Hygrophoropsis purpurascens (Berk. & Curtis) Dennis 566
Hygrophorus Fr. sect. *Colorati* (Bat.) Konr. & Maubl. 873
—— *earlei* (Murr.) Murr. 873
—— *roseus* (Murr.) Murr. 521
—— *subpratensis* Murr. *866, †873
Hylebates chlorochloe (K. Schum.) Napper 745
Hymenachne 743, 745
—— *amplexicaulis* *742, 745
Hymenocardia acida Tul. 712
Hymenomycetes 501
Hymenoptera: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R. Colin Welch 449
Hymenoptera subfam. *Cynipinae* 449
Hyparrhenia 712, 713
—— *diplandra* (Hackel) Stapf 712
—— *involucrata* Stapf var. *breviseta* W.D. Clayton 713
—— *nyassae* (Rendle) Stapf 712
—— *rufa* (Nees) Stapf 712, 713
—— *welwitschii* (Rendle) Stapf 713
Hyphaene 405, †408, 410, 411
—— *compressa* H.A. Wendl. 408, 411
—— *coriacea* Gaertner 408, 411
—— *petersiana* Klotzsch ex Mart. 408
—— *thebaica* (L.) Mart. 408
Hypholoma (Fr.) Kummer 534
—— *caespitosum* (Earle) Morgan 869
—— *campestre* (Earle) Morgan 869
—— *fasciculare* (Huds.: Fr.) Kummer 534
—— *flocculosum* (Earle) Morgan 869
—— *musae* (Earle) Morgan 870
—— *roystoniae* (Earle) Morgan 870
—— *subviride* (Berk. & Curtis) Dennis 534, *563
Hypodendrum scobifera (Berk. & Curtis) Murr. 530
Hypodiscus aristatus 299
Hypolaena lateriflora 304
Hypoxidaceae 60
Hyrtanandra 666
—— *pentandra* (Roxb.) Miq. 666

Icacina: A new combination in Icacina, J.M. Fay 464
Icacina oliviformis (Poiret) J. Raynal †464
—— —— var. *pubescens* (Boutique) J.M. Fay †464
—— *senegalensis* Adr. Juss. 464
—— —— var. *pubescens* Boutique 464
Ichnanthus 745, 758, 761
—— *camporum* 758
—— *foliolosus* Hook.f. 403
—— *pallens* (Swartz) Munro 745
The identity of Chiovenda's species of Olea (Oleaceae), Ib Friis 586
The identity of Lasianthus graciliflorus Bailey (Rubiaceae), L.G. Adams, D.M. Bridson & E. Robbrecht 209

The identity

The identity of Psychotria madandensis S. Moore (Rubiaceae), B. Verdcourt 64
The identity of Vigna strophiolata Piper (Leguminosae-Phaseoleae), B. Verdcourt 220
India: Bhidea fischeri, a new species of Gramineae from India, P.V. Sreekumar & B.V. Shetty 683
India: A new species of Calamus (Palmae) from India, C. Renuka 433
India: A new species of Vitaceae from Peninsular India, B.V. Shetty & Paramjit Singh 933
India: The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta, P.S. Kaushal & C. Jeffrey 429
Indian: A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI, P.S. Green 437
Indian: Miscellaneous notes on two Indian Moonseeds (Menispermaceae), A. Pramanik & K. Thothathri 705
Indian: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
Indigofera 363
Indocalamus tessellatus (Munro) Keng f. 207
Indosasa 204
—— *gibbosa* (McClure) McClure 207
Insulanoparacoffea 453
Inuleae: Notes on Compositae-Inuleae for the 'Flore des Mascareignes', A.J. Scott 854
Inuleae: A second species of Cylindrocline (Compositae-Inuleae), A.J. Scott 476
Ipomoea 657, 658
—— *maxima* sensu auctt. non (L.f.) Sweet 658
—— —— (L.f.) Sweet 657, 658
—— *sepiaria* Koenig ex Roxb. 657, 658
Ipsea: A synopsis of Ipsea (Orchidaceae), C. Sathish Kumar & K.S. Manilal 937
Ipsea 937, 941
—— *malabarica* sensu Abraham & Vatsala 942
—— —— (Reichb.f.) J.D. Hook. 937, 938, †940, *941
—— *speciosa* Lindl. 937, †938
—— *thomsoniana* (Reichb.f.) Pfitz. 942
—— *wrayana* W.J. Hook. 942
Iraqi: A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV, C.C. Townsend 439
Iriartea Ruiz & Pav. 56
—— *corneto* (Karst.) H.A. Wendl. 56, 60
—— *deltoidea* Ruiz & Pav. 56
Iridaceae: Notes on Aristea (Iridaceae) in East Africa, W. Marais 932
Iris group *Pogoniris* †99
Irvingia gabonensis (O'Rorke) Baillon 712
Isachne: A new Isachne (Gramineae) from Brazil, S.A. Renvoize 927
Isachne 927
—— *arundinacea* (Sw.) Griseb. 928
—— *disperma* (Lam.) Doell 927, 928
—— *goiasensis* Renv. 927, †928
—— *leersioides* Griseb. 927
—— *ligulata* Swallen 927
—— *polygonoides* Doell 927
—— *pubescens* Swallen 928

Isachne

—— *pygmaea* Griseb. 927
—— *rigens* (Swartz) Trin. 927
—— *rigidifolia* (Poir.) Urb. 927
—— *salzmannii* (Trin. ex Steud.) Renv. 928
Isoberlinia doka 713
Ixophorus unisetus (Presl) Schlecht. 750
Ixora L. 212, 213, 214
—— *baileyana* Bridson & Adams †214
—— *graciliflora* Benth. 214
—— *klanderiana* F. Muell. 212
—— *talbotii* Wernham 192
—— *timorensis* sens. auctt. 212

Jackson, D.L. & Jacobs, S.W.L. : Australian Agricultural Botany (Rev.) 483
Janick, Jules: Horticultural Science. Fourth Edition (Notice) 774
Jasminum in Arabia - a correction, P.S. Green 944
Jasminum: A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI, P.S. Green 437
Jasminum 437, 944
—— *abyssinicum* Hochst. ex DC. 944
—— *amplexicaule* Buch.-Ham. ex G. Don 437
—— *elongatum* Willd. 437
—— —— (Bergius) Willd. †437
—— *fluminense* Vell. subsp. *gratissimum* (Defl.) P.S. Green 944
—— *roxburghianum* Wall. ex C.B. Cl. 437
—— *undulatum* sensu C.B. Cl. 437
Jatropha: A revision of the Somali species of Jatropha (Euphorbiaceae), C.F. Hemming & A. Radcliffe-Smith 103
Jatropha 103, 104, 105, 110, 113, 114
—— sect. *Collenucia* (Chiov.) Chiov., †106, 114
—— sect. *Jatropha* †105, 108, 110, 114, 115
—— sect. *Mozinna* (Ortega) Muell. Arg. 121
—— sect. *Polymorpha* Pax †106
—— sect. *Robecchiana* A. Radcliffe-Smith †107, 114, †120, 121
—— sect. *Spinosa* Pax †106, 114, 115, 116, 119, 120
—— sect. *Tuberosa* Pax †106, 108, 111, 113, 121
—— subsect. *Dichtares* A. Radcliffe-Smith †106, †116
—— subsect. *Furciferae* A. Radcliffe-Smith †106, †115
—— subsect. *Lobatae* Pax †105
—— subsect. *Parvifoliae* A. Radcliffe-Smith †106, †119
—— subsect. *Pubescentes* Pax †105
—— subsect. *Spinosae* Pax †106
—— subsect. *Tropaeolifoliae* A. Radcliffe-Smith †106, †115
—— subsect. *Villosae* Pax †106, 114
—— *aculeata* F.G. Dietr. 118
—— *aethiopica* Muell. Arg. 121
—— *arguta* Chiov. 104, 107, 119, †120
—— *aspleniifolia* Pax 105, 107, 120, †121
—— *brockmanii* Hutch. 105, 106, 108, †109
—— —— var. *lejosepala* Chiov. 109
—— *crinita* Baill. ex Muell. Arg. 113
—— *curcas* L. 121
—— *dichtar* Macbride 104, 106, †116, 118
—— —— var. *dichtar* 116

Jatropha
—— —— var. *gracilior* A. Radcliffe-Smith †116
—— *dioica* Sessé 121
—— *ellenbeckii* Pax 104, 106, †114, 115
—— *ferox* Pax 116, 118
—— *fissispina* Pax 114, 115
—— *glandulosa* Vahl 110
—— —— var. *glabra* (Muell. Arg.) A. Radcliffe-Smith 111
—— —— var. *sublobata* (O. Schwartz) A. Radcliffe-Smith 111
—— *glauca* Vahl 106, 107, †108, 109, 111, 119
—— —— var. *glauca* 105, †108
—— *hildebrandtii* Pax 121
—— *lobata* Muell. Arg. 108
—— —— var. *pubescens* Chiov. 107
—— *marginata* Chiov. 105, 106, 111, †113, 114
—— *mollis* Pax 105, †107
—— *nogalensis* Chiov. 104, 106, †119
—— *obbiadensis* Chiov. 105, 106, 111, †113
—— *oblanceolata* A. Radcliffe-Smith 119
—— *palmatifida* Bak. 105, 106, 108, †109
—— *paradoxa* (Chiov.) Chiov. 104, 113, †114
—— *parvifolia* Chiov. 104, 107, 119, †120
—— *pelargoniifolia* Courb. 105, 106, 107, †110, 111, 116
—— —— var. *glabra* (Muell. Arg.) A. Radcliffe-Smith †110, 111
—— —— var. *glandulosa* (Vahl) A. Radcliffe-Smith 110
—— —— var. *pelargoniifolia* 110
—— —— var. *sublobata* (O. Schwartz) A. Radcliffe-Smith 111
—— *phillipseae* Rendle 105, †108, 109
—— *prunifolia* Pax 111
—— *rivae* Pax 104, 107, 118, †119, 120
—— *robecchii* Pax 105, 107, †120, 121
—— *rosea* A. Radcliffe-Smith 104, 106, 116, *117, †118
—— *somalensis* Pax 105, 106, 111, 113
—— *spicata* Pax 109
—— *spinosa* Vahl 106, 115, †118, 119
—— —— var. *somalensis* Pax 104, †118, 119
—— *stuhlmannii* Pax 105, †107, 108
—— —— subsp. somalensis A. Radcliffe-Smith 105, †107, 108
—— —— subsp. *stuhlmannii* 107
—— *tetracantha* Chiov. 104, 106, †115
—— *trifida* Chiov. 105, 106, †109, 113, 121
—— *tropaeolifolia* Pax 104, 106, †115, 116
—— *unicostata* Balf.f. 113
—— *variabilis* A. Radcliffe-Smith 105, 106, †111, *112
—— *variegata* (Forssk.) Vahl 113
—— *velutina* sensu Chiov. 107
—— *villosa* sensu Chiov. 107
—— —— (Forssk.) Muell. Arg. 110
—— —— var. *glabra* Muell. Arg. 111
—— —— var. *glandulosa* (Vahl) Pax 110
—— —— var. *malvifolia* Chiov. 111
—— —— var. *pelargonifolia* sensu Chiov. 111
—— —— var. —— (Courb.) Chiov. 110
—— —— var. *sublobata* O. Schwartz 111
—— sp. aff. *aculeata* 110, 115
—— sp. aff. *ferox* Pax 121
Jeffrey, C. & Kaushal, P.S.: The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta 429
Jeffrey, C.
Jeffrey, C. *reviewer*: Monograph of the Hawaiian Madiinae (Asteraceae): Argyroxiphium, Dubautia and Wilkesia, by Gerald D. Carr 769
Johnson, Dale E.: Literature on the history of botany and botanic gardens 1730-1840. Huntia 6(1) (Notice) 283
Joinvillea 299, 300, 301, 302, 303, 306, 312
Joinvilleaceae 298, 299, 300, 304, 306, 309, 311, 312
Joinvilleaceae-Flagellariaceae 302

Kalanchoe 99
Kaushal, P.S. & Jeffrey, C.: The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta 429
Kedves, M.: Introduction to the palynology of pre-quaternary deposits (Notice) 774
Keetia E.P. Phillips 134, †136, 611, 620, 641, 642, 651
—— *gracilis* (Hiern) Bridson 651
—— *mannii* (Hiern) Bridson 651
—— *zanzibarica* (Klotzsch) Bridson 129
—— —— subsp. *cornelioides* (De Wild.) Bridson 651
Khaya grandifoliola C. DC. 713
—— *senegalensis* (Desv.) A. Juss. 713
Kielmeyera: New species of Kielmeyera (Guttiferae) from Brazil, N. Saddi 221
Kielmeyera 221
—— sect. *Coriaceae* Wawra emend. Saddi ser. *Corymbosae* (Wawra) Saddi 221
—— sect. *Kielmeyera* Martius 227
—— sect. *Petiolares* Wawra emend. Saddi 223, 225
—— subgen. *Dendrodoxa* Saddi 227
—— *abdita* Saddi †221, *222, 223
—— *bifaria* Saddi 221, †223, *224, 225
—— *corymbosa* Mart. 223
—— *juruenensis* Saddi 225
—— *lathrophyton* Saddi 221, 223, †225, *226
—— *neriifolia* Camb. 221, 223
—— *petiolaris* Mart. 223, 225, 227
—— *pulcherrima* L.B. Smith 227
—— *pumila* Pohl 223
—— *regalis* Saddi 221, †227, *228
—— *rosea* Mart. 227, 229
—— *rubriflora* Camb. 227, 229
—— *speciosa* St. Hil. 227
Kirton, P.R. & Brandham, P.E.: The chromosomes of species, hybrids and cultivars of Narcissus L. (Amaryllidaceae) 65
Klainedoxa gabonensis Engl. 713
Kleinia: A new combination in Kleinia (Compositae), P. Halliday 442
Kleinia Mill. 442
—— *balsamica* (Dalz. & Gibs.) P. Halliday †442
—— *grandiflora* (DC.) N. Rani 442
Krüssmann, Gerd: Manual of Cultivated Broad-Leaved Trees and Shrubs, Volume II E-PRO (Notice) 774
Kunkel, G.: Plants for Human Consumption (Rev.) 273
Kyllinga sp. 712

la Croix, Isobyl F. & Stewart, Joyce: Notes on the orchids of southern tropical Africa III: Aerangis 215

Labiatae

Labiatae: A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi, R.K. Brummitt & J.H. Seyani 687
Labiatae 324, 699
Lablab microcarpus DC. 659
Lacanthis Rafinesque 238, 240
—— *splendens* (Bojer) Rafin. 238
Laccaria Berk. & Br. 521
Lack, Eva: Die Abenteuer des Sir Joseph Banks (Rev.) 952
Lactarius DC. 539
—— sect. *Dulces* 539
—— sp. †539
Lagoseris sancta (L.) K. Maly subsp. *bifida* (Vis.) Thell. 429
Lagynias E. Mey. ex Robyns 124, †138, †141
—— subgen. *Lagynias* 141
—— *pallidiflora* Bullock 128
—— *rufescens* (E.A. Bruce) Verdc. 141, †143
—— —— subsp. *angustiloba* Verdc. *142, †143
—— —— subsp. *rufescens* *142, †143
—— —— var. *rufescens* 143
Lannea barteri (Oliv.) Engl. 367
—— *humilis* (Oliv.) Engl. 367
—— *schimperi* (A. Rich.) Engl. 714
Lapsana capillaris L. 431
Laschia 541
—— *alba* Berk. & Curtis †539
—— *auriscalpium* sensu Berk. & Curtis †539
—— —— Mont. 539
—— *caerulescens* Berk. & Curtis †540, 542
—— *cinnabarina* Berk. & Curtis †540
—— *curtisii* Berk. apud Berk. & Curtis †541
—— *cyphelloides* 542
—— *intermedia* Berk. & Curtis †541
—— *pensilis* Berk. & Curtis 541, †542
—— *pezizoidea* Berk. & Curtis †542
—— *purpurea* Berk.& Curtis 541, 542, †544
—— *subcaerulea* Berk. & Curtis 542, †544
—— *tremellosa* Fr. 540, †544
Lasiacis 745
—— *divaricata* (L.) Hitchc. 745
Lasianthus: The identity of Lasianthus graciliflorus Bailey (Rubiaceae), L.G. Adams, D.M. Bridson & E. Robbrecht 209
Lasianthus Jack 209, 211, 212
—— *graciliflorus* F.M. Bailey 209, 213, 214
Latania Comm. ex A.L. Juss. †407, 408, 410, 411
—— *loddigesii* Mart. 408
—— *lontaroides* (J. Gaertn.) H.E. Moore 408
—— *verschaffeltii* Lemaire 408
Lathrophyton 227
Lathyrus odoratus 99
Laugeria 123
Leadbeater, Barry S.C. & Riding, Robert (Eds.) : Biomineralization in Lower Plants and Animals (Notice) 961
Leaf-blade: A survey of leaf-blade anatomy in grasses X. Bambuseae, S.A. Renvoize 201
Leaf-blade: A survey of leaf-blade anatomy in grasses XI. Paniceae, S.A. Renvoize 739
Lechea verticillata Willd. 657
Lecomtella madagascariensis A. Camus 745
Lefebvrea 587, 589, 590, 591
—— *abyssinica* 589
—— *droopii* C.C. Townsend *588, †589
—— *longipedicellata* Engl. *588, 589, 590
—— *stuhlmannii* Engl. 589

Lefebvrea

—— *uluguruensis* Droop 590
Leguminosae: The identity of Vigna strophiolata Piper (Leguminosae-Phaseoleae), B. Verdcourt 220
Leguminosae: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
Leguminosae 367, 658
—— subfam. *Caesalpinioideae* 655
Lentinellus Karsten 545
—— *angustifolius* Romell. *510, 545
—— *castoreus* 545
—— *ursinus* (Fr.) Kuehner 545
Lentinula 546
—— *boryana* (Berk. & Mont.) Pegler 505, 546, 547
—— *cubensis* (Berk. & Curtis) Earle 546
Lentinus Fr. 501, 547, 859, 873
—— sect. *Lentinus* 551
—— sect. *Lentodiellum* 546, 549
—— sect. *Panus* (Fr.) Pegler 873, 881
—— sect. *Velutini* Pegler 549, 883
—— *astriatulus* Lév. 526
—— *bertieri* (Fr.) Fr. 548, 549, 551
—— *blepharodes* Berk. & Curtis †544
—— *caespiticola* Pat. & Har. 873
—— *caespitosus* Berkeley 506
—— —— var. *sparsus* 506
—— *castoreus* Fr. var. *hirneoloides* Berk. & Curtis *510, †545
—— —— var. *pusillus* Berk. & Curtis †545
—— *chrysopeplus* Berk. & Curtis †545
—— *cinnamomeus* (Earle) Sacc. & Trav. 883
—— *concavus* (Berk.) P. Henn. 506, 526
—— *crinitus* (Linn.: Fr.) Fr. 548, 549, 551, 883, 884
—— *cubensis* Berk. & Curtis †546
—— *eugrammus* (Mont.) Fr. †546
—— *exilis* Klotzsch ex Fr. †546, 547
—— *friabilis* Fr. †546
—— *fulgineus* Berk. & Curtis †546
—— *graminicola* Murr. †873
—— *lecomtei* Fr. †547
—— *leprieurii* Mont. †547
—— *levis* (Berk. & Curtis) Murr. 548
—— *nepalensis* Berk. †547
—— *palmeri* (Earle) Sacc. & Trav. 883
—— *praerigidus* 547, 549
—— *proximus* Berk. & Curtis †547
—— *reflexus* (Earle) Sacc. 883
—— *rigidulus* Berk. & Curtis †547
—— *sajor-caju* (Fr.) Fr. 546
—— —— var. *vellereus* (Berk. & Curtis) Pilát 549
—— *schomburgkii* Berk. †548
—— *scleropus* (Pers.) Fr. 549, 859
—— *simulans* (Earle) Sacc. & Trav. 884
—— *siparius* Berk. & Curtis †548, 883
—— *sparsibarbis* Berk. & Curtis †548
—— *striatulus* Lév. 507, 511
—— *strigellus* Berk. apud Berk. & Curtis †548, *866, 881, 883, 884
—— *strigosus* (Schwein.) Fr. 547, †548
—— *stupeus* Klotzsch †548, 549
—— *subcervinus* Berk. & Curtis †549
—— *swartzii* Berk. 551
—— *tener* Klotzsch apud Fr. †549
—— *tephroleucus* Mont. 547, 548, 549, 883
—— *vellereus* Berk. & Curtis †549
—— *velutinus* Fr. 544, 547, †549

Lentinus
—— —— Fr. var. *blepharodes* (Berk. & Curtis) Pilát 544
—— *verae-crucis* Berk. apud Berk. & Curtis † 549
—— *veraecrucis* 564
—— *vestidus* (Earle) Sacc. & Trav. 884
—— *villosus* Klotzsch 549, †551
—— *wrightii* Berk. & Curtis †551, 575
Lentodiellum (Murr.) Pegler 506
Lepidobalanus subgen. *Quercus* 449
Lepidocaryum 60
Lepiota Pers. 511, 873
—— sect. *Cristatae* Kuehner 874
—— sect. *Lepiota* Singer 516
—— sect. *Ovisporae* (J. Lange) Kuehner 532, 534, 874, 875
—— sect. *Stenosporae* (J. Lange) Kuehner 875
—— *abruptibulba* Murr. *858, †873, 874
—— *cheimonoceps* (Berk. & Curtis) Sacc. 508
—— *clypeolaria* (Bull.: Fr.) Kummer 511
—— *cretacea* (Bull.) Morgan 533
—— *erinana* Dennis *517, 875
—— *erythrosticta* (Berk. & Br.) Sacc. 875
—— *flavodisca* *858, †874
—— *floralis* sensu Berkeley & Curtis 875
—— —— Berk. & Rav. 516
—— *hemisclera* (Berk. & Curtis) Sacc. 519
—— *lactea* Murr. *860, †874
—— *longistriata* sensu Murr. *860, †874, 875
—— —— Baker & Dale 875
—— *micropholis* (Berk. & Br.) Sacc. var. *lactea* (Murr.) Dennis 874
—— *microspila* (Berk. & Br.) Sacc. 520
—— *mucrocystis* Pegler 874
—— *rimosa* Murr. *860, †875
—— *rubrotincta* sensu Murr.*860, †875
—— —— (Peck) Peck 875
—— *sordescens* (Berk. & Curtis) Sacc. 532
—— *squamulosus* (Mont.) Pegler 511
—— *subclypeolaria* (Berk. & Curtis) Sacc. 533, 534, *555, 874, 875
Lepisanthes 324
—— *tetraphylla* (Vahl) Radlk. 324
Lepista purpurascens (Berk. & Curtis) Pegler *510, †538
—— *subisabellina* (Murr.) Pegler 538
Leptocarpus chilensis 307
Leptocoryphium 748, †763
—— *lanatum* (Kunth) Nees *749, 750
Leptomyces purpurascens (Berk. & Curtis) Murr. 538
Leptonia (Fr.) Kummer sect. *Leptonia* 521
—— *earlei* (Murr.) Murr. *866, 875, 877
—— *hypoporphyra* (Berk. & Curtis) Sacc. 520, *555
—— *subfurfuracea* (Hesler) Largent 875
Leptoniella earlei Murr. †875
—— *hypoporphyra* (Berk. & Curtis) Murr. 520
—— *semiglobata* Murr. 877
Leroyia 134, 611, 613, 614
—— *madagascariensis* Cavaco 619
—— *richardiae* Cavaco 614, 618
Leucadendron 848
—— *angolense* (Welw.) Hiern 821
—— *leucoblepharum* Hiern 833
—— *micans* (Welw.) Hiern 842
—— *paludosum* Hiern 848
Leucocoprineae 534
Leucocoprinus Pat. 511, 875
—— *birnbaumii* (Corda) Singer 511
Leucocoprinus
—— *cepaestipes* (Sow.: Fr.) Pat. 508, 534, *555
—— *zeylanicus* (Berk.) Boedijn. 534
Librevillea 655
Liliaceae 100
—— tribe *Aloineae* 92, 100
Liliaceae-Aloineae 73
Limonium 701
Linder, H.P. & Restionales: The evolutionary history of the Poales 297
Ling, Yeou-ruenn: On the status of Artemisia dubia Wall. ex Bess. and A. myriantha Wall. ex Bess. (Compositae) 443
Liparis L.C. Rich. 713, †722
—— *guineensis* Lindl. 723
—— *nervosa* (Thunb.) Lindl. †723
—— *rufina* (Ridl.) Rolfe †722
Lissochilus arenarius Lindl. 728
—— *heudelotii* Reichb.f. 727
—— *ochroleuca* A.Chev. †736
—— *purpuratus* Lindl. 727
—— *roseus* Lindl. 728
—— *schweinfurthii* Reichb.f. 729
Listrostachys bakeri Dur. & Schinz 731
—— *chailluana* (Hook.) Reichb.f. 734
—— *fragrantissima* Reichb.f. 731
Lodoicea 405, †408, 410, 411
—— *maldivica* (Gmelin) Persoon 408
A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI, P.S. Green 437
Lophira alata Gaertner f. 712
—— *lanceolata* Keay 712
Louisiella 402, 752
—— *fluitans* Hubb. & Léon. 753
Lycionsis 236
Lyginia 300, 312

Maas, P.J.M. & Collaborators: Saprophytes pro parte. Flora Neotropica Monographs 40-42 (Notice) 774
Maesopsis eminii Engl. 712
Malawi: A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi, R.K. Brummitt & J.H. Seyani 687
Malaxis Soland. ex Sw. 713, †722
—— *maclaudii* (Finet) Summerh. †722
—— *prorepens* (Kraenzl.) Summerh. †722
Malvaceae: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Manihot procumbens Muell. Arg. 115
Manilal, K.S. & Sathish Kumar, C.: A synopsis of Ipsea (Orchidaceae) 937
Manilkara multinervis (Bak.) Dub. 712
Manniella Reichb.f. †721
—— *gustavii* Reichb.f. †721
Marais, W.: Notes on Aristea (Iridaceae) in East Africa 932
Marasmiellus *513, *517, 528, 539, 553, 559, 574, 879
—— sect. *Candidi* (Bat.) Singer 552, 571
—— sect. *Dealbati* Singer 557
—— sect. *Defibulatini* Singer 571, 878
—— sect. *Distantifolii* Singer 561
—— sect. *Graminis* *517
—— sect. *Inordermini* Singer 554
—— sect. *Marasmiellus* 877
—— sect. *Nigripedes* Singer 574
—— sect. *Rameales* 564, 569

Marasmiellus
—— sect. *Stenophylloides* Singer 572
—— sect. *Tricolores* Singer 554, 881
—— subsect. *Inodermini* 566, 569
—— *albofuscus* (Berk. & Curtis) Singer *517, 551, 570
—— *albus-corticis* (Secr.) Singer 553
—— *atroviridis* (Berk. & Curtis) Singer 552
—— *berkeleyi* Singer *517, 554
—— *candidus* (Bres.) Singer 553
—— *caracessensis* Dennis ex Singer 881
—— *concolor* (Berk. & Curtis) Singer *513, 554
—— *cubensis* (Berk. & Curtis) Singer *513, 528, 556
—— *dealbatus* (Berk. & Curtis) Singer *517, 557
—— *earlei* (Murr.) Pegler *876, †881
—— *foetidus* 569
—— *inconspicuus* Murr. †877
—— *inoderma* (Berk.) Singer 570
—— *merulius* (Bertero) Singer 561
—— *nigripes* (Schwein.) Singer *513, 574, *876, 879
—— *petiolorum* (Berk. & Curtis) Singer *517, 564
—— *picipes* (Murr.) Singer 878
—— *pruinosulus* (Murr.) Singer 879
—— *purpureus* (Berk. & Curtis) Murr. *513, 566
—— *rugulosus* (Berk. & Curtis) Singer *517, 569, 571
—— *semiustus* (Berk. & Curtis) Singer *513, 569
—— —— var. *sabali* (Berk.) Singer 570
—— —— var. *semiustus* 570
—— *stenophylloides* (Dennis) Dennis 573
—— *subcoracinus* (Berk. & Curtis) Singer *513, 571, 878
—— *tener* Singer 572
—— *tenerrimus* (Berk. & Curtis) Singer *517, 572
—— *tricolor* (Alb. & Schwein.: Fr.) 554, 878
—— —— var. *graminis* (Murr.) Singer *517, 553, 554, 878
—— *viridifuscus* (Berk. & Curtis) Singer 573
Marasmius Fr. *529, *537, 566, 572
—— sect. *Alliacei* Kuehner 574
—— sect. *Andracei* 573
—— sect. *Androsacei* Kuehner 565
—— sect. *Globulares* Kuehner, 568, 573
—— sect. *Hygrometricae* Kuehner 877
—— sect. *Marasmius* 551, 554, 559, 569
—— sect. *Sicci* 558, 560, 564, 565
—— ser. *Haematocephali* Singer 558, 560, 878
—— subsect. *Inaequales* 561
—— subsect. *Pararotulae* (Singer) Singer 562
—— *aciculaeformis* *529, 551
—— *acicularis* 551
—— *aciculiformis* Berk. & Curtis †551, 569
—— *albofuscus* Berk. & Curtis †551
—— *arachnoideus* Berk. & Curtis †552
—— *atrorubens* sensu Berk. & Curtis †552, 558
—— —— (Berk.) Berk. 552
—— *atroviridis* Berk. & Curtis †552, 553
—— *badius* Berk. & Curtis †553
—— —— Peck 553
—— *candidus* sensu Berk. & Curtis *517, †553
—— —— (Bolton) Fr. 553
—— —— Fr. 553, 878
—— *chrysochaetes* Berk. & Curtis *529, †554

Marasmius
—— *clavatus* 566
—— *concolor* Berk. & Curtis †554
—— *coracicolor* Berk. & Curtis †556
—— *coracipes* Berk. & Curtis †556
—— *crescentiae* Murr. *876, †877
—— *cubensis* Berk. & Curtis †556
—— *curtisii* Sacc. & Syd. 559
—— *cyathiformis* Berk. & Curtis †557
—— *dealbatus* Berk. & Curtis †557
—— *epiphyllus* 565
—— *exustus* Berk. & Curtis †557
—— *ferrugineus* (Berk.) Berk. & Curtis †558, 560
—— *fibrosipes* Berk. & Curtis †558
—— *flavellus* (Berk. & Curtis) Murr. 515
—— *floriceps* Berk. & Curtis *537, 552, †558
—— *graminis* Murr. 553, †878
—— *graminum* (Libert) Berk. 557, 878
—— *guyanensis* Mont. †559
—— *haematocephalus* (Mont.) Fr. 552, 558, 560
—— —— var. *haematocephalus* 559
—— —— var. *leucophyllus* Singer 560
—— —— var. *obscurior* Berk. & Curtis †559
—— *haematodes* Berk. & Curtis †559
—— —— Berk. 559
—— *heliomyces* Murr. 573
—— *helvolus* sensu Berk. & Curtis †560
—— —— Berk. 560
—— —— var. *leucophyllus* 560
—— *hemileucus* (Berk. & Curtis) Murr. 519
—— *hinnuleus* Berk. & Curtis *537, †560
—— *hypophaeus* Berk. & Curtis *537, 559, †560, 565
—— *ilicis* Singer 877
—— *inaequalis* Berk. & Curtis *537, †561
—— *inconspicuus* (Murr.) Murr. 877
—— *inoderma* 566
—— *lamprospora* Corner ex Horak 571
—— *merulinus* Berk. & Curtis †510, 559, 561
—— *merulius* Berk. & Curtis †561
—— *multiceps* Berk. & Curtis *529, †562
—— *musicola* Murr. †878
—— *nidulus* Berk. & Curtis *543, 562
—— *niveus* Mont. 573
—— *obliquus* Berk. & Curtis *513, 551, †562
—— *personatus* Berk. & Curtis *537, †564
—— *petiolorum* Berk. & Curtis †564
—— *phaeus* Berk. & Curtis *537, †565
—— *picipes* Murr. *876, †878
—— *plumieri* (Lév.) Singer *537, 573
—— *poecilus* sensu Berk. & Curtis †565
—— —— Berk. 565
—— *polycladus* Mont. 562
—— *proletarius* Berk. & Curtis *537, †565
—— —— 572
—— *pruinosulus* Murr. *876, †879
—— *purpurascens* Berk. & Curtis *529, †566
—— *purpureus* Berk. & Curtis †566
—— *putredinus* Berk. & Curtis †566, 568
—— *rhyssophyllus* Mont. apud Berk. & Curtis *537, †568, 570
—— *roridulus* (Murr.) Dennis 571
—— *rotula* sensu Berk. & Curtis †568, 569
—— —— Fr. 568
—— —— (Scop.: Fr.) Fr. 568
—— —— var. *fuscus* Berk. & Curtis †569
—— *rotuloides* Dennis 569
—— *rugulosus* Berk. & Curtis †569
—— *semiustus* Berk. & Curtis †569

Marasmius
—— *sericipes* Berk. & Curtis †570
—— *smaragdinus* (Berk.) Singer 574
—— *stylobates* sensu Berk. & Curtis †570
—— *subcoracinus* Berk. & Curtis †571
—— *subglobosus* Berk. & Curtis *550, †571
—— *sulcatipes* Murr. †879
—— —— Pat. 879
—— *tenebrarum* Berk. & Curtis †571
—— *tener* Berk. & Curtis †572
—— *tenerrimus* Berk. & Curtis 535, †572
—— *tomentellus* Berk. & Curtis *529, †573
—— *tortipes* Berk. & Curtis *537, †573
—— *tricolor* var. *graminis* *876
—— *underwoodii* Murr. †879
—— *viridifuscus* Berk. & Curtis *513, †573, 574, 879
Mariscus microbolbos (Cyperaceae): a new combination, P. Vorster 200
Mariscus Vahl 200
—— *microbolbos* (C.B. Cl.) Vorster †200
Markhamia lutea (Benth.) Schum. 712
Marquete Ferreira da Silva, Nilda & Fontella Pereira, Jorge: A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1. 663
Mascareignes, Flore des: Notes on Compositae-Inuleae for the Flore des Mascareignes, A.J. Scott 854
Mathew, B. *reviewer*: Flora of Australia. Volume 46. Iridaceae to Dioscoreaceae, by A.S.George (Executive Editor) 950
Maytenus: New and little-known species of Maytenus (Celastraceae) in East Africa, Norman K.B. Robson & Sebsebe Demissew 423
Maytenus Molino 423
—— *addat* (Loes.) Sebsebe 426, 427
—— *arguta* (Loes.) N. Robson 423
—— *cortii* (Pic.-Serm.) Cufod. 426
—— *drummondii* N. Robson & Sebsebe †424
—— *gracilipes* (Welw. ex Oliv.) Exell †423, 424
—— —— subsp. *arguta* (Loes.) Sebsebe 423, 424
—— —— subsp. *gracilipes* 423
—— *heterophylla* (Ecklon & Zeyher) N. Robson †425, 426
—— —— subsp. *arenaria* 425
—— —— subsp. *glauca* 426
—— —— subsp. *heterophylla* †425
—— —— subsp. *puberula* 425
—— *keniensis* (Loes.) N. Robson & Sebsebe †423
—— *mossambicensis* (Klotzsch) Blakelock †424
—— —— var. *stolzii* N. Robson 424
—— *nguruensis* N. Robson & Sebsebe †426
—— *obscura* (A. Rich.) Cufod. †426, 427
—— *richardsiae* N. Robson & Sebsebe †427
Medemia Wuerttemb. ex H.A. Wendl. 406, 408, †409, 410, 411
—— *argun* (Mart.) Wuerttemb. ex H.A. Wendl. 408
Megaloprotachne albescens Hubbard 750
Melanoleuca holoporphyra (Berk. & Curtis) Murr. 520
Melanoparacoffea 453, 456
Melanotus alpiniae (Berk.) Pilát 502, 523, *563
—— *musaecola* (Berk. & Curtis) Murr. 523
Melastomataceae 367
Meliaceae
Meliaceae 323, 324
Melinis minutiflora P. Beauv. 754
Melocalamus compactiflorus (Kurz) Benth. 207
Melocanna baccifera (Roxb.) Kurz 207
Memorialis 666
—— *pentandra* (Roxb.) Wedd. 666
Mendis, N.M., Ferguson, I.K. & Dransfield, J.: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae) 47
Menispermaceae: Miscellaneous notes on two Indian Moonseeds (Menispermaceae), A. Pramanik & K. Thothathri 705
Menispermaceae 22, 705
Merostachys 204
—— *multiramea* Hack. 207
Mesosetum 402
—— *loliiforme* (Steud.) Chase 750
Mexico: A new genus of Burseraceae from Mexico, L.L. Forman 262
Meyna Link. 124, †138, 145
Micraira 205
Microcalamus 743
—— *barbinodis* Franch. 745
Microcoelia Lindl. 713, †731
—— *globulosa* (Hochst.) L. Jonsson †731
—— *guyoniana* (Reichb.f.) Summerh. 731
—— *leptostele* (Summerh.) L. Jonsson †731
—— *macrorrhynchia* (Schltr.) Summerh. †731
Micromphale Nees 572
—— *brevipes* (Berk. & Rav.) Singer 572
—— *brunnescens* (Earle) Murr. 867
—— *fuscifrons* (Berk. & Curtis) Murr. 518
—— *subexcavatum* Murr. 515
—— *tenebrarum* *529
Mildbraediochloa 752
—— *reynaudioides* (Hubb.) Butzin 754
Milfordia hungarica 312
Milfordia 305, 311
—— *geisaltalensis* W. Kr. 303
—— *homeopunctata* (McIntyre) Partridge 304
—— *hungarica* (Kedves) W. Kr. 303, 305, 306, 310, 311, 312
—— *hypolaenoides* Erdtman 304
—— *incertae* (Th. & Pf.) W. Kr. 304, 306, 312
—— *jardinei* Hochuli 304
—— *minima* W. Kr. 303
Milicia excelsa (Welw.) C.C. Berg 713
Millettia sp. 712
Miscellaneous notes on Panicoid grasses, W.D. Clayton 401
Miscellaneous notes on two Indian Moonseeds (Menispermaceae), A. Pramanik & K. Thothathri 705
Mischobulbon wrayanum (J.D. Hooker) Rolfe †942
Mitchella 123
Mitragyna stipulosa (DC.) Kuntze 713
Mitriostigma: A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania, B. Verdcourt 245
Mitriostigma 248
—— *axillare* Hochst. 248, 250
—— *barteri* Hook.f. ex Hiern 245, 248, 250
—— *greenwayi* 249, 250
—— *usambarense* Verdc. †245, *246, 248, 250
Monadelphia 784
Monadenium: New taxa and observations in Monadenium (Euphorbiaceae) in East Africa, Susan Carter 903

Monadenium

Monadenium 235, 903, 916
—— *aculeolatum* Pax 908, 909
—— *arborescens* Bally 911, 913
—— *asperrimum* Pax 908, 909
—— *capitatum* Bally 906
—— *catenatum* S. Carter 904, †905
—— *chevalieri* sensu Bally 903, 904
—— —— N.E. Br. †904, 905, 906
—— —— var. *chevalieri* sensu Bally 905
—— —— var. *filiforme* Bally 904, 905
—— —— var. *spathulatum* 904, 905
—— *crispum* N.E. Br. †907, 908
—— *depauperatum* (Bally) S. Carter †908
—— *echinulatum* Stapf †908, 909
—— —— f. *glabrescens* Bally 908, 909
—— *elegans* S. Carter †909, *910, 911
—— *filiforme* (Bally) S. Carter †905
—— *friesii* sensu Bally 908
—— —— N.E. Br. 909
—— *gladiatum* (Bally) S. Carter †913, 914
—— *globosum* Bally & Carter †906, *907
—— *guentheri* Pax 915, 917
—— —— var. *mammillare* Bally 915
—— *heteropodum* (Pax) N.E. Br. †915, 916
—— —— var. *formosum* (Bally) S. Carter †916
—— *intermedium* Bally 908
—— *laeve* 908
—— —— Stapf f. *depauperata* Bally 908
—— *magnificum* Bruce 911, *912, 913
—— *montanum* 913
—— —— Bally var. *rubellum* Bally 913
—— *nervosum* Bally 903, 905, 906
—— *orobanchoides* Bally †904, 905
—— *pedunculatum* S. Carter †903, 906
—— *pseudoracemosum* Bally 906
—— *renneyi* S. Carter †916, *917
—— *rhizophorum* Bally 913
—— —— Bally var. *stoloniferum* Bally †913
—— *ritchiei* sensu Bally 915
—— —— Bally †914
—— —— subsp. *marsabitense* S. Carter †915
—— —— subsp. *nyambense* S. Carter †915
—— —— subsp. *ritchiei* †914
—— *rubellum* (Bally) S. Carter †913
—— *schubei* sensu Bally 916
—— —— (Pax) N.E. Br. 916, 917
—— —— (Pax) N.E. Br. 916, 917
—— —— var. *formosum* Bally 916
—— *spectabile* S. Carter †911, *912
—— *spinescens* (Pax) Bally 909, 911
—— *stapelioides* Pax 914
—— —— f. *congestum* Bally 914
—— —— var. *congestum* (Bally) S. Carter †914
—— —— var. *stapelioides* 914
—— *stoloniferum* (Bally) S. Carter †913
—— *yattanum* Bally 913, 914
—— —— var. *gladiatum* Bally 913
—— sp. aff. *montanum* Bally 908, 909
Monarrhenus rufescens DC. 854
Monocymbium ceresiiforme (Nees) Stapf 712
Monoporites 304
—— *annulatus* Hammen 303, 304, 305, 310
—— *huertasi* Hammen 304, 305
—— *hungarica* 304
—— *tequedanae* 305
Monoporopollenites homeopunctatus McIntyre 304
Monulcipollenites confossus Fairchild 304

Morinda

Morinda lucida Benth. 712
Morton, A.G., FRSE: John Hope, 1725-1786 Scottish Botanist (Rev.) 771
Mostuea hirsuta (Benth.) Baker 713
Mozinna spathulata Ortega 121
Mucidula cheimonophylla (Berk. & Curtis) Pat. 508
Mucuna: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
Mucuna Adans. †23
—— subgen. *Mucuna* 26
—— subgen. *Stizolobium* (P. Br.) Prain 39
—— *anguina* Wall. 28
—— *atropurpurea* sensu Kanjilal 31
—— —— (Roxb.) DC. ex Wight & Arn. 23, 24, 25, 33, †34, *37, 38
—— *bracteata* DC. ex Kurz 24, 26, †39
—— *capitata* Wight & Arn. 45
—— *collettii* Lace 26
—— *corymbosa* R. Graham ex Wall. 39
—— *cristata* Buch.-Ham. ex Wall. 28
—— *exserta* C.B. Clarke ex C.E.C. Fisher 39
—— *gigantea* (Willd.) DC. 23, 25, †38
—— —— subsp. *gigantea* †39
—— —— var. *nigricans* (Lour.) DC. 31
—— *hirsuta* Wight & Arn. 23, 44
—— *imbricata* DC. ex Bak. 23, 24, 25, 31, †33, *35, 38
—— *interrupta* Gagnep. 34
—— *macrocarpa* Wall. 23, 25, †26
—— *minima* Haines 40, 45
—— *monosperma* DC. ex Wight 24, 25, †28, *29
—— *nigra* Buch.-Ham. 45
—— *nigricans* (Lour.) Steud. 24, 25, †30, 33, 38
—— —— var. *nigricans* †31
—— *nivea* (Roxb.) Wight & Arn, 45
—— *pruriens* (L.) DC. 23, 24. †40
—— —— sens. lat. 46
—— —— f. *cochinchinensis* (Lour.) Back. 45
—— —— f. *hirsuta* (Wight & Arn.) Back. 44
—— —— f. *utilis* (Wall. ex Wight) Back. 45
—— —— var. *capitata* (Wight & Arn.) Burck 45
—— —— var. *hirsuta* 23, 24, *41, †44
—— —— var. *pruriens* †26, †43, 44, 45, 46
—— —— var. *utilis* (Wall. ex Wight) Bak. ex Burck †25, †45, 46
—— *prurita* Hook. 40
—— —— var. *capitata* 45
—— —— var. *utilis* 45
—— *sempervirens* Hemsl. 23, 25, †27
—— *utilis* Wall. ex Wight 45
Multidentia: The recognition and recircumscription of the African genus Multidentia(Rubiaceae-Vanguericae), Diane M. Bridson 641
Multidentia Gilli 129, †135, †137, 641, 642, 643, 644, †645, 651, 652
—— *castaneae* (Robyns) Bridson & Verdc. 198, 646, 647, 649, †651, 652
—— *concrescens* (Bullock) Bridson & Verdc. 643, 645, †653
—— *crassa* (Hiern) Bridson & Verdc. 643, 645, †652
—— —— var. *ampla* (S. Moore) Bridson & Verdc. 652, †653
—— —— var. *crassa* †652

Multidentia
—— *dichrophylla* (Mildbr.) Bridson 198, 642, 643, †646, 647
—— *exserta* Bridson 646, †647
—— —— subsp. *exserta* †*648, 649, 652
—— —— subsp. *robsonii* Bridson 648, †649
—— *fanshawei* (Tennant) Bridson 646, †647
—— *kingupirensis* Bridson 646, †649, *650
—— *pobeguinii* (Hutch. & Dalz.) Bridson 643, 644, 645, †646
—— *sclerocarpa* (K. Schum.) Bridson 646, 649, †650, 651
—— *verticillata* Gilli 645, 653
—— sp. *A* 646, †647
—— sp. *B* 646, †647
Murrill: A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill, D.N. Pegler 855
Musa 569
Mycena (Pers.) S.F. Gray 528, *550, 872
—— sect. *Aciculae* Kuehner ex Singer 502
—— sect. *Caespitosae* (A.H. Smith ex Singer) Maas G. 514
—— sect. *Citriocolores* 511
—— sect. *Filipedes* (Fr.) Quél. 511
—— sect. *Hygrocyboideae* (Fr.) Singer 571
—— sect. *Purae* Konr. & Maubl. 520
—— sect. *Sacchariferae* Kuehner ex Singer 535
—— *acicula* (Fr.) Kummer 502
—— —— var. *longispora* 502
—— *alphitophora* (Berk.) Sacc. 535
—— *ascendens* (Lasch) Maas G. 535
—— *citricolor* (Berk. & Curtis) Sacc. 509, *550
—— *coccinea* (Murr.) Singer 528
—— —— (Sow.) Quél. 528
—— *euspeirea* (Berk. & Curtis) Sacc. 503, 507, 514, 534, 538, *550
—— *hiemalis* Osb. 535
—— *holoporphyra* (Berk. & Curtis) Singer 520, *550
—— *osmundicola* J. Lange 535
—— *petiolorum* (Berk. & Curtis) Dennis 564
—— *roridula* (Berk. & Curtis) Sacc. 527
—— *stylobates* (Pers.: Fr.) Kummer 570
—— *subglobosa* (Berk. & Curtis) Pegler *550, †571
—— *tenerrima* (Berk.) Quél. 535
—— *xanthopoda* (Dennis) Dennis 502
Myonima Comm. ex Juss. 212
—— Juss. 213
Myrianthus arboreus P. Beauv. 712
Myriocladus 204
—— *virgatus* Swallen 206

Naematoloma subviride (Berk. & Curtis) A.H. Smith 534
Narcissus: The chromosomes of species, hybrids and cultivars of Narcissus L. (Amaryllidaceae), P.E. Brandham & P.R. Kirton 65
Narcissus L. 65-7, 76-8, 84, 87, 89, 93, 95-101
—— subgen. *Hermione* 65-66, 68-9, 73, 84, 86, 89-95, 97, 99, 101
—— subgen. *Narcissus* 65, 66, 73, 89, 92, 97
—— *asturiensis* 77
—— X *asturiensis* (Jord.) Pugsley 'Navarre' 72, 77
—— *atlanticus* F.C. Stern 77

Narcissus
—— —— X *asturiensis* (Jord.) Pugsley 'Navarre' 72, 77
—— —— X *cuatrecasasii* Casas, Lainz & Ruiz Rejon 72, 78
—— X *biflorus* Curt. 97
—— *bulbocodium* L. 65, 73-7, 100
—— —— subsp. *bulbocodium* var. *citrinus* 78
—— —— var. *albidus* (Emb. & Maire) Maire 70
—— —— var. *citrinus* Baker 70
—— —— var. *conspicuus* Baker 70
—— —— var. *filifolius* Hort. 70
—— *calcicola* Mendonça 70, 73
—— *canaliculatus* Guss. 97
—— *cantabricus* DC. var. *cantabricus* 70
—— —— var. *foliosus* Maire 70
—— *compressa* Haw. 70, 75
—— X —— 97
—— *cyclamineus* 67, 70, 73, 77, 92, 98
—— X *dubius* 88, 97
—— —— 100
—— *fernandesii* G. Pedro 70, 73
—— *gayi* (Henon.) Pugsl. 70
—— *hedraeanthus* (Webb & Heldr.) Colmeiro 70, 73
—— *hispanicus* Gouan 70, 89
—— X *incomparabilis* Miller 72
—— X *intermedius* Lois. 97
—— *jonquilla* L. 67, 73, 93, 97, 98
—— —— X *watieri* Maire 72
—— —— var. *henriquesii* Samp. 70, 78
—— —— var. *jonquilla* 70
—— *jonquilla-poeticus-tazetta* 92
—— *juncifolius* 70, 73, 97
—— *lobularis* Schult. 70, 74, 78
—— *longispathus* Pugsley 70, 73
—— *medioluteus* 97
—— X *medioluteus* Mill. 97
—— *minimus* Kunth 71, 77
—— *nanus* Steudel 71
—— X *odorus rugulosus* 77
—— X *odorus* L. 93
—— X —— var. *plenus* Hort. 72
—— X —— var. *rugulosus* Hort. 72
—— *ornatus* Haw. var. *maximus* Hort. 71
—— —— var. *ornatus* 71
—— *pachybolbus* Durieu 65, 68, 71
—— *papyraceus* Ker-Gawl. 65, 68, 71, 93, 97
—— *poeticus* L. 67, 71, 93
—— —— X *pseudonarcissus* L. 72
—— —— subsp. *ornatus* 93
—— —— subsp. —— X 93
—— —— subsp. *poeticus* 93
—— —— subsp. *radiiflorus* (Salisb.) Baker 71
—— —— subsp. —— var. *poetarum* 93
—— —— var. *flore pleno* Hort. 71
—— —— var. *poeticus* 71
—— *pseudonarcissus* L. 72, 84, 90, 93
—— —— X *jonquilla* L. 72, 77, 93
—— —— subsp. *abscissus* (Schultes & Schultes fil.) A. Fernandes 71
—— —— subsp. *major* Baker 88, 89, 93
—— —— subsp. *obvallaris* (Salisb.) A. Fernandes 71, 73
—— —— subsp. *pallidiflorus* (Pugsl.) A. Fernandes 71
—— —— subsp. *pseudonarcissus* 71, 74, 75
—— —— var. *albescens* 90
—— —— var. *bicolor* Willk. 90
—— *pumilus* Salisb. var. *plenus* Hort. 71, 73

Narcissus
—— *recurvus* Haw. 71, 73
—— *romieuxii* Braun-Blanquet & Maire var. *mesatlanticus* Hort. 71, 72
—— —— var. *romieuxii* 71
—— —— var. *tananicus* Maire 72
—— *rupicola* Duf. 72, 77
—— —— X *asturiensis* (Jord.) Pugsley 'Navarre' 72
—— —— X *gaditanus* Boiss. & Reut. 72, 77
—— *serotinus* 65, 73
—— *tazetta* L. 67-9, 72-3, 75, 84, 89, 92-97
—— —— X *cyclamineus* 93
—— —— subsp. *lacticolor* (Steud.) Baker 97
—— *telamonius* Link. var. *plenus* Hort. 72
—— *triandrus* L. 67, 96
—— —— var. *albus* (Haw.) Baker 72, 77
—— —— var. *concolor* (Haw.) Baker 72
—— —— var. *pulchellus* (Salisb.) Baker 72
—— *watieri* Maire X *calcicola* Mendonça 72
—— —— X *gaditanus* Boiss. & Reut. 72
—— —— X *scaberulus* Henriq. 72
—— *willkommii* (Samp.) A. Fernandes 72
—— subsp. *major* Baker 89
—— subsp. *poeticus* 93
—— var. *flore pleno* Hort. 71
—— sp. aff. *tazetta* L. 68, 72, 92
Nastus 204
—— *productus* (Pilg.) Holtt. 207
The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Nauclea diderrichii 655
—— *latifolia* Smith 712
Naucoria coprinicepsi (Berk. & Curtis) Sacc. 511
—— *euthugramma* (Berk. & Curtis) Sacc. 514
—— *oinodes* (Berk. & Curtis) Sacc. 524
—— *pectinata* (Berk. & Curtis) Sacc. 525
—— *subpectinata* Murr. 525
—— *underwoodii* Murr. †879
Naucoriopsis Kuehner 518
Neoleroya 135, 611, 613, 614, 621
Nephrosperma †55, 56, 59, 60
—— *vanhoutteanum* 55, 56
Nerine 100
Nervilia Commerson ex Gaud. †720
—— *adolphii* Schltr. †720
—— —— var. *seposita* N. Hallé & Toilliez †720
—— *afzelii* Schltr. 720
—— *bicarinata* (Bl.) Schltr. †720
—— *kotschyii* (Reichb.f.) Schltr. †720
—— *petraea* (Afz. ex Pers.) Summerh. †720
—— *reniformis* Schltr. †720
—— *shirensis* (Rolfe) Schltr. †721
—— *subintegra* Summerh. †721
—— *toillieziae* N. Hallé 721
—— *umbrosa* (Reichb.f.) Schltr. 461, 720
Neurachne 743, 756, 764
—— *alopecuroidea* R. Br. 745, 764
—— *minor* 764
—— *munroi* 764
Neurolepis 204
—— *aristata* (Munro) Hitchc. 206
Neuroterus lenticularis Ol. 449
—— *quercusbaccarum* L. 449, 450
New and interesting species of Euphorbiaceae from Ethiopia, M.G. Gilbert 351
New and little-known species of Maytenus (Celastraceae) in East Africa, Norman K.B. Robson & Sebsebe Demissew 423
A new combination
A new combination in Icacina, J.M. Fay 464
A new combination in Kleinia (Compositae), P. Halliday 442
A new combination in Tetrapogon (Gramineae), S.M. Phillips 477
New descriptions and a new species of Rhynchospora from northeastern Brazil. Notes on Brazilian Cyperaceae I, D.A. Simpson 889
A new Euphorbia species and a new variety from East Africa, Susan Carter 369
A new genus of Burseraceae from Mexico, L.L. Forman 262
New grasses from Paraná, Brazil, S.A. Renvoize 921
A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV, C.C. Townsend 439
A new Isachne (Gramineae) from Brazil, S.A. Renvoize 927
A new name in Pouzolzia (Urticaceae), Ib Friis 666
New records of Orchidaceae for Arabia, P.J. Cribb 461
New species and taxonomic changes amongst the succulent trees and shrubs of Euphorbia subgen. Euphorbia from East Africa, Susan Carter 673
A new species of Barjonia (Asclepiadaceae) from Bahia, Brazil. Notes on Asclepiadaceae: 1, Jorge Fontella Pereira & Nilda Marquete Ferreira da Silva 663
New species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 208
A new species of Calamus (Palmae) from India, C. Renuka 433
A new species of Coelachyrum (Gramineae) from Egypt, T.A. Cope & L. Boulos 919
New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II, D.A. Simpson 897
A new species of Drosera from South Africa, M.R. Cheek 738
New species of Kielmeyera (Guttiferae) from Brazil, N. Saddi 221
A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania, B. Verdcourt 245
A new species of Trikeraia (Gramineae) from Tibet and Bhutan, T.A. Cope 350
A new species of Vitaceae from Peninsular India, B.V. Shetty & Paramjit Singh 933
New taxa and observations in Monadenium (Euphorbiaceae) in East Africa, Susan Carter 903
New taxa in Euphorbia subgen. Euphorbia from eastern tropical Africa, Susan Carter 371
Ng, F.S.P.: Plant Phenology in the Humid Tropics. Research Pamphlet No. 96 (Rev.) 273
Nolanea cubensis Murr. †880
Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395

Notes on African

Notes on African Rubiaceae-Vanguerieae, B. Verdcourt 123
Notes on Aristea (Iridaceae) in East Africa, W. Marais 932
Notes on Compositae-Inuleae for the 'Flore des Mascareignes', A.J. Scott 854
Notes on Eragrostis (Gramineae) from northeast tropical Africa, S.M. Phillips 929
Notes on Peucedanum (Umbelliferae) and allied genera in Central and East Africa, C.C. Townsend 587
Notes on the orchids of southern tropical Africa III: Aerangis, Joyce Stewart & Isobyl F. la Croix 215
Nothopanus *513
—— *eugrammus* (Mont.) Singer 506, *513, 546, 575, 865, 882
—— *hygrophanus* (Mont.) Singer ex Pegler *513, 519, 551, 564
Notonia DC. 442
—— *balsamica* Dalzell & Gibson 442
Notoniopsis B. Nord. 442
Nyctalis asterophora Fr. †574
Nyctanthes elongata Bergius 437
Nypa 60

The occurrence of Crepis capillaris (Compositae) in India and its distinction from Crepis sancta, P.S. Kaushal & C. Jeffrey 429
The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R. Colin Welch 449
Ochlandra stridula Thwaites 207
Ochna sp. 713
Odontelytrum 205, 748
—— *abyssinicum* Hack. *747, 750
Oeceoclades Lindl. †726
—— *maculata* (Lindl.) Lindl. †726
—— *saundersiana* (Reichb.f.) Garay & Taylor †726
Olea: The identity of Chiovenda's species of Olea (Oleaceae), Ib Friis 586
Olea 586
—— *capensis* L. 586
—— —— subsp. *welwitschii* (Knobl.) Friis & P.S. Green †586
—— *europaea* L. subsp. *africana* (Miller) P.S. Green †586
—— *mussolinii* Chiov. 586
—— *subtrinervata* Chiov. 586
Oleaceae: The identity of Chiovenda's species of Olea (Oleaceae), Ib Friis 586
Oleaceae: A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI, P.S. Green 437
Oligosporus jacquemontiana (Bess.) Poljak. 445
Olinia 127
Oliniaceae 127
Oliver-Bever, Bep: Medicinal plants in tropical West Africa (Rev.) 483
Olmeca 204
—— *reflexa* Soderstrom 206
Omphalea bracteata (Blanco) Merr. 399
Omphalia anthiceps (Berk. & Curtis) Sacc. 503
—— *chondripes* (Berk. & Curtis) Sacc. 508
—— *chrysopepla* (Berk. & Curtis) Pilát 545
—— *coccinea* (Murr.) Murr. 528

Omphalia

—— *earlei* (Murr.) Murr. 880
—— *flavella* (Berk. & Curtis) Sacc. 515
—— *flavida* Maubl. & Rangel 509
—— *kermesina* (Berk. & Curtis) Sacc. 521
—— *miniata* (Murr.) Murr. 521
—— *sanguinea* Sacc. 528, 530
—— *subpellucida* (Berk. & Curtis) Sacc. 534
—— *viridifuscus* (Berk. & Curtis) Dennis 573
Omphalina 574
—— *chondripes* (Berk. & Curtis) Murr. 508
—— *coccinea* Murr. 528
—— *cyathiformis* (Berk. & Curtis) Dennis 557
—— *earlei* Murr. †880, 881
—— *flavella* (Berk. & Curtis) Murr. 515
—— *miniata* Murr. 521
Omphalopsis citricolor (Berk. & Curtis) Murr. 509
—— *euspeirea* (Burk. & Curtis) Murr. 514
On the status of Artemisia dubia Wall. ex Bess. and A. myriantha Wall. ex Bess. (Compositae), Yeou-ruenn Ling 443
On the typification of Heliotropium supinum L. (Boraginaceae), B. Verdcourt 710
Oncosperma Bl. 48, †51, 60
—— *fasciculatum* Thwaites 51
—— *horridum* (Griff.) Scheff. 51, 60
—— *tigillarium* (Jack) Ridley 51
—— sp. 51, 55
Oncospermatinae: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae), N.M. Mendis, I.K. Ferguson & J. Dransfield 47
Onopordum: A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV, C.C. Townsend 439
Onopordum 439
—— *arenarium* Hossain & Al-Sarraf 439
—— —— Pomel 439
—— *sarrafii* C.C. Townsend †439, *440
Oplismenopsis 402
—— *najada* (Hack. & Arech.) Parodi 745
Oplismenus 743
—— *hirtellus* (L.) P. Beauv. 745
Orchidaceae: New records of Orchidaceae for Arabia, P.J. Cribb 461
Orchidaceae: A synopsis of Ipsea (Orchidaceae), C. Sathish Kumar & K.S. Manilal 937
Orchidaceae: Two new species of Bulbophyllum (Orchidaceae) in Africa, J.J. Vermeulen 263
Orchidaceae subtribe *Bletiinae* 937
—— tribe *Epidendreae* subtribe *Erieae* 937
Orchids: Notes on the orchids of southern tropical Africa III: Aerangis, Joyce Stewart & Isobyl F. la Croix 215
Orchids of the Central African Republic - a provisional checklist, P.J. Cribb & J.M. Fay 711
Oreobambos buchwaldii K. Schum. 207
Oryzidium 752, 753
—— *barnardii* Hubb. & Schweick. 753
Oryzoideae 299
Otachyrium versicolor (Doell) Henr. 745
Ottochloa nodosa (Kunth) Dandy *741, *742, 745
Oudemansiella canarii (Jungh.) v. Hoehnel 508, 512
Ouratea affinis (Hook.f.) Engl. 713

Oxyanthus

Oxyanthus: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Oxyanthus 245, 249, 251
—— *goetzei* K. Schum. subsp. *goetzei* 251
—— *lepidus* S. Moore subsp. *kigogoensis* Bridson †251
—— —— subsp. *lepidus* 251
—— *speciosus* DC. 250
Oxytenanthera abyssinica (A. Rich.) Munro 207

Pachystigma Hochst. 124, †135, †139, 145, 607
—— *albosetulosum* Verdc. †139
—— *decussatum* K. Schum. 185
—— *gillettii* (Tennant) Verdc. †140
—— *kenyense* Verdc. 140
—— *loranthifolium* (K. Schum.) Verdc. †140, 141
—— —— subsp. *loranthifolium* †140
—— —— subsp. *salaense* Verdc. †140
—— *micropyren* Verdc. 128, †139
—— *solitariiflora* 144
—— *venosum* Hochst. 128
Pachystoma Bl. 937, 941
—— *hirsuta* (Joseph & Vajravelu) Sathish Kumar & Manilal †942
—— *malabaricum* Reichb.f. 937, 940
—— *speciosum* (Lindl.) Reichb.f. 938
Pakistan: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan, K. Vollesen 337
Palmae: A new species of Calamus (Palmae) from India, C. Renuka 433
Palmae: The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae), N.M. Mendis, I.K. Ferguson & J. Dransfield 47
Palmae: The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae), I.K. Ferguson, A.J. Havard & J. Dransfield 405
Palmae 22, 47, 406, 410
—— subfam. *Arecoideae* 411
—— subfam. *Coryphoideae* Griffith 405
—— subtribe *Hyphaeninae* Beccari 405, 411
—— subtribe *Iguanurinae* 47, 60
—— subtribe *Lataniinae* Meisner 405, 411
—— subtribe *Oncospermatinae* 47, 48, 60
—— tribe *Areceae* 47, 411
—— tribe *Borasseae* Martius 405, 406
—— tribe *Caryoteae* Drude 56
—— tribe *Cocoeae* 411
—— tribe *Corypheae* Martius 405
—— tribe *Iriarteeae* Drude 56
—— tribe *Phoeniceae* Drude 405
Paludocybe Largent sect. *Cereicaules* Largent 877
Panaeolus (Fr.) Quél. 506
—— *campanulatus* (Linn.) Quél. 507
Panellus subcantharelloides Murr. *866, †881
—— *violaceofulvus* (Batsch: Fr.) Singer 514
Paniceae: A survey of leaf-blade anatomy in grasses XI. Paniceae, S.A. Renvoize 739
Panicoid grasses: Miscellaneous notes on Panicoid grasses, W.D. Clayton 401
Panicoideae 308
Panicum 402, 739, 756, †758, 760, 761, 765, 766, 767, 921
—— *adenophorum* K. Schum. 762, 765

Panicum

—— *anceps* Michx. 761, 762
—— *antidotale* Retz. 762
—— *barbulatum* Michx. 762
—— *brevifolium* L. 762
—— *bulbosum* Kunth 762
—— *campestre* Nees 762
—— *capillare* L. *759, 762
—— *coloratum* L. 762
—— *cumbucana* Renv. 762
—— *cyanescens* Nees *759, 761
—— *decipiens* 742
—— *deustum* Thunb. 760, 762, 765
—— *dregeanum* Nees 761, 762
—— *ecklonii* Nees 762, 765
—— *excavatum* Henr. 762
—— *foliolosum* (Hook.f.) Stieber 403
—— *frondescens* Mey. 762
—— *grandifolium* Doell 762
—— *hians* 742
—— *hubbardii* (A. Camus) Clayton *759, 762
—— *inaequale* F. Muell. 402
—— *infestum* Peters 762
—— *laxum* Swartz 761
—— *loreum* Trin. 761
—— *lukwangulense* Pilg. 761, 765
—— *mertensii* Roth. *759, 762
—— *miliaceum* 762
—— *milioides* 742
—— *monticola* Hook.f. 762
—— *nervatum* (Franch.) Stapf 762
—— *oplismenoides* Hack. 403
—— *paludosum* Roxb. 761
—— *paucispicatum* Morong 401
—— *peteri* Pilg. 762
—— *pilgerianum* (Schweick.) Clayton †402, 762
—— *pilosum* Swartz 762
—— *repens* L. *759, 762
—— *rigidulum* Nees 761, 762
—— *schenkii* 742
—— *sellowii* Nees 762
—— *spathellosum* Doell 742, 921
—— *stigmosum* Trin. 922, 923
—— *subalbidum* Kunth 402, 762
—— *subtiliracemosum* Renv. †922, 923
—— *trypheron* Schult. 762
—— *turgidum* Forssk. 762
—— *validum* Mez. 761
—— *virgatum* L. 762
Panus (Fr.) Pegler 548
—— *cantharelloides* Mont. †574
—— *cubensis* Berk. & Curtis †574
—— *leprieurii* Mont. 547
—— *rudis* (Fr.) Pilát f. *strigellus* (Berk.) Pilát 548
—— *strigellus* (Berk.) Chardon & Toro 548
—— *strigosus* Berk. & Curtis 548
—— *wrightii* Berk. & Curtis *513, 551, 574, †575
Paolia Chiov. 456
Paracoffea: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Paracoffea (Miq.) Leroy 453, 455, 456, 457
—— sens. str. 456
—— subgen. *Afroparacoffea* 454
—— subgen. *Insulanoparacoffea* 454, 456, 457
—— subgen. *Melanoparacoffea* 454
—— subgen. *Paracoffea* 454

Paracoffea
—— *brassii* Leroy 455
—— *lebrunianus* 454
—— *melanocarpa* 453, 454
Paractaenum novae-hollandiae P. Beauv. 750
Paramacrolobium coeruleum (Taub.) Léonard 712
Paraná: New grasses from Paraná, Brazil, S.A. Renvoize 921
Paraneurachne 749, 764
—— *muelleri* (Hack.) S.T. Blake *744, 749
Paratheria prostrata Griseb. 750
Parinari curatellifolia Benth. 712
Parkia biglobosa (Jacq.) Benth. 712
Paspalidium Stapf 402
—— *geminatum* (Forssk.) Stapf *747, 750
—— *inaequale* (F. Muell.) Hughes 402
Paspalum 401, 761, 766
—— *concavum* Renv. †921
—— *lilloi* Hack. 922
—— *paniculatum* L. *747, 749
—— *perspicinervium* Renv. †922
—— *pilosum* 922
—— *potamophilum* Renv. †922
—— *redondensis* Swallen 922
Pavetta: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Pavetta L. 212, 251
—— *abyssinica* Fresen. 257
—— —— var. *usambarica* Bridson 251
—— *coelophlebia* Bremek. 253
—— *diversicalyx* Bridson †251, *252, 255
—— *filistipulata* Bremek. 253
—— *johnstonii* Bremek. 253
—— —— subsp. *breviloba* †253
—— —— subsp. *johnstonii* 253
—— *kyimbilensis* 257
—— *lasiobractea* K. Schum. 251
—— *lynesii* Bridson 253, *254
—— *mzeleziensis* Bridson 251, 255
—— *nitidissima* Bridson †255, *256
—— *subumbellata* Bremek. 257
—— —— var. *subcoriacea* Bridson †257
—— —— var. *subumbellata* 257
—— *trichosphaera* sensu Bremek. 253
—— sp. 251
Pedaliaceae 121
Pegler, D.N.: Agaric Flora of Sri Lanka. Kew Bulletin Additional Series XII (Rev.) 771
Pegler, D.N.: A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis 501
Pegler, D.N.: A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill 855
Pelargonium 100, 114
Pellegriniodendron diphyllum Léonard 712
Pennisetum polystachion (L.) Schultes 712
—— *purpureum* Schumach. 712, 750
Pentanisia 124
Peponidium sens. str. 619
—— Baill. ex J. Ar. 622
—— sect. *Glabrae* 617
Perakanthus velutinus (Ridley) Robyns 129
Pereira, H.C. *reviewer*: Plants for Arid Lands. Proceedings of the Kew International Conference on Economic Plants for Arid Lands, July 1984, by G.E. Wickens, J.R. Goodin & D.V. Field (Eds.) 277
Pericampylus
Pericampylus 706
—— *prainianus* Diels 706
Pericopsis angolensis (Benth. ex Bak.) Meeuwen 713
Peripentadenia: Crinodendron, Dubouzetia and Peripentadenia, closely related in Elaeocarpaceae, M.J.E. Coode 777
Peripentadenia L.S. Smith 777, 779, 781-3, 785, †809, 810
—— *mearsii* (C.T. White) L.S. Smith 809, †810, *812, 813
—— *phelpsii* Hyland & Coode 781, 809, 810, †812, *813
Perrierbambus madagascariensis A. Camus 206
Pesce, C.: Oil palms and other Oilseeds of the Amazon (Rev.) 484
Peucedanum: Notes on Peucedanum (Umbelliferae) and allied genera in Central and East Africa, C.C. Townsend 587
Peucedanum 587, 590, 591, 593, 594, 596
—— *aberdarense* Wolff 591, 592
—— *articulatum* C.C. Townsend *601, †602
—— *canaliculatum* Verdcourt 592, 593
—— *claessensii* 591
—— *dhana* Buch.-Ham. ex C.B. Cl. 589
—— *dispersum* C.C. Townsend *595, †596
—— *elgonense* 591
—— *englerianum* Wolff 592
—— *eylesii* Norman 600, *601
—— *friesiorum* Wolff †591, 592
—— —— var. *bipinnatum* C.C. Townsend †591
—— *harmsianum* Wolff †592, †593
—— —— subsp. *australe* C.C. Townsend †593
—— —— subsp. *typica* 593
—— *heracleoides* Bak. 587
—— *linderi* Norman 593, 594, 596
—— *lynesii* Norman 589, 602
—— *muriculatum* Welw. ex Hiern 587
—— *oblongisectum* C.C. Townsend *597, †598
—— *sikkimensis* C.B. Cl. 589
—— *stenospermum* C.C. Townsend *599, †600
—— *tenue* C.C. Townsend †602, *603
—— *winkleri* Wolff †593, 594, 596
Phaeomarasmius Scherffel 531
—— *floridanus* Singer 531
Phaius 937
Phallaria Schum. & Thonn. 189, 195
—— *horizontalis* 195
—— *spinosa* Schumach. & Thonn. 194, 195
Phaseoleae: The identity of Vigna strophiolata Piper (Leguminosae-Phaseoleae), B. Verdcourt 220
Phaseoleae: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
Phelsuma 411
Philcox, D.: Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa 384
Philcox, D.: New species of Buchnera (Scrophulariaceae) from southern tropical Africa 208
Phillips, S.M.: A new combination in Tetrapogon (Gramineae) 477
Phillips, S.M.: Notes on Eragrostis (Gramineae) from northeast tropical Africa 929
Phoenicophorium †52, 56, 60

Phoenicophorium
—— *borsigianum* (Koch) Stunz 52, 55
Pholiota (Fr.) Kummer 881
—— subgen. *Flammula* sect. *Albivelatae* Smith & Hesler 881
—— *cubensis* Earle *876, †881
—— *musae* (Earle) Murr. 881
—— *scobifera* (Berk. & Curtis) Sacc. 530
Pholiotina musae Earle †881, 882
Phragmanthera macrosolen (A. Rich.) M. Gilbert 354
Phragmites 205
Phyllanthus L. †354
—— *amarus* L. 359
—— *borenensis* M. Gilbert †354, *355, 363
—— *dewildiorum* M. Gilbert *355, †356, 357, 361
—— *fischeri* *355
—— *fraternus* Webster *358, 359
—— *leucanthus* Pax 357, *358, 359
—— *mooneyi* M. Gilbert †357, *358, 359
—— *oblongiglans* M. Gilbert *358, †359
—— *odontadenius* Muell. Arg. 357, 359
—— *pseudoniruri* Muell. Arg. *358, 359
—— *sepialis* Muell. Arg. 354, *355, 356
—— *trichotepalus* Brenan 356, 357
Phyllostachys aurea (Cerr.) A.& C. Riv. 207
Phyllotus hygrophanus Earle †882
—— *imbricatus* Earle †882
Physokentia 60
Physotrichia Wolff 587, 591
—— *heracleoides* Wolff 587
—— *muriculata* (Welw. ex Hiern) Droop & Townsend †587, 591
Pilbeam, John: Sulcorebutia and Weingartia. A Collector's Guide (Rev.) 274
Piliostigma reticulatum (DC.) Hochst. 714
Pinanga variegata Becc. var. *halleriana* Becc. ex Martelli 56
Piper: Chromosome numbers in Piper, Rosabelle Samuel 465
Piper 465
—— *apiculatum* DC. 466
—— *arboreum* Aubl. 466
—— *argyrophyllum* Miq. 466, 467, 468
—— *attenuatum* Ham. 468
—— *betle* L. 465, 466, 468
—— *brachystachyum* Wall. 468
—— *cernuum* Vel. 466
—— *chaba* Hunter 468
—— *chuvya* (Miq.) C. DC. 468
—— *cubeba* L.f. 468
—— *futokadsura* ISieb. et Zucc. 468
—— *galeatum* C. DC. 468
—— *geniculatum* Sw. 468
—— *hispidum* Sw. 466
—— *hookeri* Miq. 468
—— *longum* L. 465, 466, 467, 468
—— *magnificum* Trel. 468
—— *nigrum* L. 465, 466, 467, 468
—— *obliquum* R. & P. 466
—— *ornatum* N.E. Br. 466, 468
—— *postelsianum* Maxim. 468
—— *schmidtii* Hook.f. 468
—— *sylvestre* (Lamb) Roxb. 466, 467, 468
—— *thwaitesii* C.DC. 468
—— *trineuron* Miq. 468
—— *umbellatum* L. 468
—— *unguiculatum* R. & P. 468
—— *zeylanicum* Miq. 468
Piperaceae 465

Pittosporaceae
Pittosporaceae 319
Pittosporum: A reconsideration of Pittosporum in Africa and Arabia, I. Friis 319
Pittosporum Banks ex Gaertn. 319-21, 323, 324, †325, 326, 333
—— *abyssinicum* Del. 321, 322, 324, 325, 326, †331
—— —— subsp. *cardiocarpum* (Cuf.) Cuf. 331
—— —— subsp. *engleri* (Cuf.) Cuf. 331
—— —— subsp. *fulvo-tomentosum* (Engl.) Cuf. 331
—— —— subsp. *gillettii* Cuf. 322, 331
—— —— subsp. *lanatum* (Hutch. & Bruce) Cuf. 331
—— —— var. *angolense* Oliv. 327
—— *antunesii* Engl. 327
—— *arabicum* 328
—— *cacondense* Exell & Mendonça 322, 324, 326, †333
—— *cardiocarpum* Cuf. 331
—— *ceylanicum* Wight 325
—— *commutatum* Putterl. 327
—— *coriaceum* Dryand. ex Aiton 326
—— *dalzielii* Hutch. 321, 328
—— *dasycaulon* Hook.f. & Thoms. 325
—— *engleri* J. Léon. 331
—— *feddeanum* Pax 321, 327
—— *floribundum* Wight & Arn. 325
?—— *fragrantissimum* Engl. 331
—— *fulvo-tomentosum* Engl. 331
—— *goetzei* Engl. 320-22, 324-6, †332
—— *kapiriense* Cuf. 321, 330
—— *kruegeri* Engl. 327
—— *lanatum* Hutch. & Bruce 321, 322, 331
—— —— var. *engleri* (Cuf.) Cuf. 331
—— *lynesii* Cuf. 328
—— *malosanum* Baker 327
—— *mannii* Hook.f. 321, 325, 328
—— —— subsp. *ripicolum* (J. Léon.) Cuf. 321, 329
—— *mildbraedii* Engl. 321, 322, 324, 326, †332
—— *moluccanum* (Lam.) Miq. 323
—— *napaulense* (DC.) Rehd. & Wils. 325
—— *neelgherrense* Wight & Arn. 325
—— *pullifolium* Burk. 323
—— *quartinianum* Cuf. 327
—— *ramiflorum* (Zoll. & Mor.) Miq. 323
—— *rhodesicum* Cuf. 321, 330
—— *ripicolum* J. Léon. 321, 322, 329
—— —— subsp. *katangense* J. Léon. 329
—— *senacia* Putt. 325
—— *sinuatum* Bl. 323
—— *spathicalyx* De Wildem. 321, 330
—— *tenuifolium* Banks ex Gaertn. 325
—— *tetraspermum* Wight & Arn. 325
—— *tomentosum* Engl. 331
—— *ustulatum* Cuf. 321, 329
—— *viridiflorum* Sims 321, 322, 324, 325, †326, 327, 332
—— —— subsp. *afrorientale* Cuf. 327
—— —— subsp. *angolense* (Oliv.) Cuf. 327
—— —— subsp. *arabicum* Cuf. 328
—— —— subsp. *dalzielii* (Hutch.) Cuf. 328
—— —— subsp. *feddeanum* (Pax) Cuf. 327
—— —— subsp. *kruegeri* (Engl.) Cuf. 327
—— —— subsp. *malosanum* (Baker) Cuf. 327
—— —— subsp. *quartinianum* (Cuf.) Cuf. 327
—— —— subsp. *somalense* 327
—— —— var. *afrorientale* Cuf. 325, 327

Pittosporum
—— —— var. *commutatum* (Putterl.) Moeser 327
—— —— var. *kruegeri* (Engl.) Moeser 327
—— —— var. *malosanum* (Baker) Cuf. 327
—— *vosseleri* Engl. 327
—— subsp. *arabicum* Cuf. 328
Plagiantha 758
—— *tenella* Renv. 745
Plagiosetum refractum (Muell.) Benth. 750
Platycoryne Reichb.f. †718
—— *crocea* (Reichb.f.) Rolfe 714, †718
—— —— subsp. *crocea* †718
—— *paludosa* (Lindl.) Rolfe †718
Platylepis A. Rich. †721
—— *glandulosa* (Lindl.) Reichb.f. †721
Plectranthus stenophyllus: A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi, R.K. Brummitt & J.H. Seyani 687
Plectranthus 687, 698
—— sect. *Plectranthus* 687
—— *acaulis* Brummitt & Seyani 687, 688, †695, *696
—— *salubenii* Brummitt & Seyani 687, 688, †690, *691, 694, †699
—— *stenophyllus* Bak. 687, †688, 690, 692, 694, 695, 697
—— *viphyensis* Brummitt & Seyani 687, 688, †692, *693, 694
—— *zebrarum* Brummitt & Seyani 687, 688, *691, 692, †694, 695, 697
Plectrelminthus Rafin. †732
—— *caudatus* (Lindl.) Summerh. †732
Plectronia sensu auctt. 124, 127, 197, 611
—— L. 622
—— *amaniensis* K. Krause 171
—— *amplifolia* Elm. 614
—— *bibracteata* Bak. 625
—— *bicolor* De Wild. 647
—— *bispathacea* Mildbr. 629
—— *bogosensis* Martelli 629
—— *buarica* Mildbr. 653
—— *bugoyensis* K. Krause 184
—— *calycophila* K. Schum. 192
—— *campylacantha* Mildbr. 196
—— *chlorantha* K. Schum. 193
—— *culionensis* Merr. 616
—— *decidua* K. Schum. 196
—— *dichrophylla* Mildbr. 646
—— *diplodiscus* K. Schum. 637
—— *dubiosa* De Wild. 153
—— *eickii* K. Schum. & K. Krause 165
—— *glandulosa* (Blanco) Merr. 616
—— *kidaria* K. Schum. & K. Krause 165
—— *laxiflora* K. Schum. 192
—— *leytensis* Merr. 616
—— *macrocarpa* K. Schum. 192
—— *nematosepala* Mildbr. 197
—— *oddonii* De Wild. 131
—— *opima* (S. Moore) Mildbr. 652
—— *orbicularis* K. Schum. 156
—— *orthacantha* Mildbr. †198
—— *paucinervis* Merr. 616
—— *sclerocarpa* K. Schum. 650
—— *soyauxii* K. Schum. 196
—— *telidosma* K. Schum. 634
—— *vanguerioides* (Hiern) K. Schum. 193
—— *ventosa* L. 127
—— —— auctt. non L. 135
—— *viridis* Merr. 616
Plectronia
—— *xanthotricha* K. Schum. 183
—— *zanzibarica* 651
Pleurocollybia brunnescens (Earle) Singer *510, 515, 867, *876
Pleuropus earlei Murr. †882
Pleurotopsis arachnoideus (Berk. & Curtis) Murr. 552
Pleurotus aureovillosus Corner 516
—— *barbatulus* (Berk. & Curtis) Sacc. 505
—— *brunnescens* (Earle) Dennis 867
—— *caespitosus* 506
—— *caveatus* (Berk. & Curtis) Sacc. 507
—— *commiscibilis* (Berk. & Curtis) Sacc. 511
—— *excavatus* (Berk. & Curtis) Sacc. 515
—— *flavolanatus* (Berk. & Curtis) Sacc. 516
—— —— Dennis 516
—— *fuscifrons* (Berk. & Curtis) Sacc. 518
—— *haedinus* (Berk. & Curtis) Sacc. 518
—— *hemiphlebius* (Berk. & Curtis) Sacc. 519
—— *putredinus* (Berk. & Curtis) Sacc. 526
—— *semitectus* (Berk. & Curtis) Sacc. 531
—— *subbarbatus* (Berk. & Curtis) Sacc. 533
—— *subelatinus* (Murr.) Murr. 867
Plicatura lateritia (Berk. & Curtis) Murr. 576
—— *obliqua* (Berk. & Curtis) Murr. 562
Pluchea Cass. †854
—— *aphanantha* (Baker) Humb. 854
—— *bojeri* (DC.) Humb. 854
—— *rufescens* (DC.) A.J. Scott †854
—— sp. aff. *grevei* 854
Pluteolus tropicalis Murr. *860, †882
Pluteus *555
—— sect. *Celluloderma* Fayod 522
—— sect. *Hispidoderma* Fayod 502, 880, 883
—— *aethalus* (Berk. & Curtis) Sacc. 502, 535, *555
—— *cubensis* (Murr.) Dennis *868, 880
—— *earlei* Murr. *868, †883
—— *jamaicensis* Murr. 502
—— *laetifrons* (Berk. & Curtis) Sacc. 521, *555
—— —— var. *bolivianus* 522
—— —— var. *floridae* 522
—— —— var. *laetifrons* 522
—— *pulverulentus* Murr. 502
—— *tephrostictus* (Berk. & Curtis) Sacc. 535
Poaceae 298, 299, 300, 302, 303, 307-312
Poales: The evolutionary history of the Poales, Restionales & H.P. Linder 297
Poales 297, 298, 300, 302, 308
Pocillaria cinnamomea Earle †883
—— *palmeri* Earle 881, †883
—— *reflexa* Earle †883
—— *simulans* Earle 881, †884
—— *vestida* Earle †884
Podangis Schltr. †730
—— *dactyloceras* (Reichb.f.) Schltr. †730
Poecilostachys Hack. 403
—— *flaccidula* Rendle 403
—— *geminata* Hack. 403
—— *oplismenoides* (Hack.) Clayton †403, 745
Pogonia bicarinata Bl. 720
—— *chariensis* A. Chev. 720
The pollen morphology of the subtribe Oncospermatinae (Palmae: Arecoideae: Arecae), N.M. Mendis, I.K. Ferguson & J. Dransfield 47
The pollen morphology of the tribe Borasseae (Palmae: Coryphoideae), I.K. Ferguson, A.J. Havard & J. Dransfield 405

A pollen survey

A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae), A. Havard & B. Verdcourt 605
Polunin, Oleg,& Martin Walters: A Guide to the Vegetation of Britain and Europe (Rev.) 953
Polycarpaea: Two new species of Polycarpaea (Caryophyllaceae) from Somalia, M.G. Gilbert 701
Polycarpaea 701, 703
—— *corymbosa* (L.) L. 701
—— *kuriensis* Wagner 701
—— —— var. *gracile* Balf.f. 701
—— *pulvinata* M. Gilbert 701, *702, †703, 704
—— *repens* (Forssk.) Asch. & Schweinf. 701
—— *spicata* Wight & Arn. 701
—— *ventiversa* M. Gilbert *702, 703, †704
Polymarasmius Murr. 562
—— *multiceps* (Berk. & Curtis) Murr. 562
Polyporus rhipidium Berk. †575
—— *subpulverulentus* Berk. & Curtis †575
Polyscias farinosa Chiov. 367
Polystachya Hook. 712, 713, †723
—— *adansoniae* Reichb.f. †723
—— *affinis* Lindl. †723
—— *bracteosa* Lindl. 723
—— *concreta* (Jacq.) Garay & Sweet †724
—— *golungensis* Reichb.f. †724
—— *modesta* Reichb.f. †724
—— *odorata* Lindl. †724
—— *paniculata* (Sw.) Rolfe †724
—— *ramulosa* Lindl. †724
—— *subulata* Finet †724
—— *tessellata* Lindl. 724
—— sp. 713
Poncy, Odile: Le genre Inga (Légumineuses, Mimosoideae) en Guyane Française (Notice) 283
Ponsonby, Laura *reviewer*: Medicinal Plants of China. Volumes 1 & 2, by James A. Duke & Edward S. Ayensu 271
Pope, G.V. *reviewer*: Heavy Metal-Tolerant Flora of Southcentral Africa, by R.R. Brooks & F. Malaisse,(also) A. Empain 479
Pouzolzia: A new name in Pouzolzia (Urticaceae), Ib Friis 666
Pouzolzia cordata Peter 666
—— —— Benn. 666
—— *pentandra* (Roxb.) Benn. 666
—— *peteri* Friis †666
Pramanik, A. & Thothathri, K.: Miscellaneous notes on two Indian Moonseeds (Menispermaceae) 705
Premna urundinensis Hauman 821
Primula sinensis 100
Protea: Taxonomic notes on tropical African species of Protea, S.M. Chisumpa & R.K. Brummitt 815
Protea 815, 824, 833, 848
—— sect. *Cristatae* 816, 835
—— sect. *Lasiocephalae* Beard 840
—— sect. *Leiocephalae* 816, 823, 827
—— sect. *Paludosae* 816, 835
—— sect. *Patentiflorae* 816, 823
—— *albida* De Wild. 842
—— *angolensis* Welw. 816, †820, †821, 823, 833, 834
—— —— f. *trichanthera* (Bak.) Beard 824
—— —— var. *albiflora* Engl. 821
Protea
—— —— var. *angolensis* 820, †821, 823
—— —— var. *divaricata* Engl. & Gilg 821, †823, 824
—— —— var. *glabribracteata* Hauman 822, 823
—— —— var. *roseola* Chisumpa & Brummitt 821, †823
—— —— var. *trichanthera* (Bak.) Brummitt 821, 823, †824
—— *argyrea* Hauman †834
—— —— subsp. *argyrea* †834
—— —— subsp. *zambiana* Chisumpa & Brummitt †834
—— *argyrophaea* Hutch. 819
—— *baumii* Engl. & Gilg 837, †838
—— —— subsp. *baumii* †839
—— —— subsp. *robusta* Chisumpa & Brummitt †839
—— *caffra* Meisn. 827, †828
—— —— subsp. *adolphi-friderici* (Engl.) Beard 831
—— —— subsp. *caffra* 828, †829
—— —— subsp. *gazensis* (Beard) Chisumpa & Brummitt 828, †830
—— —— subsp. *kilimandscharica* (Engl.) Chisumpa & Brummitt 828, †830
—— —— subsp. *mafingensis* Chisumpa & Brummitt 828, †830
—— —— subsp. *melliodora* (Engl. & Gilg) Beard 831
—— —— subsp. *nyasae* (Rendle) Chisumpa & Brummitt 828, †830
—— *chionantha* Engl. & Gilg 821
—— —— var. *divaricata* Engl. & Gilg 823
—— *crinita* Beard 835, 836
—— *cuspidata* Beard 844, 845, 846
—— *elliottii* C.H. Wright 818, 819
—— —— subsp. *angustifolia* Keay 819
—— *enervis* Wild 837, 850
—— *gaguedi* Gmel. 831, 832, 833
—— *gazensis* Beard 827, 828, 830
—— *haemantha* Engl. & Gilg 816, 850, 851, 852
—— —— subsp. *haemantha* 850
—— —— subsp. *heliophila* 850
—— —— subsp. *vernicosa* (Hauman) Beard 851
—— *heckmanniana* Engl. 838, 840, 841, 843, †844, 845
—— —— subsp. *angustifolia* (Hauman) Chisumpa & Brummitt †844
—— —— subsp. *heckmanniana* †844
—— —— var. *angustifolia* Hauman 840, 844
—— *homblei* De Wild. 824
—— *katangensis* De Wild. 827
—— *kibarensis* Hauman †844, †845, 846
—— —— subsp. *cuspidata* (Beard) Chisumpa & Brummitt †845
—— —— subsp. *kibarensis* †845, 846
—— *kilimandscharica* Engl. 828, 830
—— *kingaensis* Engl. 836, 838
—— *lemairei* sensu Beard 842
—— —— De Wild. 840, 841, 842
—— *leucoblepharis* (Hiern) Bak. 833
—— *linearifolia* 838
—— *madiensis* Oliv. †816, 817, †818, 820
—— —— subsp. *madiensis* 818
—— —— subsp. *occidentalis* †818, †819
—— —— var. *angustifolia* (Keay) Beard 816, 817, 819

Protea

—— —— var. *elliottii* (C.H. Wright) Beard 816-9
—— *matonchiana* Chisumpa & Brummitt †846, *847, 848
—— *micans* Welw. 840, 841, †842, 843, 844
—— —— sens. str. 841
—— —— subsp. *lemairei* (De Wild.) Chisumpa & Brummitt 840, †842
—— —— subsp. *makutuensis* Chisumpa & Brummitt 841, †843, 844, 845
—— —— subsp. *micans* †842
—— —— subsp. *suffruticosa* (Beard) Chisumpa & Brummitt 841, 843
—— —— subsp. *trichophylla* (Engl. & Gilg) Chisumpa & Brummitt 841, †842
—— —— *micans-heckmanniana* group †840
—— *myrsinifolia* Engl. & Gilg 833
—— *neocrinita* Beard 835, 836
—— *nyasae* Rendle 827, 828, 830
—— *occidentalis* Beard 816, 817, 818, 819
—— *ongotium* Beard 848
—— *paludosa* (Hiern) Bak. 837
—— —— (Engl. ex Hiern) Bak. 848
—— —— (Hiern) Engl. †848, 849, 850
—— —— subsp. *kolweziensis* 848, †850
—— —— subsp. *paludosa* †849
—— —— subsp. *secundifolia* (Hauman) Chisumpa & Brummitt †849, 850
—— —— *paludosa-haemantha* group †848
—— *petiolaris* (Hiern) Bak. & C.H. Wright 823, †824
—— —— subsp. *elegans* Chisumpa & Brummitt †825, 827
—— —— subsp. *petiolaris* †825, 827
—— *poggei* Engl. †851
—— —— subsp. *haemantha* (Engl. & Gilg) Chisumpa & Brummitt †851
—— —— subsp. *heliophila* Chisumpa & Brummitt †852
—— —— subsp. *mwinilungensis* Chisumpa & Brummitt 851, †852
—— —— subsp. *poggei* †851
—— *praticola* Engl. 816, 835, †838
—— —— var. *prostrata* Beard 838
—— *rubrobracteata* Engl. 835, 836, 838
—— *rupestris* R.E. Fr. 824
—— *salicifolia* Mildbr. 844
—— *secundifolia* Hauman 848, 849, 850
—— —— Beard 850
—— *suffruticosa* Beard 840, 841, 843
—— *trichanthera* Bak. 824
—— *trichophylla* Engl. & Gilg 840, 841, 842
—— *trichophylla-P.lemairei* sensu Beard 841
—— *urundinensis* Hauman 816, 823
—— *vernicosa* Hauman 851
—— *welwitschii* Engl. 816, 831, 832, 833, 834
—— —— X *angolensis* 833
—— —— subsp. *welwitschii* 833
—— *wentzeliana* Engl. †835, †836, 837, 838
—— —— var. *prostrata* Beard 816, 835, 837, 838
Protium 499
Prunulus roridulus (Berk. & Curtis) Murr. 527
Psathyra cubensis (Murr.) Murr. 859
—— *plumiger* (Berk. & Curtis) Sacc. 525
Psathyrella (Fr.) Quél. 512, 524, *563, 861, 884, 885
—— sect. *Atomatae* (Romagn.) Singer 884
—— sect. *Pannucia* (Karst.) A.H. Smith subsect. *Flocculosae* 870

Psathyrella

—— sect. *Pseudocoprinus* (Kuehner) Orton & Watl. 884
—— sect. *Pseudostropharia* A.H. Smith 885
—— sect. *Spadiceogriseae* Kits. van Wav. 863, 869
—— sect. *Spinctigerae* (Fr.) Konr. & Maubl. 512
—— sect. *Spintrigerae* (Fr.) Konr. & Maubl. emend. Kits van Wav. 859, 863, 869, 870
—— sect. *Subatratae* (Romagn.) Singer ser. *Atricastaneae* A.H. Smith 861, 870
—— *atricastanea* (Murr.) A.H. Smith 861, *862, 870
—— *brevipes* (Murr.) A.H. Smith 861, *862, 863
—— *caespitosa* Peck 869, 885
—— *campestris* (Earle) A.H. Smith 861, *862, 869, 870
—— *candolleana* (Fr.) Maire 869
—— *coprinicepes* (Berk. & Curtis) Dennis 512, 518, *563, 859, 861, 870
—— *cubensis* Murr. 859, *862, †884
—— *dichroma* (Berk. & Curtis) A.H. Smith 512, *563, 861
—— *earlei* Murr. *862, †884
—— *euthugramma* (Berk. & Curtis) Dennis 514, 515
—— *floccosa* (Earle) A.H. Smith *862, 885
—— *flocculosa* (Earle) A.H. Smith *862, 869, 870
—— sect. *Pannucia* (Karst.) A.H. Smith subsect. *Flocculosae* 870
—— *franklinii* A.H. Smith *864, 869
—— *gyroflexa* (Fr.) Konr. & Maubl. 518
—— *murrillii* A.H. Smith 859, 861, 863, *864
—— *musae* (Earle) A.H. Smith 861, 870
—— *neotropica* A.H. Smith 863, *864
—— *pallidispora* Dennis 863
—— *palmigena* (Berk. & Curtis) Guzmán 524, *563, 870
—— *plumigera* (Berk. & Curtis) A.H. Smith 525, *563
—— *prona* (Fr.) Gillet 884
—— *pygmaea* (Bull.: Fr.) Singer 515, *563
—— *roystoniae* (Earle) A.H. Smith 861, 870
—— *tenuis* (Murr.) A.H. Smith 861, 863
—— *vanhermanii* A.H. Smith *864, 885
Pseudechinolaena polystachya (Kunth) Stapf 745
Pseudochaetochloa australiensis Hitchc. 750
Pseudocoix perrieri A. Camus 207
Pseudopeponidium Arènes 614, 622, 623
—— *neriifolium* A.M. Homolle ex Arènes 623
Pseudoraphis spinescens (R.B.) Vickery 750
Pseudosasa japonica (Sieb. & Zucc.) Makino 206
Pseudostropharia A.H. Smith 885
Psilanthus: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Psilanthus Hook.f. 453, 454, 455, 456, 457, 458
—— subgen. *Afrocoffea* (Moens) Bridson †453, 455, 456, 458
—— subgen. *Paracoffea* (Miq.) Leroy 453, 454, 456
—— subgen. *Psilanthus* 455, 456, 458
—— *bengalensis* (Heyne ex J.A. Schultes) Leroy 455
—— *cochinchinensis* (Pierre ex Pitard) Leroy 455

Psilanthus
—— *comoensis* Pierre ex De Wild. 455
—— *ebracteolatus* Hiern 453, 454, 455, 456
—— *floresianus* (Boerlage) Leroy 455
—— *fragrans* (Wall. ex Hook.f.) Leroy 455
—— *horsfieldianus* (Miq.) Leroy †453, 455
—— *jasminoides* Hutch. & Dalz. 457
—— *lebrunianus* (Germain & Kesler) Leroy 453
—— —— (Germain & Kesler) Leroy ex Bridson 455, †456
—— —— (Germain & Kesler) Bridson 453
—— —— Leroy ex Bridson 455
—— *ledermannii* Chev. 455
—— *leroyi* Bridson 455
—— *mabesae* (Elmer) Leroy 455
—— *madurensis* (Teijsm. & Binn.) Leroy 455
—— *mannii* Hook.f. 455, 456
—— *melanocarpus* (Welw. ex Hiern) Leroy 455, 456
—— *merguensis* (Ridl.) Leroy 455
—— *minor* Chev. 455
—— *sapinii* De Wild. 455
—— *semi-exserta* Colebr. ex Wall. 455
—— *semsei* Bridson 455
—— *tetramerus* Hiern 455
—— *travancorensis* (Wight & Arn.) Leroy 455
—— *wightianus* (Wall. ex Wight & Arn.) Leroy 455
—— sp. *A* Bridson 455
—— sp. *A* Leroy 455
—— sp. *B* Leroy 455
—— sp. *C* Leroy 455
Psilochloa 402
—— *pilgeriana* (Schweick.) Launert 402
Psilocybe (Fr.) Kummer 524, *563, 885
—— sect. *Psilocybe* 526, 530
—— *cubensis* (Earle) Singer 855, *876, 885
—— *dichroma* (Berk. & Curtis) Sacc. 512
—— *palmigena* (Berk. & Curtis) Sacc. 524
—— *plutonia* (Berk. & Curtis) Sacc. 526, *563
—— *scatigena* (Berk. & Curtis) Singer 530, *563
—— *subviridis* (Berk. & Curtis) Sacc. 534
—— *venezuelana* Dennis 530
Psychotria: The identity of Psychotria madandensis S. Moore (Rubiaceae), B. Verdcourt 64
Psychotria 64
—— *abrupta* Hiern 64
—— *limmuensis* Cufod. †354
—— *madandensis* S. Moore 64
—— *pumila* Hiern var. *buzica* (S. Moore) Petit 64
Psydracium 620, 621
Psydrax sensu DC. 623
—— Gaertn. †136, 195, 611, 616, 619, 622, 641, 642
—— *angustifolia* A. Rich. ex DC. 622
—— *major* A. Rich. ex DC. 618, 622, 623
—— *media* A. Rich. ex DC. 622
—— *palma* (K. Schum.) Bridson 134
—— *subcordata* (DC.) Bridson 623
Pterocarpus lucens Guill. & Perr. 713
—— *soyauxii* Taub. 712
Pterospora Métrod 539
—— *alba* (Berk. & Curtis) Horak 539
Pterotheca falconeri Hook.f. 429
Puelia 204
—— *ciliata* Franch. 207
Puff, Christian
Puff, Christian: Biosystematic Study of the African and Madagascan Rubiaceae-Anthospermeae (Notice) 960
Pycnanthus angolensis (Welw.) Warb. 712
Pygmaeothamnus †135, 641, 643, 644
—— *concrescens* Bullock 641, 653
—— *zeyheri* 131
Pyrostria: Studies in African Rubiaceae-Vangueriea: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
Pyrostria Comm. 123-4, 129, 134, †136, 141, 611-4, 616-8, 620-3, †624, 627, 629, 641
—— sens. lat. †613, 614, 618, 619
—— sens. str. 613, 614, 618, 619, 620
—— Juss. 622
—— Commers. ex Juss. †623, 630
—— sect. *Involucratae* Cavaco 622, 623
—— sect. *Psydracium* 621
—— group *A* 613, 614, 618, 620
—— group *B* 613, 614, 616, 620, 621
—— *affinis* (Robyns) Bridson 625, †628
—— *amporoforensis* Cavaco 622, 623
—— *andilankensis* Cavaco 622
—— *bibracteata* (Bak.) Cavaco 129, 620, †625, 627
—— *bispathacea* (Mildbr.) Bridson 625, †629
—— *commersonii* J.F. Gmel. 623
—— *fasciculata* Boj. ex Bak. 129, 620
—— *hexasperma* Roxb. 621, 637
—— *hystrix* (Bremek.) Bridson 618, 624, †629
—— *lobulata* Bridson 625, *626, †627
—— *macrophylla* A. Rich. ex DC. 613
—— *major* (A. Rich. ex DC.) Cavaco 623
—— *megacarpa* Merr. 616
—— *obovatifolia* Merr. 616
—— *orbicularis* A. Rich. ex DC 618
—— *pallida* K. Schum. 631
—— *phyllanthoidea* (Baill.) Bridson 624, †629
—— *socotrana* (Radcliffe-Smith) Bridson 624, †625
—— *subevenia* (K. Schum.) Hochr. 617
—— *viburnoides* (Bak.) Verdc. 618
—— sp. *A* 625, †627
—— sp. *B* 625, †628
—— sp. *C* 625, †628
—— sp. *D* 624, †628
Pyrrhoglossum 527
—— *pyrrhum* (Berk. & Curtis) Singer 518, 527, *567, 861, *866
—— *stipitatum* Singer 861

Quercus: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium, R. Colin Welch 449
Quercus 449, 450, 451
—— *acutissima* Carruth. 451
—— *aegilops* L. 451
—— *alba* L. 451
—— *bicolor* Willd. 449, 450
—— *borealis* Michx. 451
—— *canariensis* Willd. 450
—— *cerris* L. 451
—— *dentata* Thunb. 449, 450
—— *faginea* Lam. 449
—— *frainetto* Ten. 451
—— *glandulifera* Blume 451
—— *ilex* L. 450, 451

Quercus
—— X *leana* Nutt. 451
—— *libani* Olivier 451
—— *lyrata* Walter 451
—— *macranthera* Fisch. & May. 450
—— *macrocarpa* Michx. 451
—— *pedunculiflora* C. Koch 451
—— *petraea* (Matt.) Liebl. subsp. *iberica* (Stev.) Krassiln. 449
—— *pontica* K.L. Koch 450
—— *prinus* L. 451
—— *pubescens* Willd. 450
—— *pyrenaica* Willd. 451
—— *robur* L. 450
—— X *sargentii* Rehd. 449
—— X *turneri* Willd. 450
—— *virgiliana* Ten. 451

Racemobambos hirsuta Holtt. 207
Radcliffe-Smith, A.: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca 395
Radcliffe-Smith, A. *reviewer*: Illustrated Guide to the Flowers of Saudi Arabia, by Sheila Collenette 481
Radcliffe-Smith, A., Harley, R.M., (Bibliog.) Radcliffe-Smith, A. & Wilmot-Dear, C.M.: H.K. Airy Shaw, 1902-1985 (Obituary) 3
Radcliffe-Smith, A. & Hemming, C.F.: A revision of the Somali species of Jatropha (Euphorbiaceae) 103
Rainforest Conservation Soc. (1986),: Tropical Rainforests of North Queensland: Their Conservation Significance (Rev.) 772
Randia 245
Rangaeris Summerh. †733
—— *rhipsalisocia* (Reichb.f.) Summerh. †733
Raphia sp. 712
Raphidorhynchus lepidotus (Reichb.f.) Finet ex A. Chev. 735
Rauvolfia vomitoria Afzel. 713
Rechinger, K.H. *reviewer*: Taxonomic revision of the genus Haplophyllum (Rutaceae), by C.C.Townsend 957
The recognition and recircumscription of the African genus Multidentia(Rubiaceae-Vangueríeae), Diane M. Bridson 641
A reconsideration of Pittosporum in Africa and Arabia, I. Friis 319
Reid, Derek A. *reviewer*: Carpathian Ustilaginales, Symbolae Botanicae Upsalienses XXIV: 2, by Kálmán Vánky 277
Reimarochloa acuta (Flugge) Hitchc. 750
Renuka, C.: A new species of Calamus (Palmae) from India 433
Renvoize, S.A.: New grasses from Paraná, Brazil 921
Renvoize, S.A.: A new Isachne (Gramineae) from Brazil 927
Renvoize, S.A.: A survey of leaf-blade anatomy in grasses X. Bambuseae 201
Renvoize, S.A.: A survey of leaf-blade anatomy in grasses XI. Paniceae 739
Restio 302
—— *dodii* 299
—— *mahonii* 307
—— *quartziticola* 307
—— *subverticillatus* 304

Restionaceae
Restionaceae 297-304, 306-7, 309, 312, 314
Restionales: The evolutionary history of the Poales/ Restionales - a hypothesis, H.P. Linder 297
Restionales 297, 303
Restionapollen afrotertiarus Thiergart et al. 304
Restioniidites 303
—— *pascuali* Archangelsky 304
Resupinatus applicatus (Batsch: Fr.) S.F. Gray 503
—— *cubensis* Murr. *876, †884
—— *subbarbatus* (Berk. & Curtis) Sacc. 533
A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma, C.M. Wilmot-Dear 23
A revision of the Agaricales of Cuba 1. Species described by Berkeley & Curtis, D.N. Pegler 501
A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill, D.N. Pegler 855
A revision of the Somali species of Jatropha (Euphorbiaceae), C.F. Hemming & A. Radcliffe-Smith 103
A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi, R.K. Brummitt & J.H. Seyani 687
Reynaudia 748, 765
—— *filiformis* (Schult.) Kunth 750
Rhamnaceae 368
Rhaphidorhynchus luteo-albus (Kraenzl.) Finet 733
Rhipidocladum racemiflorum (Steud.) McClure 207
Rhizanthium sens. str. 240
—— 241, 242, 243
Rhodoarrhenia Singer 542
—— *cyphelloides* (Lloyd) Singer 542
—— *flabellula* (Berk. & Curtis ex Cooke) Singer 542
—— *pensilis* (Berk. & Curtis) Pegler *510, †542, 544
Rhodophyllus 503
—— *arachnoides* 552
—— *arachnoideus* (Berk. & Curtis) Singer 552
—— *lazulinellus* (Speg.) Singer 503
Rhynchelytrum repens (Willd.) Hubb. *751, 754
Rhynchospora: New descriptions and a new species of Rhynchospora from northeastern Brazil. Notes on Brazilian Cyperaceae I, D.A. Simpson 889
Rhynchospora 893
—— Vahl sect. *Pseudocapitatae* C.B. Cl. 889
—— *aberrans* C.B. Cl. 889, 891, †893, *894
—— *calderana* D.A. Simpson †891, *892
—— *exaltata* Kunth 891
—— *ridleyi* C.B. Cl. †889, *890
Richards, Paul: Indigenous Agricultural Revolution. Ecology and Food Production in West Africa (Rev.) 275
Rickenella fibula (Bull.: Fr.) Raithelh. 515
Robbrecht, E., Adams, L.G. & Bridson, D.M.: The identity of Lasianthus graciliflorus Bailey (Rubiaceae) 209
Robson, Norman K.B. & Sebsebe Demissew: New and little-known species of Maytenus (Celastraceae) in East Africa 423
Roosmalen, M.G.M., van: Fruits of the Guianan Flora (Rev.) 485
Roscheria †52, 56, 57, 60

Roscheria
—— *melanochaetes* (H.A. Wendl.) H.A. Wendl. 52, 55, 56
Rotalis 562, 565, 569
Rothmannia whitfieldii (Lindley) Dandy 713
Rubiaceae: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Rubiaceae: The identity of Lasianthus graciliflorus Bailey (Rubiaceae), L.G. Adams, D.M. Bridson & E. Robbrecht 209
Rubiaceae: The identity of Psychotria madandensis S. Moore (Rubiaceae), B. Verdcourt 64
Rubiaceae: A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania, B. Verdcourt 245
Rubiaceae: Nomenclatural notes on Psilanthus, including Coffea sect. Paracoffea (Rubiaceae tribe Coffeeae), Diane M. Bridson 453
Rubiaceae: Notes on African Rubiaceae-Vanguerieae, B. Verdcourt 123
Rubiaceae: A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae), A. Havard & B. Verdcourt 605
Rubiaceae: The recognition and recircumscription of the African genus Multidentia (Rubiaceae-Vanguerieae), Diane M. Bridson 641
Rubiaceae: Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
Rubiaceae 123, 135, 212, 245, 368
—— subfam. *Cinchonoideae* 211, 212
—— subfam. *Rubioideae* 211
—— tribe *Coffeaceae* 123
—— tribe *Coffeeae* 124, 457
—— tribe *Gardenieae* 123, 609
—— tribe *Guettardieae* 123
—— tribe *Knoxieae* 124
—— tribe *Morindeae* 124
—— tribe *Pavetteae* A. Rich. ex Dumort. 212, 213
—— tribe *Vanguerieae* 123-4, 127, 140, 188-9, 605, 609, 611, 616, 618-20, 641-4
—— tribe *Vaugnerieae* 123
Russula Pers. 539
Russulaceae 539
Rutaceae 367, 368
Rutidea 193
Rytigynia sensu stricto 154
—— Blume 124, 127, †137, †138, 140-1, 143, †145, 153, 155, 157-8, 166, 170-1, 180, 185-6, 195-6, 611, 622, 628
—— subgen. *Fadogiopsis* Verdc. †135, †137, †185
—— subgen. *Rytigynia* 151, 185
—— subgen. *Šali* Verdc. †185
—— *acuminatissima* (K. Schum.) Robyns 151, †153, 155
—— —— subsp. *acuminatissima* †154
—— —— subsp. *pedunculata* Verdc. †154
—— *adenodonta* (K. Schum.) Robyns 149, †166, 167
—— —— var. *adenodonta* †166
—— —— var. *reticulata* (Robyns) Verdc. 150, †167
—— *affinis* (Robyns) Hepper 628
Rytigynia
—— *amaniensis* (K. Krause) Bullock 171
—— *bagshawei* (S. Moore) Robyns 147, †176, 178
—— —— var. *bagshawei* †176
—— —— var. *lebrunii* (Robyns) Verdc. 174, †176
—— *beniensis* (De Wild.) Robyns 148, †151, 152
—— *biflora* Robyns 165
—— *binata* (K. Schum.) Robyns 149, †170
—— *bridsoniae* Verdc. 150, †159, *161, 163
—— —— subsp. *bridsoniae* †160
—— —— subsp. *kahuzica* Verdc. †160
—— *bridsonii* 159
—— *bugoyensis* (K. Krause) Verdc. 145, 170, †184
—— —— subsp. *bugoyensis* †184
—— —— subsp. *glabrifolia* Verdc. †184
—— *butaguensis* (De Wild.) Robyns 184
—— *castanea* Lebrun 174
—— *caudatissima* Verdc. 149, *179, †180
—— *celastroides* (Baill.) Verdcourt 128, 146, 148, †171, 172, 173
—— —— var. *australis* †172
—— —— var. *celastroides* †171, 172
—— —— var. *nuda* Verdc. †171
—— *concolor* (Hiern) Robyns 152
—— *decussata* (K. Schum.) Robyns 128, 147, 183, †185
—— *dubiosa* (De Wild.) Robyns 151, †153, 155
—— *eickii* (K. Schum. & K. Krause) Bullock 150, 164, †165
—— *euclioides* Robyns 165
—— *flavida* Robyns 147, 148, 166, †176
—— *gillettii* Tennant 140
—— *glabra* (K. Schum.) Robyns 171
—— *gracilipetiolata* (De Wild.) Robyns 153
—— *griseovelutina* Verdc. 146, †183
—— *hirsutiflora* Verdc. 146, *181, †183
—— *ignobilis* Verdc. 128, 150, †164
—— *induta* (Bullock) Verdc. & Bridson 128, 147, †169
—— *ituriensis* (De Wild.) Robyns 158, 159
—— *junodii* (Schinz) Robyns 152, 153
—— *kidaria* (K. Schum. & K. Krause) Bullock 165, 166
—— *kigeziensis* Verdc. 149, 154, *162, †163
—— *kiwuensis* (K. Krause) Robyns 138, 148, †158
—— *lebrunii* Robyns 176
—— *lenticellata* Robyns 165, 166
—— *lewisii* Tennant 149, †155
—— *lichenoxenos* (K. Schum.) Robyns 147, †169
—— —— subsp. *glabrituba* Verdc. †169
—— —— subsp. *lichenoxenos* †169
—— *longicaudata* Verdc. 149, *177, †180, 182
—— *loranthifolia* (K. Schum.) Robyns 140
—— *macrura* Verdc. 147, †178
—— *microphylla* (K. Schum.) Robyns 171
—— *monantha* (K. Schum.) Robyns 147, †173, 174, 175
—— —— var. *lusakati* Verdc. 148, †174, 175
—— —— var. *monantha* †174
—— *mrimaensis* Verdc. 145, †170
—— *murifolia* Gilli 166
—— *neglecta* sensu Robyns 153, 159
—— —— (Hiern) Robyns 151, 155, †158, 159

Rytigynia
—— —— var. *neglecta* †158
—— —— var. *vatkeana* (Hiern) Verdc. 148, †158
—— *nodulosa* (K. Schum.) Robyns 149, †169
—— *obscura* Robyns 150, †157
—— *oligacantha* (K. Schum.) Robyns 171
—— *orbicularis* (K. Schum.) Robyns 150, †156
—— *parvifolia* Verdc. 146, †172
—— *pauciflora* (Schweinf. ex Hiern) Robyns ex Good 146, †170
—— *pawekae* Verdc. 128, 147, †168
—— *pergracilis* Verdc. 149, †157
—— *perlucidula* Robyns 152
—— *phyllanthoidea* (Baill.) Bullock 629
—— *pseudolongicaudata* Verdc. 146, †182, 183
—— *pubescens* Verdc. 147, †168
—— *reticulata* Robyns 167
—— *rubiginosa* (K. Schum.) Robyns 146, †175
—— —— subsp. *cymigera* (Brem.) Verdc. †175
—— —— subsp. *rubiginosa* †175
—— *ruwenzoriensis* (De Wild.) Robyns 151, †158, 159
—— *saliensis* Verdc. 150, †185
—— *schumannii* Robyns 165
—— —— var. *puberula* Robyns 166
—— —— var. *uhligii* (K. Schum. & K. Krause) Robyns 165
—— *senegalensis* Blume 150, †155
—— —— var. *ledermannii* 156
—— *sessilifolia* Robyns 185
—— *sparsifolia* (S. Moore) Robyns 152
—— *stolzii* Robyns 137, 150, †157, 186
—— *tomentosa* (K. Schum.) Robyns 143, 144
—— *uhligii* (K. Schum. & K. Krause) Verdc. 128, 150, †165, 166, 167, 168
—— *umbellulata* (Hiern) Robyns 148, 151, †152, 153, 154, 155
—— *undulata* Robyns 165
—— *vilhenae* Cavaco 175
—— *welwitschii* Robyns 152
—— *xanthotricha* (K. Schum.) Verdc. 127, 147, †183
—— sp. nov. 629
—— sp. 174
—— sp. *1* 151,178
—— sp. *2* 174
—— sp. *3* 174
—— sp. *A* 146, †151
—— sp. *B* 150, †153
—— sp. *C* 151, †153, 154
—— sp. *D* †153
—— sp. *E* 148, †165
—— sp. *F* †185
Rzedowski, J. & Rzedowski, G.C. de: Flora Fanerogámica del Valle de Mexico. Volume 2 (Euphorbiaceae-Compositae) (Rev.) 954

Saccharum 569
Sacciolepis 743
—— *myuros* (Lam.) Chase 745
Saddi, N.: New species of Kielmeyera (Guttiferae) from Brazil 221
Salley, Homer E. & Greer, Harold E.: Rhododendron hybrids. A Guide to their Origins (Rev.) 955
Samuel, Rosabelle
Samuel, Rosabelle: Chromosome numbers in Piper 465
Sapindaceae 324
Sasa palmata (Burbidge) Camus 206
Sathish Kumar, C. & Manilal, K.S.: A synopsis of Ipsea (Orchidaceae) 937
Satyrium Sw. †719
—— *atherstonei* Reichb.f. †719
—— *occultum* Rolfe 719
Scadoxus multiflorus (Martyn) Friis & Nordal 324
—— *nutans* (Friis & Bjornstad) Friis & Bjornstad 354
Schizophyllum commune Fr.: Fr. 501, †575
—— *umbrinum* Berk. †575
Schizostachum diffusum (Blanco) Merr. 207
Scleria sp. 712
Sclerocarya birrea (A. Rich.) Hochst. subsp. *birrea* 367
Scott, A.J.: Notes on Compositae-Inuleae for the 'Flore des Mascareignes' 854
Scott, A.J.: A second species of Cylindrocline (Compositae-Inuleae) 476
Scott, George A.M.: Southern Australian Liverworts. Australian Flora and Fauna series No.2 (Notice) 284
Scrophulariaceae: Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 384
Scrophulariaceae: New species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 208
Scrophulariaceae: Two new species of East African Craterostigma (Scrophulariaceae), F.N. Hepper 945
Scrophulariaceae 208
Scutachne 752
—— *dura* (Griseb.) Hitch. & Chase 753
Scyphochlamys 134, 611, 613, 616, 619, 620
—— *revoluta* Balf.f. 620
Scytinotus concolor (Berk. & Curtis) Murr. 554
—— *haematodes* (Berk. & Curtis) Murr. 559
Sebsebe Demissew & Robson, Norman K.B.: New and little-known species of Maytenus (Celastraceae) in East Africa 423
A second species of Cylindrocline (Compositae-Inuleae), A.J. Scott 476
Semiarundinaria 204
—— *fastuosa* (Mift.) Makino 207
Sephanoides sephanoides 796
Sericolea Schltr. 777, 781
Sesamothamnus rivae Engl. 121
Setaria 748, 761, 766
—— *megaphylla* (Steud.) Dur. & Schinz *747, 750
—— *sphacelata* Stapf & C.E. Hubb. ex M.B. Moss 712
Setariopsis auriculata (Fourn.) Scribn. 750
Seyani, J.H. & Brummitt, R.K.: A revision of the species related to Plectranthus stenophyllus (Labiatae) in Malawi 687
Shetty, B.V. & Singh, Paramjit: A new species of Vitaceae from Peninsular India 933
Shetty, B.V. & Sreekumar, P.V.: Bhidea fischeri, a new species of Gramineae from India 683
Shibataea 204
—— *kumasasa* (Zoll.) Nakai 207
Siccus 551, 552, 554, 557, 558, 560, 561, 569

Sidiyasa, K.

Sidiyasa, K., Sutisna, V. &c. (Compilers), Whitmore, T.C. & Tantra, I.G.M. (Eds.) : Tree Flora of Indonesia. Check list for Sumatra (Notice) 960
Simaroubaceae 262
Simpson, D.A.: New descriptions and a new species of Rhynchospora from northeastern Brazil. Notes on Brazilian Cyperaceae I 889
Simpson, D.A.: New species of Cyperus and Eleocharis from Bahia. Notes on Brazilian Cyperaceae II 897
Sinarundinaria falcata 206
Singh, Paramjit & Shetty, B.V.: A new species of Vitaceae from Peninsular India 933
Sino-Indian: A long-misapplied name for a Sino-Indian species of Jasminum. Studies in the genus Jasminum (Oleaceae): XI, P.S. Green 437
Sinobambusa tootsik (Sieb.) Makino 207
Skog, Lawrence E. & Wetzel, Hayden M.: Translationes Operum Sinensium de Gesneriaceis - 1 (Notice) 960
Sloanea L. 777, 781, 809
Snowdenia polystachya (Fresn.) Pilg. 750
Socratea 60
Solanum: Validation of names of three Solanum taxa from Bolivia, J.G. Hawkes & J.P. Hjerting 436
Solanum astleyi Hawkes & Hjerting †436
—— *circaeifolium* Bitt. †436
—— —— subsp. *quimense* Hawkes & Hjerting †436
—— *hondelmannii* Hawkes & Hjerting †436
Solenangis Schltr. †734
—— *scandens* (Schltr.) Schltr. †734
Somali: A revision of the Somali species of Jatropha (Euphorbiaceae), C.F. Hemming & A. Radcliffe-Smith 103
Somalia: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia, M. Thulin & A.M. Warfa 487
Somalia: Two new species of Polycarpaea (Caryophyllaceae) from Somalia, M.G. Gilbert 701
Southern tropical Africa: Further new species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 384
Southern tropical Africa: New species of Buchnera (Scrophulariaceae) from southern tropical Africa, D. Philcox 208
Spathegaster baccarum L. 450
Spathodea campanulata P. Beauv. 712
Spathoglottis Bl. 937
—— *malabarica* (Reichb.f.) U.C. Pradhan 940
—— *speciosa* (Lindl.) U.C. Pradhan 938
Spheneria 748
—— *kegelii* (C. Muell.) Pilg. 750
Spinifex 748, 749, †763
—— *hirsutus* Labill. 750
—— *littoreus* (Burm.f.) Merr. 750, 763
—— *longifolius* R. Br. 750
Spooner, B.M. *reviewer*: British Ascomycotina. An Annotated Checklist, by P.F. Cannon, D.L. Hawksworth & M.A. Sherwood-Pike 268
Sporobolus cubensis Hitchc. 923
—— *exilis* Renv. †923

Sreekumar, P.V.

Sreekumar, P.V. & Shetty, B.V.: Bhidea fischeri, a new species of Gramineae from India 683
Stachys aculeatus group 324
Stannard, Brian *reviewer*: Die Abenteuer des Sir Joseph Banks, by Eva Lack 952
Steganotaenia 591
—— *hockii* (Norman) Norman 591
Steinchisma 742, 758, 921
—— *decipiens* (Nees) Brown 745
—— *hians* (Ell.) Nash ex Small 745
—— *spathellosa* (Doell) Renv. 745, †921
Stenotaphrum 748
—— *dimidiatum* (L.) Brongn. 750
Stereochlaena 401
—— *cameronii* (Stapf) Pilg. 750
—— *foliacea* Clayton 401
Stewart, Joyce & la Croix, Isobyl F.: Notes on the orchids of southern tropical Africa III: Aerangis 215
Stilbum flavidum Cooke 511
Stizolobium atropurpureum (Roxb.) O. Kuntze 36
—— *giganteum* (Willd.) Spreng 39
—— *monospermum* (DC. ex Wight) O. Kuntze 28
—— *pruriens* (L.) Medic. 40
Streptolophus 748
—— *sagittifolius* Hughes 750
Streptostachys 206, 402, 743, 745
—— *asperifolia* Desv. *742, 745
Stropharia caespitosa Murr. †885
—— *cubensis* Earle 855, †885
—— *floccosa* Earle †885
Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
A survey of leaf-blade anatomy in grasses X. Bambuseae, S.A. Renvoize 201
A survey of leaf-blade anatomy in grasses XI. Paniceae, S.A. Renvoize 739
Swallenochloa 204
—— *subtesselata* (Hitchc.) McClure 206
Synadenium: Taxonomic changes in Synadenium (Euphorbiaceae) from East Africa, Susan Carter 667
Synadenium 235, 667, 669, 671
—— *calycinum* S. Carter *668, †670
—— *cameronii* N.E. Br. 667
—— *compactum* N.E. Br. 669
—— —— var. *rubrum* S. Carter 669
—— *glabratum* S. Carter †667, *668
—— *glaucescens* Pax †670, 671
—— —— var. *brevipes* N.E. Br. 670
—— *grantii* sensu Jex-Blake 669
—— —— Hook.f. †669
—— *pereskiifolium* (Houll. ex Baill.) Guill. 670
—— *umbellatum* Pax 669
—— —— var. *puberulum* N.E. Br. 669
A synopsis of Ipsea (Orchidaceae), C. Sathish Kumar & K.S. Manilal 937
Syzygium guineense (Willd.) DC. var. *guineense* 713

Tamarindus indica L. 713
Tanzania: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam.

Tanzania

Cinchonoideae) from Tanzania, Diane M. Bridson 251
Tanzania: A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania, B. Verdcourt 245
Tapiphyllum: A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae), A. Havard & B. Verdcourt 605
Tapiphyllum Robyns 131, 134, †136, †138, †143, 144, 185, 605
—— *burnettii* Tennant 131, 607, 608, 609
—— *cinerascens* (Hiern) Robyns †144, 607, 609
—— —— subsp. *inaequale* (Robyns) Verdc. 145
—— —— subsp. *laevius* (K. Schum.) Verdc. 144, 608
—— —— var. *cinerascens* †144, 145
—— —— var. *inaequale* (Robyns) Verdc. †144, 145
—— —— var. *laetum* (Robyns) Verdc. †145
—— —— var. *laevius* (K. Schum.) Verdc. †144, 145
—— —— var. *richardsii* (Robyns) Verdc. †145
—— *discolor* (De Wild.) Robyns 131, 607, 608, 609
—— *glomeratum* Robyns 145
—— *griseum* Robyns 145
—— *inaequale* Robyns 145
—— *kaessneri* (S. Moore) Robyns 145
—— *laetum* Robyns 145
—— *mucronulatum* Robyns 144
—— *obtusifolium* (K. Schum.) Robyns 128, 131, 607, 608, 609
—— *parvifolium* (Sond.) Robyns 607, 608, 609
—— *richardsii* Robyns 145
—— *schumannianum* Robyns †144, 608, 609
—— —— subsp. *mucronulatum* (Robyns) Verdc. 143, †144, 607, 608, 609
—— —— subsp. *schumannianum* 144, 607, 609
—— *tanganyikense* Robyns 144
—— *velutinum* (Hiern) Robyns 607, 608, 609
—— —— var. *laevius* (K. Schum.) Robyns 144
Tarenna: Additional taxa in Oxyanthus, Pavetta & Tarenna (Rubiaceae subfam. Cinchonoideae) from Tanzania, Diane M. Bridson 251
Tarenna Gaertn. 212, 251
—— *burttii* Bridson 259
—— *congensis* Hiern 260
—— *fusco-flava* (K. Schum.) N. Hallé 260
—— *luhomeroensis* Bridson †257, *258
—— *quadrangularis* Bremek. 257
—— *roseicosta* Bridson †*259
—— *uzungwaensis* Bridson †*260
Tarigidia aequiglumis (Goossens) Stent 750
Tatianyx 748, 758
—— *arnacites* (Trin.) Zul. & Sod. 749
Taxonomic changes in Synadenium (Euphorbiaceae) from East Africa, Susan Carter 667
Taxonomic notes on tropical African species of Protea, S.M. Chisumpa & R.K. Brummitt 815
Tectiphiala 48, †52, 56, 60, 62
—— *ferox* 52, 55, 56
Temnocalyx Robyns 131, 135, †136, 620
—— *nodulosus* Robyns 129

Terminalia

Terminalia avicennioides Guill. & Perr. 714
—— *glaucescens* Benth. 712
—— *laxiflora* Engl. 713
—— *superba* Engl. & Diels 712
Tetrapleura tetraptera (Schum. & Thonn.) Taub. 713
Tetrapogon: A new combination in Tetrapogon (Gramineae), S.M. Phillips 477
Tetrapogon 477, 478
—— *bidentatus* Pilg. 478
—— *cenchriformis* (A. Rich.) Clayton 477
—— *ferrugineus* (Renvoize) S.M. Phillips †478
—— *tenellus* (Roxb.) Chiov. 477
—— *villosus* Desf. 477
Tetrastigma 933
—— *bracteolatum* 933
—— *canarense* sensu Gamble 933
—— —— Gamble 933
—— *gamblei* B.V. Shetty & P. Singh †933
Thamnocalamus 203, 204
—— *aristatus* (Gamble) Camus 206
Thanikaimoni, Dr.G. (Obituary): I.K. Ferguson 22
Thothathri, K. & Pramanik, A.: Miscellaneous notes on two Indian Moonseeds (Menispermaceae) 705
Thouarsiora Arènes 212
Thrasya thrasyoides (Trin.) Chase 750
Thrasyopsis 748
—— *repanda* (Nees) Parodi 750
Three corrections to the Flora of Tropical East Africa, B. Verdcourt 657
Thuarea 753
—— *involuta* (G. Forst.) R. Br. ex R. & S. 754
Thulin, M. & Warfa, A.M.: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia 487
Thyridachne 743
—— *tisserantii* Hubbard 745
Thyridolepis 764
—— *mitchelliana* (Nees) S.T. Blake 745
Thyrsostachys oliveri Gamble 207
Thysanolaena 205
Tibet: A new species of Trikeraia (Gramineae) from Tibet and Bhutan, T.A. Cope 350
Tithymalus sensu Wheeler 236
Tomlinson, P.B.: Botany of Mangroves (Rev.) 956
Torenia 945
Townsend, C.C.: A new Iraqi species of Onopordum (Compositae). Contributions to the Flora of Iraq: XIV 439
Townsend, C.C.: Notes on Peucedanum (Umbelliferae) and allied genera in Central and East Africa 587
Townsend, C.C.: Taxonomic revision of the genus Haplophyllum (Rutaceae) (Rev.) 957
Trachys muricata (L.) Pers. 750
Tradescantia acaulis 98
Tragia: Notes on African Euphorbiaceae: XIX. Tragia (iii) and notes on Croton & Erythrococca, A. Radcliffe-Smith 395
Tragia 399
—— sect. *Tagira* Muell.-Arg. subsect. *Cordifolia* Pax & K. Hoffm. 397
—— sect. —— subsect. *Lukafuensis* Pax et K. Hoffm.

Tragia
—— sect. —— subsect. *Mitis* Pax & K. Hoffm. 398
—— *bongolana* Prain 398, 399
—— *bracteata* 399
—— *brevipes* Pax 397, 398
—— *capensis* E. Mey. 396
—— —— Thunb. 396
—— *durbanensis* O. Ktze. 396
—— *glabrata* (Muell. Arg.) Pax & K. Hoffm. †395
—— —— var. *glabrata* 396
—— —— var. *hispida* A. Radcliffe-Smith †396
—— *lukafuensis* de Wildem. 396, 397
—— *mazoënsis* A. Radcliffe-Smith †396
—— *meyeriana* Muell. Arg. var. *glabrata* Muell. Arg. 396
—— *prionoïdes* A. Radcliffe-Smith †397, 398
—— *prostrata* A. Radcliffe-Smith †398
—— —— sect. *Tagira* Muell.- Arg. subsect. *Mitis* Pax et K. Hoffm. 398
—— *shirensis* Prain †399
—— —— var. *glabriuscula* A. Radcliffe-Smith †399
—— *stipularis* A. Radcliffe-Smith †399
Treisa 238
Trema guineensis (Schum. & Thonn.) Ficalho 712
Tricalysia 127
Trichadenia 238
Trichocrepis bifida Vis. 429
Tricholaena 752
—— *monachne* (Trin.) Stapf & Hubb. 754
Tricholomataceae 545, 547
—— tribe *Lyophylleae* Kuehner 574
—— tribe *Panelleae* Singer 575
—— tribe *Pseudohiatuleae* 545
Tricuspidaria Ruiz & Pavon 777, 783, 785
—— *dependens* Ruiz & Pavon 783, 787
—— *hexapetala* Turcz. 787, 794
—— *hookeriana* (Gay) R.O. Cunn. 794
—— *lanceolata* Miq. 794
—— *patagua* (Mol.) Miers 787
Tricuspidarieae 777, 783, 785
Tricuspis Pers. 783, 785
—— *dependens* (Ruiz & Pav.) Pers. 787
Tridactyle Schltr. †735
—— *anthomaniaca* (Reichb.f.) Summerh. †735
—— *bicaudata* (Lindl.) Schltr. †735
—— *crassifolia* Summerh. †735
—— *lepidota* (Reichb.f.) Schltr. 735
—— *oblongifolia* Summerh. †736
—— *tridentata* (Harv.) Schltr. †736
Trigona sp. 411
Trikeraia: A new species of Trikeraia (Gramineae) from Tibet and Bhutan, T.A. Cope 350
Trikeraia hookeri (Stapf) Bor 350
—— *oreophila* Cope †350
Triplochiton scleroxylon Schumann 712
Triscenia 743, 758
—— *ovina* Griseb. 745
Trogia cantharelloides (Mont.) Pat. *529, 566, 574
Tulipa 99, 100, 101
Two new geophytic species of Euphorbia with comments on the subgeneric grouping of its African members, M.G. Gilbert 231
Two new species
Two new species of Bulbophyllum (Orchidaceae) in Africa, J.J. Vermeulen 263
Two new species of Chenopodiaceae from the Western Himalaya, C. Grey-Wilson & B.M. Wadhwa 471
Two new species of East African Craterostigma (Scrophulariaceae), F.N. Hepper 945
Two new species of Polycarpaea (Caryophyllaceae) from Somalia, M.G. Gilbert 701

Uapaca heudelotii Baillon 712
—— *togoensis* Pax 713
Umbelliferae: Notes on Peucedanum (Umbelliferae) and allied genera in Central and East Africa, C.C. Townsend 587
Umbelliferae 587, 589, 591, 594
Unknown: Pest control in tropical onions (Notice) 773
Uranthoecium truncatum (Maiden & Betche) Stapf 750
Urochloa mosambicensis (Hack.) Dandy 754
Urticaceae: A new name in Pouzolzia (Urticaceae), Ib Friis 666
Urticaceae 666
Uvaria sp. 713

Vánky, Kálmán: Carpathian Ustilaginales, Symbolae Botanicae Upsalienses XXIV: 2 (Rev.) 277
Validation of names of three Solanum taxa from Bolivia, J.G. Hawkes & J.P. Hjerting 436
Vallea L.f. 777, 781, 785
Vangueria Juss. 123, 124, 127, †138, †186, 195, 196, 197
—— subgen. *Itigi* Verdc. 139, †186
—— *acuminatissima* sensu K. Krause 151
—— —— K. Schum. 153
—— *adenodonta* K. Schum. 166
—— *bagshawei* S. Moore 176
—— *beniensis* De Wild. 151
—— *bequaertii* De Wild. 176
—— *binata* K. Schum. 170
—— *butaguensis* De Wild. 184
—— *commersonii* Jacq. 186
—— *concolor* Hiern 152
—— *euonymoides* sensu Burtt Davy 152
—— —— Hiern 155
—— *glabra* K. Schum. 171
—— *ituriensis* De Wild. 152, 153, 155, 158
—— *junodii* Schinz 152
—— *kaessneri* S. Moore 144
—— *kiwuensis* K. Krause 158
—— *lichenoxenos* K. Schum. 169
—— *longisepala* Krause 185
—— *loranthifolia* K. Schum. 140
—— *madagascariensis* Gmel. 128, 186
—— *microphylla* K. Schum. 171
—— *monantha* K. Schum. 173
—— *neglecta* sensu K. Schum. 165
—— —— var. *puberula* Robyns 166
—— *nodulosa* K. Schum. 169
—— *oligacantha* K. Schum. 171
—— *pauciflora* Hiern 170
—— *praecox* Verdc. 128, 186, 187
—— *reygaertii* De Wild. 198
—— *rubiginosa* K. Schum. 175

Vangueria
—— *ruwenzoriensis* De Wild. 158
—— —— var. *breviflora* De Wild. 159
—— *sapini* De Wild. 196
—— *senegalensis* (Blume) Hiern 155
—— *sparsifolia* S. Moore 152
—— *tomentosa* K. Schum. 144
—— *uhligii* K. Schum. & K. Krause 165
—— *umbellulata* Hiern 152, 153
—— *velutina* Hiern var. *laevior* K. Schum. 144
—— *venosa* Del. 713
Vanguerieae: Notes on African Rubiaceae-Vanguerieae, B. Verdcourt 123
Vanguerieae: A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae), A. Havard & B. Verdcourt 605
Vanguerieae: The recognition and recircumscription of the African genus Multidentia (Rubiaceae-Vanguerieae), Diane M. Bridson 641
Vanguerieae: Studies in African Rubiaceae-Vanguerieae: a new circumscription of Pyrostria and a new subgenus, Canthium subgen. Bullockia, Diane M. Bridson 611
Vanguerieae †135
Vangueriella Verdc. †137, 138, 186, †189, 190, 195, 197, 642, 643
—— sect. *Calycophyllae* Robyns 641
—— sect. *Stenosepalae* (Robyns) Verdc. †194, 642
—— sect. *Vangueriella* †192, 641, 642, 644
—— subgen. *Brachyanthus* Robyns 641
—— subgen. *Vangueriella* 642
—— *calycophila* (K. Schum.) Verdc. 190, 192
—— *campylacantha* (Mildbr.) Verdc. 129, 190, 191, †196
—— *castanea* 642
—— *chlorantha* (K. Schum.) Verdc. 190, †193
—— *discolor* (Benth.) Verdc. 190, †193, 642, 646
—— —— (Benth.) Robyns 194
—— *georgesii* Verdc. 190, 191, †195
—— *glabrescens* (Robyns) Verdc. 192, †197
—— *laxiflora* (K. Schum.) Verdc. 190, †192, 642
—— *letestui* Verdc. 129, †194
—— *nigerica* (Robyns) Verdc. 191, †193
—— *nigricans* (Robyns) Verdc. 129, 190, †193
—— *olacifolia* (Robyns) Verdc. 189, 191, †193
—— *orthacantha* (Mildbr.) Bridson & Verdc. †198
—— *rhamnoides* (Hiern) Verdc. 191, †197
—— *rufa* (Robyns) Verdc. 191, †195
—— *sapini* (De Wild.) Verdc. 129, 185, 190, 191, †196
—— *soyauxii* (K. Schum.) Verdc. 191, †196
—— *spinosa* (Schumach. & Thonn.) Verdc. 190, 191, †194, 195
—— *vanguerioides* (Hiern) Verdc. 191, †193
—— *violacea* 190
—— *zenkeri* Verdc. 191, †192, 197
—— sp. †196, †197
?—— sp. 191
—— sp. *A* 191, †195
—— sp. *B* 191
Vangueriopsis sensu Robyns 642
—— Robyns 127, †137, †187, 188, 189
—— sect. *Calycophyllae* Robyns 192
—— sect. *Stenosepalae* Robyns 194
—— subgen. *Brachyanthus* Robyns 187, 189
Vangueriopsis
—— subgen. *Guranivea* Verdc. †188
—— subgen. *Rostranthus* Robyns 187, 641
—— subgen. *Vangueriopsis* 188
—— *calycophila* (K. Schum.) Robyns 192, 642
—— *castanea* Robyns 198
—— *castaneae* Robyns 198, 641, 642, 651, 652
—— *chlorantha* (K. Schum.) Robyns 193
—— *coriacea* Robyns 188, 198
—— *decidua* (K. Schum.) Robyns 196
—— *discolor* (Benth.) Robyns 193
—— *glabrescens* Robyns 197
—— *gossweileri* Robyns 129, 187, †188
—— *lanceolata* Robyns 193
—— *lanciflora* (Hiern) Robyns 129, †187, 653
—— *letestui* 190
—— *leucodermis* (K. Krause) Hutch. & Dalz. 194
—— *longiflora* Verdc. 129, 134, 187, †188
—— *membranacea* Robyns 194
—— *nigerica* Robyns 193
—— *nigricans* Robyns 193
—— *olacifolia* Robyns 193
—— *rubiginosa* Robyns 187, †188
—— *rufa* Robyns 195
—— *setosa* Robyns 196
—— *sillitoei* Bullock 198, 642, 647
—— *spinosa* (Schumach. & Thonn.) Hepper 194, 198
—— *subulata* Robyns 196
—— *vanguerioides* (Hiern) Robyns 193
—— *violacea* Robyns 194
Vanilla Mill. 712, †719
—— *beauchenii* A. Chev. 719
—— *imperialis* Kraenzl. †719
—— *ramosa* Rolfe †719
—— *seretii* De Wild. †720
Vaugneria 123
Vavaea 323
Veevers-Carter, W.: Garden of Eden. Plant Life in South-East Asia (Notice) 961
Vepris 368
—— *dainellii* (Pichi-Serm.) Kokwaro 354
Verdcourt, B.: The identity of Psychotria madandensis S. Moore (Rubiaceae) 64
Verdcourt, B.: The identity of Vigna strophiolata Piper (Leguminosae-Phaseoleae) 220
Verdcourt, B.: John Patrick Micklethwait Brenan, 1917-1985 (Obituary) 287
Verdcourt, B.: A new species of Mitriostigma (Rubiaceae-Gardenieae) from Tanzania 245
Verdcourt, B.: Notes on African Rubiaceae-Vanguerieae 123
Verdcourt, B.: On the typification of Heliotropium supinum L. (Boraginaceae) 710
Verdcourt, B.: Three corrections to the Flora of Tropical East Africa 657
Verdcourt, B. & Havard, A.: A pollen survey of Tapiphyllum (Rubiaceae-Vanguerieae) 605
Vermeulen, J.J.: Two new species of Bulbophyllum (Orchidaceae) in Africa 263
Vernonia aphanantha Baker 854
—— *turbinella* S. Moore 692
Verschaffeltia †52, 56, 57, 60
—— *splendida* 52, 55, 56
Versteegia Valeton 213
Vigna strophiolata: The identity of Vigna strophiolata Piper (Leguminosae-Phaseoleae), B. Verdcourt 220

Vigna

Vigna racemosa (G. Don) Hutch. & Dalz. †220
—— *strophiolata* Piper 220
Vitaceae: A new species of Vitaceae from Peninsular India, B.V. Shetty & Paramjit Singh 933
Vitex doniana Sweet 712, 713
Vitis canarensis sensu Talbot 933
—— —— Dalz. 933, 935
—— *pedata* (Lam.) Wall. ex Wight 935
Vollesen, Kaj: Commiphora sessiliflora Vollesen (Burseraceae) - a synonym of C. guidottii Chiov. 686
Vollesen, K.: The native species of Gossypium (Malvaceae) in Africa, Arabia and Pakistan 337
Volvaria bakeri (Murr.) Murr. 886
—— *cubensis* (Murr.) Murr. 886
—— *earlei* (Murr.) Murr. 886
Volvariella Speg. 886
—— *bakeri* (Murr.) Shaffer *868, 886
—— *bombycina* (Schaeffer: Fr.) Singer 505
—— —— var. *microspora* Dennis 505
—— *cubensis* (Murr.) Shaffer *868, 886
—— *earlei* (Murr.) Shaffer *868, 886
—— *speciosa* (Fr.: Fr.) Singer 886
—— *volvacea* (Bull.: Fr.) Singer 886
Volvariopsis bakeri Murr. †886
—— *cubensis* Murr. †886
—— *earlei* Murr. †886
Vorster, P.: Mariscus microbolbos (Cyperaceae): a new combination 200

Wadhwa, B.M. & Grey-Wilson, C.: Two new species of Chenopodiaceae from the Western Himalaya 471
Warfa, A.M. & Thulin, M.: The frankincense trees (Boswellia spp., Burseraceae) of northern Somalia and southern Arabia 487
Watling, R. *reviewer*: Agaric Flora of Sri Lanka. Kew Bulletin Additional Series XII, by D.N. Pegler 771
Watling, R. *reviewer*: Fungi of the Hebrides, by R.W.G. Dennis 770
Welch, R.Colin: The occurrence of Cynipinae (Hymenoptera) galls on non-British Quercus (Fagaceae) in the Kew Herbarium 449
Wendlandia 368
Wettinia 60
White, F.: A.C. Hoyle: an appreciation 655
Whiteochloa 758
—— *semitonsa* (Benth.) C.E. Hubbard 749
Wickens, G.E. *reviewer*: Arizona Soils, by David M. Hendricks 951
Wickens, G.E.
Wickens, G.E. *reviewer*: Isthmian Ethnobotanical Dictionary, Ed. 3, by James A. Duke 947
Wickens, G.E. *reviewer*: Medicinal plants in tropical West Africa, by Bep Oliver-Bever 483
Wickens, G.E. *reviewer*: Plants for Human Consumption, by G. Kunkel 273
Wickens, G.E., Goodin, J.R. & Field, D.V. (Eds.): Plants for Arid Lands. Proceedings of the Kew International Conference on Economic Plants for Arid Lands, July 1984 (Rev.) 277
Willdenowia 302
Wilmot-Dear, C.M.: Croton armstrongii and C. habrophyllus (Euphorbiaceae): a confusion 661
Wilmot-Dear, C.M.: A revision of Mucuna (Leguminosae-Phaseoleae) in the Indian subcontinent and Burma 23
Wilmot-Dear, C.M. & Radcliffe-Smith, A. & (Bibliog.) & Radcliffe-Smith, A. & Harley, R.M.: H.K. Airy Shaw, 1902-1985 (Obituary) 3
Winteraceae 324

Xerochloa 748, 763
—— *laniflora* Benth. 750
Xeromphalina campanella (Batsch: Fr.) Kuehner & Maire 506
—— *tenuipes* (Schwein.) A.H. Smith 527
Xerotus lateritius Berk. & Curtis †576
—— *nigrita* sensu Berk. & Curtis †576
—— —— Lév. 576
Xerula chrysopepla (Berk. & Curtis) Singer 545
Xerulina asprata (Berk.) Pegler 545
—— *chrysopepla* (Berk. & Curtis) Singer 545

Yakirra Lazarides 403
—— *foliolosa* (Hook.f.) Clayton †403
—— *majuscula* (F. Muell. ex Benth.) Lazarides & Webster *753, 754
Yeo, Peter F.: Hardy Geraniums (Rev.) 958
Yvesia madagascariensis A. Camus *753, 754

Zanthoxylum leprieurii Guill. & Perr. 367
Zea mays 569
Zeuxine Lindl. †722
—— *elongata* Rolfe †722
Zohary, Michael,& Heller, David: genus Trifolium (Rev.) 280
Zygochloa 763
—— *paradoxa* (R. Br.) S.T. Blake 750

VOLUME 42

LONDON: HER MAJESTY'S STATIONERY OFFICE, 1987

© *Crown copyright 1989*
First published 1989

THE SEPARATE NUMBERS OF THIS VOLUME WERE PUBLISHED AS FOLLOWS:

No. 1	Pp.	1–284	4 April 1987	£28
No. 2	Pp.	285–486	5 June 1987	£21
No. 3	Pp.	487–775	26 August 1987	£29
No. 4	Pp.	777–961	11 November 1987	£20

End papers and corrections, Contents and Index published 1989

CORRECTIONS

P. J. Greenway's Obituary—a correction

B. Verdcourt

"In my obituary of Peter Greenway (Kew Bull. 36: 1–7 (1981)) I stated that R. A. Dummer was a rival candidate in 1928 for the botanical post at Amani but was killed before the interviews. This is not possible for Dummer's fatal accident occurred in Uganda on the 21 Dec 1922. It was Peter himself who told me this tale which I failed to verify. Possibly it was some earlier interview involved but there is no evidence for this."

Vol. 42(2): 479 (1987). 2nd line from end, initial of Burkhardt should be F,. not S. S.

Vol. 42(3): 658 (1987). The combination *Ipomoea marginata* (Desr. in Lam.) has already been made by H. Manitz in Fedde Rep. 85: 638 (1974).

Vol. 42(4): 959 (1987). In "Notices" "Barbara Esther" should read "Barbara Ertter" (author).

CONTENTS

OBITUARIES — *Page*

H. K. Airy Shaw, 1902–1985 3–21
Dr G. Thanikaimoni 22
John Patrick Micklethwait Brenan (1917–1985) 286–296
Rolf Dahlgren, 1932–1987 700
A. C. Hoyle, an appreciation 655–656

ORIGINAL PAPERS

Adams, L. G., Bridson, D. M. & Robbrecht, E. The identity of *Lasianthus graciliflorus* Bailey *(Rubiaceae)* 209–214

Brandham, P. E. & Kirton, P. R. The chromosomes of species, hybrids and cultivars of *Narcissus* L. *(Amaryllidaceae)* 65–102

Bridson, Diane M. Additional taxa in *Oxyanthus*, *Pavetta* and *Tarenna* *(Rubiaceae* subfam. *Cinchonoideae)* from Tanzania 251–261

—— Nomenclatural notes on *Psilanthus* including *Coffea* sect. *Paracoffea (Rubiaceae* tribe *Coffeeae)* 453–460

—— Studies in African *Rubiaceae–Vanguerieae*: a new circumscription of *Pyrostria* and a new subgenus, *Canthium* subgen. *Bullockia*.... 611–639

—— The recognition and recircumscription of the African genus *Multidentia (Rubiaceae–Vanguerieae)* 641–654

Brummitt, R. K. & Seyani, J. H. A revision of the species related to *Plectranthus stenophyllus (Labiatae)* in Malawi 687–699

Carter, Susan. A new *Euphorbia* species and a new variety from East Africa 369–470

—— New taxa in *Euphorbia* subgen. *Euphorbia* from eastern tropical Africa 371–383

—— Taxonomic changes in *Synadenium (Euphorbiaceae)* from East Africa 667–671

—— New species and taxonomic changes amongst the succulent trees and shrubs of *Euphorbia* subgen. *Euphorbia* from East Africa 673–682

—— New taxa and observations in *Monadenium (Euphorbiaceae)* in East Africa 903–918

—— **& Gilbert, M. G.** *Euphorbia heterochroma*, *E. stapfii* and related taxa 385–394

Cheek, M. R. A new species of *Drosera* from South Africa 738

Chisumpa, S. M. & Brummitt, R. K. Taxonomic notes on tropical African species of *Protea* 815–853

Clayton, W. D. Miscellaneous notes on Panicoid grasses 401–403

Coode, M. J. E. *Crinodendron*, *Dubouzetia* and *Peripentadenia*, closely related in *Elaeocarpaceae* 777–814

Cope, T. A. A new species of *Trikeraia (Gramineae)* from Tibet and Bhutan 350

—— *Eupthryptochloa*: a new genus of *Gramineae* from China 707–709

—— **& Boulos, L.** A new species of *Coelachyrum (Gramineae)* from Egypt 919–920

Cribb, P. J. New records of *Orchidaceae* for Arabia 461–463

—— **& Fay, J. M.** Orchids of the Central African Republic—a provisional checklist 711–737

Fay, J. M. A new combination in *Icacina* 464

Ferguson, I. K., Havard, A. J. & Dransfield, J. The pollen morphology of the tribe *Borasseae (Palmae–Coryphoideae)* 405–422

Fontella Pereira, Jorge & Ferreira da Silva, Nilda Marquete. A new species of *Barjonia (Asclepiadaceae)* from Bahia, Brazil. Notes on *Asclepiadaceae*: 1 663–665

Forman, L. L. A new genus of *Burseraceae* from Mexico 262

Friis, Ib. A reconsideration of *Pittosporum* in Africa and Arabia 319–335

—— A new name in *Pouzolzia (Urticaceae)* 666

—— The identity of Chiovenda's species of *Olea (Oleaceae)* 586

Gilbert, M. G. Two new geophytic species of *Euphorbia* with comments on the subgeneric grouping of its African members 231–244

—— New and interesting species of *Euphorbiaceae* from Ethiopia 351–368

—— Two new species of *Polycarpaea (Caryophyllaceae)* from Somalia 701–704

Green, P. S. A long-misapplied name for a Sino-Indian species of *Jasminum*. Studies in the genus *Jasminum (Oleaceae)*: XI 437–438

—— *Jasminum* in Arabia—a correction 944

Grey-Wilson, C. & Wadhwa, B. M. Two new species of *Chenopodiaceae* from the Western Himalaya 471–475

Halliday, P. A new combination in *Kleinia (Compositae)* 442

Havard, A. & Verdcourt, B. A pollen survey of *Tapiphyllum (Rubiaceae-Vanguerieae)* 605–609

Hawkes, J. G. & Hjerting, J. P. Validation of names of three *Solanum* taxa from Bolivia 436

Hemming, C. F. & Radcliffe-Smith, A. A revision of the Somali species of *Jatropha (Euphorbiaceae)* 103–122

Hepper, F. N. Two new species of East African *Craterostigma (Scrophulariaceae)* 945–946

Kaushal, P. S. & Jeffrey, C. The occurrence of *Crepis capillaris (Compositae)* in India and its distinction from *Crepis sancta* 429–431

Linder, H. P. The evolutionary history of the Poales/Restionales—a hypothesis 297–318

Ling Yeou-ruenn. On the status of *Artemisia dubia* Wall. ex Bess. and *A. myriantha* Wall. ex Bess. *(Compositae)* 443–448

Marais. W. Notes on *Aristea (Iridaceae)* in East Africa 932

Mendis, N. M., Ferguson, I.K. & Dransfield, J. The pollen morphology of the subtribe *Oncospermatinae (Palmae: Arecoideae: Areceae)* 47–63

Pegler, D. N. A revision of the Agaricales of Cuba 1. Species described by Berkley & Curtis 501–585

—— A revision of the Agaricales of Cuba 2. Species described by Earle and Murrill 855–888

Philcox, D. New species of *Buchnera (Scrophulariaceae)* from southern tropical Africa 208

—— Further new species of *Buchnera (Scrophulariaceae)* from southern tropical Africa 384

Phillips, S. M. A new combination in *Tetrapogon (Gramineae)* 477–478

—— Notes on *Eragrostis (Gramineae)* from northeast tropical Africa 929–931

Pramanik, A. & Thothathri, K. Miscellaneous notes on two Indian Moonseeds *(Menispermaceae)* 705–706

Radcliffe-Smith, A. Notes on African *Euphorbiaceae:* XIX *Tragia* (iii) and notes on *Croton* & *Erythrococca* 395–399

Renuka, C. A new species of *Calamus (Palmae)* from India 433–435

Renvoize, S. A. A survey of leaf-blade anatomy in grasses X. *Bambuseae* 201–207

—— A survey of leaf-blade anatomy in grasses XI. *Paniceae* 739–768

—— New grasses from Paraná, Brazil 921–925

—— A new *Isachne (Gramineae)* from Brazil 927–928

Robson, Norman K. B. & Sebsebe Demissew. New and little known species of *Maytenus (Celastraceae)* in East Africa 423–427

Saddi, N. New species of *Kielmeyera (Guttiferae)* from Brazil 221–230

Samuel, Rosabelle. Chromosome numbers in *Piper* 465–470

Sathish Kumar, C. & Manilal, K. S. A synopsis of *Ipsea (Orchidaceae)* 937–943

Scott, A. J. A second species of *Cylindrocline (Compositae-Inuleae)* 476

—— Notes on *Compositae-Inuleae* for the 'Flore des Mascareignes' 854

Shetty, B. V. & Singh, Paramjit. A new species of *Vitaceae* from Peninsular India 933–936

Simpson, D. A. New descriptions and a new species of *Rhynchospora* from northeastern Brazil. Notes on Brazilian *Cyperaceae* I 889–895

—— New species of *Cyperus* and *Eleocharis* from Bahia. Notes on Brazilian *Cyperaceae* II 897–901

Sreekumar, P. V. & Shetty, B. V. *Bhidea fischeri*, a new species of *Gramineae* from India 683–685

Stewart, Joyce & la Croix, Isobyl F. Notes on the orchids of southern tropical Africa III: *Aerangis* 215–219

Thulin, M. & Warfa, A. M. The frankincense trees *(Boswellia* spp., *Burseraceae)* of northern Somalia and southern Arabia 487–500

Townsend, C. C. A new Iraqi species of *Onopordum (Compositae)*. Contributions to the flora of Iraq: XIV 439–441

—— Notes on *Peucedanum (Umbelliferae)* and allied genera in Central and East Africa 587–604

Verdcourt, B. Notes on African *Rubiaceae-Vanguerieae* 123–199

—— A new species of *Mitriostigma (Rubiaceae-Gardenieae)* from Tanzania 245–250

—— The identity of *Vigna strophiolata* Piper *(Leguminosae-Phaseoleae)* 220

—— The identity of *Psychotria madandensis* S. Moore *(Rubiaceae)* 64

—— Three corrections to the Flora of Tropical East Africa 657–660

—— On the typification of *Heliotropium supinum* L. *(Boraginaceae)* 710

Vermeulen, J. J. Two new species of *Bulbophyllum (Orchidaceae)* in Africa 263–266

Vollesen, Kaj. The native species of *Gossypium (Malvaceae)* in Africa, Arabia and Pakistan 337–349

—— *Commiphora sessiliflora* Vollesen *(Burseraceae)*—a synonym of *C. guidottii* Chiov. 686

Vorster, P. *Mariscus microbolbos (Cyperaceae)*: a new combination 200

Welch, R. Colin. The occurrence of*Cynipinae (Hymenoptera)* galls on non-British *Quercus (Fagaceae)* in the Kew Herbarium 449–451

Wilmot-Dear, C. M. A revision of *Mucuna (Leguminosae-Phaseoleae)* in the Indian subcontinent and Burma 23–46

—— *Croton armstrongii* and *C. habrophyllus (Euphorbiaceae)*: a confusion 661–662

REVIEWS AND NOTICES

Pest Control in tropical onions (Notice) 773

Baas, Pieter & Miller, Regis B. *Functional and Ecological Wood Anatomy* 267

Boureau, Edouard (Ed.) *Nouvelles recherches sur les coccoides precambiens des Richât de Mauritanie* (Notice) 282

Brooks, R. R. & Malaisse, F. *The Heavy Metal-Tolerant Flora of Southcentral Africa.* 479

Broughton, W. J. & Pühler, A. (Eds.) *Nitrogen fixation. Vol. 4 Molecular biology* (Notice) 961

Burkhardt, S. S. & Smith, S. (Eds.) *The Correspondence of Charles Darwin. Vol. 1* 479

Busby, John R. *Nothofagus cunninghamii (Southern Beech) Vegetation in Southeastern Australia. Australian Flora and Fauna series No.1* (Notice) 282

But, Paul Pui-Hay, Liang-chi Chia, Hok-lam Fung, Hu, Shiu-Ying. *Hong Kong Bamboos* 268

Cannon, P. F., Hawksworth, D.L. & Sherwood-Pike, M. A. *The British Ascomycotina. An Annotated Checklist.* 268

Carr, Gerald D. *Monograph of the Hawaiian Madiinae (Asteraceae): Argyroxiphium, Dubautia and Wilkesia* 769

Catling, P. M., Freedman, B. & Lucas, Z. *The vegetation and phytogeography of Sable Island, Nova Scotia* (Notice) 282

Collenette, Sheila. *An illustrated Guide to the Flowers of Saudi Arabia* 481

Dahlgren, R. M. T., Clifford, H. T. & Yeo, P. F. *The Families of the Monocotyledons. Structure, Evolution and Taxonomy* 269

Dassanayake, M. D. & Fosberg, F. R. (Eds.). *A Revised Handbook to the Flora of Ceylon Vol. V* 282

Davis, P. H. (Ed.) *Flora of Turkey, Vol. 9* 947

Dennis, R. W. G. *Fungi of the Hebrides* 770

Duke, James A. *Isthmian Ethnobotanical Dictionary* 947

—— **& Ayensu, Edward S.** *Medicinal Plants of China, Volumes 1 & 2* 271

Elliston Allen, David. *The Botanists. A history of the Botanical Society of the British Isles through 150 years.* 948

Ertter, Barbara. *The Juncus triformis Complex. Memoirs of the New York Botanical Garden, Vol. 39* (Notice). 959

Feinbrun-Dothan, Naomi. *Flora Palaestina, Part 4* 949

Geesink, Robert. *Scala Millettiearum. A survey of the genera of the Millettieae (Legum.-Pap.) with methodological considerations* (Notice) 283

Gelderen, D. M. van & Hoey Smith, J. R. P. van. *Conifers* 950

George, A. S. (Exec. Ed.) *Flora of Australia Vol. 25, Melianthaceae to Simaroubaceae* (Notice) 281

—— **(Exec. Ed.)** *Flora of Australia Vol. 46, Iridaceae to Dioscoreaceae.* 950

Gill, A. M., Belbin, L. & Chippendale, G. M. *Phytogeography of Eucalyptus in Australia. Australian Flora and Fauna Series No. 3* (Notice) 283

Grignon, I. & Johnsen, P. *Towards a Check-List of the Vascular Plants of Botswana* 272

Harrison, S. G. *Index of Collectors in the Welsh National Herbarium* (Notice) 773

Hedge, I. C. (Ed.). *Plant Life of South West Asia* (Notice) 959

Hendricks, David M. *Arizona Soils* 951

Jackson, D. L. & Jacobs, S. W. L. *Australian Agricultural Botany* 483

Janick, Jules. *Horticultural Science* (Notice) 774

Johnson, Dale E. *Literature on the history of botany and botanic gardens 1730–1840. Huntia 6(1)* (Notice) 283

Kedves, M. *Introduction to the palynology of pre-quaternary deposits* (Notice) 774

Krüssmann, Gerd. *Manual of Cultivated Broad-Leaved Trees and Shrubs, Volume II, E-PRO* (Notice) 774

Kunkel, G. *Plants for Human Consumption* 273

Lack, Eva. *Die Abenteuer des Sir Joseph Banks* 952

Leadbeater, Barry, S. C. & Riding, Robert (Eds.). *Biomineralization in Lower Plants and Animals* (Notice) 961

Maas, P. J. M. & Collaborators. *Saprophytes pro parte. Flora Neotropica Monographs 40–42* (Notice) 774

Morton, A. G., FRSE. *John Hope, 1725–1786 Scottish Botanist* 771

Ng, F. S. P. *Plant Phenology in the Humid Tropics. Research Pamphlet No. 96* 273

Oliver-Bever, Bep. *Medicinal plants in tropical West Africa* 483

Pegler, D. N. *Agaric Flora of Sri Lanka. Kew Bulletin Additional Series XII* 771

Pesce, C. *Oil palms and other Oilseeds of the Amazon* 484

Pilbeam, John. *Sulcorebutia and Weingartia. A Collector's Guide* 274

Polunin, Oleg & Walters, Martin. *A Guide to the Vegetation of Britain and Europe* 953

Poncy. Odile. *Le genre Inga (Légumineuses, Mimosoideae) en Guyane Française* (Notice) 283

Puff, Christian. *A Biosystematic Study of the African and Madagascan Rubiaceae-Anthospermeae* (Notice) 960

Rainforest Conservation Society (1986). *Tropical Rainforests of North Queensland: Their Conservation Significance* 772

Richards, Paul. *Indigenous Agricultural Revolution. Ecology and Food Production in West Africa* 275

Roosmalen, M. G. M. van. *Fruits of the Guianan Flora* 485

Rzedowski, J. & Rzedowski, G. C. de. *Flora Fanerogámica del Valle de Mexico* 954

Salley, Homer E. & Greer, Harold E. *Rhododendron hybrids. A Guide to their Origins* 955

Scott, George. A. M. *Southern Australian Liverworts. Australian Flora and Fauna series No. 2* 284

Sidiyasa, K., Sutisna, V. &c. (Compilers), Whitmore, T. C. & Tantra, I. G. M. (Eds.). *Tree Flora of Indonesia Check list for Sumatra* (Notice) 960

Skog, Lawrence E. & Wetzel, Hayden M. *Translationes Operum Sinensium de Gesneriaceis—I. Contributions from the New York Botanical Garden Vol. 16* (Notice) 960

Tomlinson, P. B. *The Botany of Mangroves* 956

Townsend, C. C. *Taxonomic revision of the genus Haplophyllum (Rutaceae)* 957

Vánky, Kálmán. *Carpathian Ustilaginales, Symbolae Botanicae Upsalienses XXIV: 2* 277

Veevers-Carter, W. A Garden of Eden. Plant Life in South-East Asia (Notice) 961

Wickens, G. E., Goodin, J. R. & Field, D. V. (Eds.) *Plants for Arid Lands Proc. Kew Internat. Conf. on Econ. Plants for Arid Lands* 277

Yeo, Peter F. *Hardy Geraniums* 958

Zohary, Michael & Heller, David. *The genus Trifolium* 280

Printed by HMSO, Edinburgh Press
Dd. 289374 C7 6/89 (268275)